A REPORT OF THE

NATIONAL SCIENCE TALENT SEARCH EXAMINATION

196

K. N. SAXENA

M A., B.Sc., M.Ed., Ph.D.

Field Advisor,

Department of Science Education, N.C.E.R.T.,



Department of Science Education

NATIONAL COUNCIL OF EDUCATIONAL RESEARCH & TRAINING
N.I.E. Buildings, Mehrauli Road, New Delhi-16,

Published by

Department of Science Education,

NATIONAL COUNCIL OF EDUCATIONAL RESEARCH AND TRAINING

N.I.E.Buildings, Mehrauli Road, New Delhi-16.

First published-March, 1969-1,000 copies

(C) NATIONAL COUNCIL OF EDUCATIONAL RESEARCH AND TRAINING 1969

Printed by S. Sager at The Bengal Press, Azad Market Delhi-16.

FOREWORD

This is the fifth report on the National Science Talent Search Examination, which was conducted in January, 1967. 6159 students appeared at this examination, 1145 were called for interview and finally 368 were selected for the award.

In the present report, Dr. K. N. Saxena, Field Adviser in the Department has analysed the data systematically and has interpreted the same giving rise to some important issues which will be of interest to the research workers, educationists, teachers and psychometricians. The report contains some important items like the accelerated programme of education for the awardees; parallel schemes in India and abroad; item analysis of the Science Aptitude Test; suggested areas for further research and allied problems etc.

The report also contains the designs of some research studies conducted on the data available on National level. The findings of these studies will be valuable to the educationists, teachers and research workers.

M. C. PANT

Head of the Department of Science Education, National Institute of Education,

N.I.E. Building Mehrauli Road, New Delhi-16



PREFACE

This is the fifth report on the National Science Talent Search Scheme, sponsored by the National Council of Educational Research and Training. The present report incorporates many salient features like research projects and their interpretation; statistical analyses conducted on the National data; organisation of intensive follow-up programme; sample items from parallel tests from other countries; implications of the research findings in the overall development of science teaching in the country.


It is hoped that this report will be of interest to the teachers, educationists, scientists, educational administrators and research workers, who are actively engaged in the task of building the Nation.

I am grateful to Dr. R. K. Mathur of the Department of Psychological Foundations, N.C.E.R.T and Shri S. K. Batra Senior Statistical Associate of my own Department for helping me in the preparation of this report.

K. N. SAXENA Field Adviser

Department of Science Education National Council of Educational Research and Training.

N I.E. Buildings, Mehrauli Road, NEW DELHI-16



CONTENTS

		Pages
	FOREWORD	13,
	PREFACE	¥i
	Chapter	
1.	A NATIONAL EFFORT TO SPOT AND NURTURE	
_	SCIENTIFIC TALENT	1-4
	I.I. Introduction	1-2
	1.2. Some salient features of the National Science Talent Search Scheme	76 84*
	1.3. Objectives of the Scheme	2-3
	1.4. Other outcomes of the scheme	3
	1.5. Abilities and skills to be tested	3-4
2,	TECHNIQUES OF SELECTION	5-11
	2.1. The Selection Procedure	5
	2.2. The cut-off point of the first stage screening	5
	2.3. The Science Aptitude Test	5.6
	2.4. Essay Type Test	6-7
	2.5. The Project Report	7
	2.6 The Interviews	7-11
3.	SELECTION RESULT	12-13
	3.1. The Merit Last	12
	3.2. The Value of Scholarship	12-13
	3.3. Follow-up of the awardees	13
	3.4. Proposals for the qualitative Improvement of the Scheme	13
4.	ACCELERATED PROGRAMME FOR THE AWARDEES	14-15
	4.1. A high achiever as the future scientist	14
	42. Possible Alternatives	14
	4.3. The Follow-up of the Accelerated Programme for the High Achievers	15
5.	SAMPLE ITEMS OF THE SCIENCE APTITUDE TEST FROM INDIA AND ABROAD	16-26
	5 I. Parallel Schemes in U.S.S.R. and other countries	16
	5.2. Sample items from the Westing House Science Aprilude Test	16-26
ű,	INTERPRESATION OF THE DATA	27-43
	6.1. Areawise Distribution of items on Science Aptitude Test	27.28
	6.2. Distribution of Thought-Type Items included in the Science Aptitude Test	28
	6.3. Analysis of the Mern List	28-29

64. S	salemic Distribution of the Fxaminees and the Awardees	29-33				
	nfer-Haard sacrations in the distribution of scores on the different tests	33-34				
66 /	A Follow-up study of 1984, 1965 and 1966 Awardees	34-35				
	who josped Hasic Science Courses					
	Sime Correlational Figures at a glance	35-37				
	Item Analysis of the Science Aptitude Test	37-40				
	Rehability of the Science Aptitude Test	40				
	Inter-correlation of the sub-tests of the Science Aptitude Test and other Tests	40-42				
	A detailed study of the population	42				
	Topic for some Research Studies	42				
	Details of the Lollow-up study of some of the Awardees	42-43				
6.14.1	Results of the same of the Research Studies	43				
APPENT	DICES					
1	A Report of the Summer Schools organized in May-June 1967	44-84				
11		85-93				
111		94 96-111				
IV	IV Sample project report					
V Areawise Hem of the Seigner Aptitude Test 1967 1						
VI	VI Thought-Type Items-An Analysis of Part (A) & 1 Part B of the Test					
VII	National Science Talent Search Examination (1967) Merit List	116-132				
VIII	Analysis of the merit list	133				
IX	(A) (I) Statewise Distribution of Exeminces and Awardee	134				
	(A) (II) Yearwise and Statewise percentage distribution of the awardees	135				
	(B) Language-wise Distribution of candidates and a Statewise Statement of the average score scored	136-137				
	by the examinees appeared in 1967 at Essay Paper (C) Statewise distribution of awardees selected in the N.S.T.S. Examination year 1967	138				
X	(A) Measures of Central Tendency and variability of scores in interview-Boardwise (Zonal)	139				
	(B) Frequency distribution of scores on science aptitude test	140-143				
	(C) Graphical representations	145-167				
XI		168-172				
XII	• • • •	173				

XIII	Correlational Ligures at a glance	174-176
XIV	A (i) Item-analysis data for the discriminative and difficulty values of items of science aptitude test (Compulsory Part) 1967	177-178
	(u) Items-analysis data for the discriminative and difficulty values of items of the Optional Part (Physics) of the Science Aptitude Test, year 1967	179-180
	(iti) Item-analysis data for the Discriminative and difficulty values of items of the optional Part (Chemistry) of the science Aptitude Test (1967)	181-182
	(iv) Item-analysis data for the discriminative and difficulty values of items optional Part (Biology) of the Science Aptitude Test year 1967	183-184
	(v) Item-analysis data for the discriminative and difficulty values of Items of the Optional Part, (Mathematics) of the Science Aptitude Test, 1967	185-186
χV	(B) An analysis of the items selected and rejected on the basis of discriminative and difficulty values	187
*	(A) Data for the reliability of the compulsory part of the Science Aptitude Test, 1967 (B) Data for the reliability of the Optional Part	188-190
	(Physics) of the Science Aptitude Test—1967 (C) Data for the Reliability of the Optional Part	191-192
	(Chemistry) of the Science Aptitude Text—1967 (D) Data for the reliability of the Optional Part	193-194
	(Riology) of the Science Aptitude Test—1967 (E) Data for the reliability of the Optional Part (Mathematics) of the Science Aptitude Test—	195-196
	1967	197-198
XVI	(A) Ligures at Glance (B) Correlational Lables	199 200-209
XVII	(A) Statewise frequency distribution of marks scored by the Candidates in Essay Paper in N.S.T.S.	
	Examination year, 1967 (B) Statewise frequency distribution of marks scored by the Candidates in Project Report	210
XVIII	in N.S.T.S. Fxamination yeas 1967 Statewise frequency distribution of the marks	211
	scored by the candidates in Science Aptitude Test of the N.S.T S. Examination March, 1964, 65, 66 & 67	212-245
	Relative frequency curves	216-245

XIX	(A)	Predictive and Follow-up (Comparative) Data of a Random Sample of Students who secured first class at the higher Secondary Examination 1967 and who secured a place in the Merit List of the S.T.S. Examination as against those	
		wno could not secure a position	246
	(B)	Predictive and Follow-up (Comparative) Data of a random sample of students with regard to their position in 1st year of the B.Sc. (Pass/Hons.) Courses and who secured First Class at the Higher Secondary Examination 1966 and who secured a place in the Merit List of the Science Talent Search Examination year 1966	247
,	(C)	as against those who could not secure a position Predictive and Follow-up (Comparative Data of students with regard to their position in the Final Year of the B.Sc. (Pass/Hons.) Course and who secured First Class at the Higher Secondary Examination 1964 and who secured a place in the Merit List of the Science Talent Search Examination year 1964 against those	241
		who could not secure a position	248
	ST	UDIES	
,	1.	A study of the different correlates contributing to the Academic success on failure of N,S,T,S. Scholars	249-267
	2.	A correlative study between the scores obtained on the Science Apultude Test (1967) and the Progressive Matrices Test	
	· 3.	A study regarding the initial cut-off point used at the preceding year of eligibility, as an initial	268
	4.	screening device for the N.S.T.S. Examination A study of the difficulty level of the different	269-272
	5.	parts of the Test Effect on the reliability of the Science Aptitude	273-285
		Test (year 1967) by discarding the items of low discriminative power	286-294
	6.	Britanille	•
	7.	A Research Study based on Distractor Analysis of the S.A.T. Items	295-310
	8.	A critical and correlative study of the N.S.T.S. Examination 1967 and the Schoolwise Data of	311-361
		Schools in Delhi	362-370

CHAPTER—I

A NATIONAL EFFORT TO SPOT AND NURTURE SCIENTIFIC TALENT

1.1 Introduction

The National Science Talent Search Scheme was started as a pilot project in the territory of Delhi in 1963 with the clear-out objective of identifying brilliant students at the end of the secondary stage of education so that their talents may be nurtured in a suitable manner in order that we may have a band of future scientists in the country, by the country and for the country.

This Scheme was started in response to the traditional question of brain drain. The current impact of science and technology on the daily life and on the process of National Reconstruction has made it almost imperative that we should identify a team of bright scientific and technical personnel to meet this perennial challenge. With the growing demand for the basic scientific and technological research, it is considered necessary by educational planners and thinkers that vocational placements to the multitude of vacancies for specialists should be filled in such a way that we may have square pegs into square holes and round pegs into round holes. This leads us to a very important and difficult job of planning the entire technological and scientific education very carefully.

The age-old belief that scientists are born once in a while has been refuted by innumerable researches conducted in different parts of the world. There is a growing feeling that, being given a suitable mental make up, it should not be difficult to accelerate the environmental circumstances in such a way as to nurture scientific potential in a pre-designed fashion. This hypothesis requires that we should be able to identify future scientists at an early age and then give them such scientific training as may help them to grow their intellectual capacities to the best possible extent. Hence the modern concept is that the environment has to play a very important role in creating scientists of eminence. This is true in other academic and vocational spheres also. Many people believe that aptitudes have some aspects hidden in the hereditary factors, while experiments have proved that aptitudes are not in-born but are the results of the environmental factors.

Educational psychologists and guidance workers have indicated that by the end of the higher secondary stage of education, there are ample chances that the specific aptitudes get matured as against the innumerable interests that germinate during this period of childhood and adolescence. Hence it was considered necessary that a search for scientific talent, should be made at the end of the higher secondary stage of education or its equivalent grade. By doing this, one can easily mould the scientific environment so that the group of high achievers, selected at the end of this stage, may find it congenial to develop their mental abilities and specific aptitudes concretely.

1.2 Some salient features of The National Science Talent Search Scheme: Having framed the hypothesis that it is possible to nurture scientific talent in such a way that we may produce future scientists of eminence, the Science Talent Search Scheme was extended all over the country in 1964. An All India examination was held which consisted of a Science Aptitude test, an essay paper, a project report and an interview. In 1966, the Scheme was revised and was given a National stature. From this year, the period of scholarship was extended to 9 years i.e. from B.Sc. upto Ph.D (instead of 3 years of degree course, as was contemplated in 1964). A maximum of 350 scholars are selected each year, commencing from 1964, and an examination is held annually on the first Sunday in the month of January. From 1966, the items regarding the placement of scholars and the appointment of individual guides has also been taken up in order to provide first rate scientific environment to the awardees. Institutions, having excellent academic background, are selected annually and the students are asked to choose one of the selected institutions for their admission for the degree, master's and doctorate level courses. The role of summer schools, for giving the awardees a congenial academic atmosphere, has. also been emphasized right from the beginning of the Scheme.

With the intensive programme of selection, placement and follow-up, it seems optimistic that the identification and nurturing process will go a long way in making this National Scheme a success. This will, in its own turn, provide the Nation with a band of devoted scientists and teachers of science in the coming tew years. The details of the process of selection and the follow-up programme are given elsewhere in this report.

1.3 Objectives of the scheme: The main objectives of the Scheme are:

- 1. to identify boys and girls at the close of secondary stage, who possess a marked aptitude for science;
- 2. to stimulate scientific talent by a competitive process and recognition of merit;
- 3. to help such students to pursue courses in basic sciences by the award of scholarship from B.Sc. to Ph.D. stage;
- 4. to provide special programmes in science to such scholars with a view to nurture the talent in the best possible way;

- 5. to encourage schools to take more active interest in the search for scientific ability and;
- 6. to help in building up a body of future scientists who will contribute to the scientific advancement, both in pure and applied fields.
- 1.4 Other Outcomes of the Scheme: Certain other outcomes are also expected to emerge out of this programme, the most important of which are:
 - * to create consciousness amongst educationists for improving the school syllabi pertaining to science subjects, methods of teaching and evaluation techniques;
 - * to provide colleges, universities and technical institutions with a means of contacting science students of high ability;
 - * to mobilise the interest and support of higher centres of learning and other science agencies for the development of scientific talents.
- 1.5 Abilities and skills to be tested: The programme seeks to assess the pupil's:
 - * aptitude for science;
 - * powers of scientific reasoning and skill in scientific experimentation;
 - ability to apply knowledge and to analyse and interpret scientific data;
 - ability to express scientific concepts clearly and precisely;
 - * creativeness and mental alertness in the investigation of the scientific phenomena;
 - * awareness about the basic nature of science;
 - * knowledge about the recent developments in the various branches of pure and applied sciences, and
 - * skill to devise and develop some original ideas experimentally.

From the above descriptions, it will be clear that the National Science Talent Search Scheme has been designed to fulfil some important needs of the country i. e. to provide basic scientists to the various National Laboratories, Defence Establishments, universities and allied institutions. It is also hoped that the industries will be able to receive good quality of scientists for their own establishments.

Building up our educational structure on the findings of this Scheme, it seems necessary to point out that the selected scholars may do better in case

the educational studies at the university level are slightly modified to suit the intellectual capacities and aptitudes of the high achievers. This will include the setting up of separate institutions for the talented scholars. The follow-up studies have indicated that the mere placement of the awardees in selected institutions does not solve the problem of providing a suitable and challenging academic environment to the scholars. This is because of the undue emphasis on rote memorisation of the subject matter under the traditional system and therefore little scope is left for the creative abilities to be made use of during the period of study.

CHAPTER II

THE SELECTION PROCESS

- 2.1. The technique of selection: The selection procedure, as adopted during this year, was the same as in the previous years. Initial screening and the final selection were based on the:
 - (i) marks obtained in science subjects in class X or an equivalent (considering the higher secondary system);
 - (ii) marks obtained in the three theory papers:
 - (a) the Science Aptitude Test
 - (b) the Fssay paper
 - (c) the Project Report.
 - (iii) marks secured at the final interview.

The number of students who appeared at the annual test, those who called for interview and those who were finally selected gave a selection ratio of 17:3:1.

- 2.2 The cut-off point of the first stage screening: On the basis of the previous experience, it was found that the probability that a student with a score less than 55% in science subjects at the high school stage will compete successfully in the final selection is less than 5% and hence it was decided that 55% should be the appropriate cut-off point. This also helps in making the number of students for the written tests within reasonable limits of financial and administrative control. Some investigations have been conducted on this cut-off point which will throw more light on the effectiveness of the first stage of screening.
- 23. The science aptitude Test: This test is framed in such a way that it helps to discover the pupil's aptitude for science.
 - his/her interest of pursuing science beyond the routine curriculum;
 - his/her powers of scientific reasoning;
 - * his/her ability to understand scientific concepts precisely;
 - his/her ability to use the scientific approach in checking hypotheses and interpreting data and in applying principles, and
 - his/her capacity to judge assumptions and underlying conclusions,

The questions in 1967 test were divided into two parts i. c. A & B. Part A was compulsory and Part B was optional. The compulsory part consisted of 75 thought type questions on fourteen different areas of sciences viz., Physics.

Chemistry, Mathematics, Zoology, Botany, Astronomy, Physiology and Hygiene, Engineering, Bio-Physics and Meteorology. Part B consisted of four sections viz., Physics, Chemistry, Mathematics and Brology. Each section consisted of 50 questions, out of which 37 questions were of factual type and 20 were of thought type. The entire test was of three hours' dutation and consisted of only multiple choice items of factual and thought types. The students were expected to answer all the questions in part A and the 50 questions from any one of the four sections provided in part B. Taking into account the wide spectrum of knowledge involved, the students were expected to have scientific comprehension of a higher nature as against their routine curricular knowledge.

The number of thought type items in the whole test were \$6% while that of factual type were 44% whereas in one's own attempt this number is 76% for the thought type and 24% for the factual type questions. This specific ratio was kept so that the test may be used for identifying not only factual knowledge but also powers of comprehension, reasoning, critical thinking and analysis-synthesis of the examinees. The items in each of the major areas were set by a panel of three setters drawn from universities and Centres of Advanced Studies. The pooled items in a particular area were than scrutinised by another expert in that very branch of knowledge. Because of the peculiarity of the objective type test items, the finally approved items were again modified at the Department of Science Education, N. C. E. R. T. in order that a test of quality may be set.

Some sample items from the Science Aptitude Test 1967 are included in Appendix II. The scoring of this test was very simple because every correct answer carried one mark. Since, in such a test of objective type there is an element of guessing and hence a correction formula was applied as given below:

$$S=R-\frac{W}{N-1}$$

Where S=number of corrected scores,

R=number of right answers,

W=number of wrong answers, and

N=number of total alternatives provided in each item i.e four in the present test.

The reliability and validity of the test indicate that it is possible to use an objective type criteria for spotting the scientific talent. The distractors employed for the framing of multiple choice items were made as plausible as possible. A research study with regard to this issue has been included in Appendix XX.

^{2.4} Essay Type Test: There is a school of thought which believes that the objective type of items cannot measure a lequately the powers of comprehension,

organisation of thoughts and aboveall ability to express the scientific thoughts in words. The age-old traditional tool of evaluation of essay type was also made use of in the present evaluative process with certain modifications. In this test, four titles were given and each student was required to write an essay on any one of the topics in about 2,000 words. The titles were chosen in such a way that they may cover some of the modern developments in basic sciences. The sample topics for 1967 have been included in Appendix III to give an idea about the nature of the questions asked.

2.5 The Project Report: Every participating candidate was required to submit a written project report on a scientific topic to be chosen by him/her. The project reports were either to be based on experiments carried out by the students on scientific topics or on observational data, its systematic analysis and interpretation. Through the reports, originality and scientific creativity of the students was to be judged. The students were given the choice of taking necessary guidance from their teachers for the completion of such a report.

Some of the written project reports of 1964, 65, 66 and 67 have been published by the Department of Science Education so that these may provide guide-lines to the future examinees. Some of the teachers in the remote corners of India could also develop an insight with regard to this matter with the help of these printed project reports. Although many reports were of a routine nature, yet some indicated a high level of proficiency on the part of the examinees. One such report is included in Appendix IV.

2.6. The Interviews: On the basis of the written tests, 1145 students where called for interview at Delhi, Dehradun, Bangajore, Bombay and Calcutta. The composition of the different boards is given below:

Composition of The Delhi Board

Venue: University Grants Commission,

Bahadur Shah Zassar Murg.

New Delhi.

Dates of Interview: 8th May, 1967 to 13th May, 1967

1. Chairman : Dr. D. S. Kothari, Chairman,

University Grants Commission,

New Delhi.

2. Member Secretary: (i) Dr. R.N. Rai,

Head of the Department of Science

Education.

N. L. F. Buildings, Mehrauli Road,

New Delhi-16

(from 8th May to 10th May, 1967)

(ii) Shri N. K. Sanyal, Field Advisor, Department of Science I ducation, N.I.F. Buildings, Mehrault Road, New Delhi-16, (from 11th May to 13th May, 1967)

3. Expert Members:

- (i) Dr. M.R.N. Prasad, Professor, Department of Zoology,
 Delhi University, Delhi (8th May to 10th May, 1967)
- (ii) Dr. C.M.S. Dass, Professor, Department of Zoology, Delhi University, Delhi. (11th May to 13th May, 1967)
- 4. State Representatives:
- (i) Shri P.D. Gupta, Ramjas College, Delhi (Delhi State)
- (ii) No intimation in respect of Rajasthan State was received.

Composition of the Bangalore Board

Venue:

Institute of Science Bangalore.

Dates of Interview:

17th May to 21st May, 1967

1. Chairman:

Or. P. L. Shatnagars, Professor of Applied Mathematics Indian Institute of Science Bangalore-12.

2. Member Secretary:

Dr. K.N. Saxena,
Field Adviser,
Deptt. of Science Education
N.I.E. Buildings, Mehrauli Road,
New Delhi-16.

3. Expert Members:

Dr. K. Srinivasan,

Head of the Chemistry Department,

St. Josph's College, Bangalore.

4. State Representatives:

Shri N. Ramalingam, Chief Professor of Zoology, Presidency College, Madras (Madras State)

- Shri T.V. Thimme Gowda, Joint Director of Public Instruction, Mysore (Mysore State)
- No intimation in respect of Kerala was received.
- 4. No intimation in respect of Andhra Pradesh Government was received.
- No intimation in respect of Pondicherry was received.

Composition of the Bombay Board

Venue: Institute of Science, Bombay.

Dates of Interview: 17th May to 21st May, 1967.

1. Chairman: Professor B.V. Thosar, Dean,

Faculty of Physics,

Tata Institute of Fundamental Research, Homi Bhabha Road, Colaba, Bombay.

2. Member Secretary: Dr. R. N. Rai,

Head of the Department of Science Education.

N I E. Buildings, Mehrauli Rond,

New Delhi-16.

3. Expert Member: Dr. J. J. Chinoy.

Head of the Department of Botany, Gujarat University, Ahmedabad.

4. State Representatives: 1 Shri J. B. Sandil, Principal, D.K.V. College, Jamnagar, (Gujarat)

 Shei H.D. Gupta, Assistant Director of Education and Incharge Science Consultant to Director of Education, Bhopal (M.P).

- Dr. J. R. Merchant, Professor of Organic Chemistry, Institute of Science, Bombay (Maharashtra)
- 4. No representative was deputed from Clon.

Composition of the Calcutta Board

Venue Saha Institute of Nuclear Physics,

92, Upper Circular Road, Calcutta.

Dates of Interview: 17th May to 21st May, 1967.

1. Chairman:

Dr. B.D. Nagchaudhuri, Director, Saha Institute of Nuclear Physics, 92, Upper Circular Road, Calcutta-9.

2. Member Secretary:

Dr. M.C. Pant, Professor, Department of Science Education, N.I.E. Buildings, Mehrault Road, New Delhi-16,

3. Expert Member:

Prof. R. P. Roy, College of Science, Patna.

4 State Representatives:

- Dr. Sushil Chandra Das Gupia, Head of Mathematics Department, Bengal Engineering College, Shibpur (Howrah) (West Bengal)
- 2. No Intimation in respect of Assam was received
- 3. No intimation in respect of Bihar was received
- 4. Shri Sankarsan Mohapatra, Reader in Mathematics, Rayenshaw College, Cuttack (Orissa)
- Shri D.L. Mukherjee,
 Head of the Chemistry Deptt.,
 D. M. College, Imphal (Manipur)
- Shri Subodh Chandra Chakraborty,
 Senior Lecturer,
 Incharge of Physics Department,
 M.B.B. College, Agartala (Tripura)
- 7. No intimation was received (Nagaland)
- 8. N.E.F.A. No intimation was received
- 9. No intimation was received (Andaman & Nicobar)

Composition of the Dehradun Board

Venue:

Doon School, Dehradun. (U.P.)

Dates of Interview:

27th May to 31st May, 1967.

1. Chairman:

Professor P. N. Mehra, Head of the Botany Deptt., Punjab University, Chandigarh. 2. Member Secretary:

Shri Ved Ratna, Lecturer, Deptt. of Science Education, N.I.E. Buildings, Mchrauli Road, New Delhi-16.

3. Expert Member:

Dr. R. C. Kapoor, Dean,
Faculty of Science,
Jodhpur University, Jodhpur

4. State Representative

- Shri K. C. Sachdev, Principal, Govt. Degree College, Rampur, Bushahr, Distt. Mahasu (Himachal Pradesh)
- No intimation in respect of Punjab was received.
- No intimation in respect of Haryana was received.
- 4. No intimation in respect of J. & K. was received
- Dr. Sitawar Sasan, Director of State Institute of Science Education, Allahabad (U.P.)
- 6. Shri R Saran, Awistant Director of Education, Delhi (Delhi).

While awarding the overall marks, the perform once of each candidate was judged on his her scientific approach towards problem solving and the practical applications of scientific phenomena. Every student was given a fair chance to display his her academic excellence. The following table indicates the States and the Territories represented at each of the five boards:

S. No.	Venue of the Board	State Territory represented
i.	Delhi	Delly & Rajasthan
7	Ochradon	t' P', Punjah, J& K and H P
3	Hangalose	A F. Punjab, Madras, Kerala and Pondicherry
4	Calcutta	West Bengal, Assam, Biber, Tripura, Manipur, Nasaland
5.	Bombay	MP, Maharashtra, Gujarat and Goa

The allocation of the States/Territories to the various interview builds was done according to administrative facility and the number of analytical feets the nearby areas. Wherever possible, ledging arrangements who came from outside stations.

The role Wollder

CHAPTER III

SELECTION RESULT

- 3.1 The Merlt List: An analysis of the merit list indicates that the maximum number of students were selected from the territory of Delhi. In all, 863 students appeared at the examination from this territory and students were selected for the award of out of this number 124 scholarship. In West Bengal, 519 appeared at the test and 79 were finally selected. Next in order of merit was U.P., where 944 appeared at the test and 32 were selected. In Kerala, 386 students appeared at the test and 27 were finally selected. The number of awardees selected from Assam, Orissa, Punjah, Rajasthan, Gujarat were on the very low side e.g. 2/82, 2/70, 3/115, 1/243, 5/79. From the State of Jammu and Kashmir, the result for the past year as well as for this year has not been very satisfactory because no student has been selected either in 1966 or 1967. The number of students who appeared were 11 and 29 respectively. With regard to the Union Territories, the result has not been alarming as compared to other States. In all 89 students appeared at the test and four were finally selected for the award of scholarship.
 - 3.2. The Value of Scholarship: Prior to 1966, the duration of scholarship was for three years i.e. at Bachelor's level only. From 1966, it was decided that the rate of scholarship should be increased and the period should also be extended so as to cover the entire educational range from B. Sc. first year upto the end of the doctorate level. The revised scholarship rates were as follows:—

Rs. 100/-P. M. in the three years of B Sc.

Rs. 250/-P. M. in the two years of M.Sc.

Rs. 350/-P. M. for the doctorate level work (for a period of four years)

In addition to this, the awardees were also given the opportunity of purchasing books worth Rs. 100/-at the under-graduate stage; Rs. 200/- at the Master's level and Rs. 350/- at the doctorate level. The revised scheme also included the selection of 'some outstanding institutions in India where the awardees could be admitted at the Bachelor's Master's, and the doctorate levels. In addition to this placement, they were also required to be attached to senior teachers in the concerned faculties, who could give personal guidance to the awardees. The students who were required to join the selected institutions outside their home towns, were expected to live in an approved hostel so that the overall education did not suffer. This complete change in the conditions of the award brought forth a new life to the Scheme because it was now clear that every awardee has the option of starting his/her education from B.Sc. first year and

continue the same upto the end of the doctorate level, provided he/she secured a first class at the end of the Bachelor's and Master's degrees. Secondly, the inter-personal relationship between the scholars and the teachers was expected to bring about better education both from the centant point of view and from the point of view of the development of the overall personality.

3.3 Follow-up of the swarders: Detailed cumulative record card in respect of each of the awarder was prepared in order that it may incorporate the essential bio-data, academic progress and other extra curricular details. These record cards have proved to be one of the important tools of the follow-up programme. It will not be out of place to mention that very often relevant details are not easily available inspite of the best efforts because of many obvious reasons.

One of the most important follow-up programmes is the organisation of summer schools. This year 15 summer schools were held at Bangalore, Chandigarh, New Delhi, Udaipur, Calcutta, Bombay, Poona, Delhi, Kanpur, Varanasi and Madras.

The two main objectives of the summer schools were: (a) to establish interpersonal relationship between the teachers and the taughts (b) to motivate the experimental curiosity of the scholars so that they may utilise their potentialities to their best advantage. At most of these summer schools project work was considered to be a very important aspect for bringing about better education on lines of creativity and scientific experimentation. In addition to the above objectives, the participants were also introduced to the new devlopments in the various fields of basic sciences. This type of exposure is very braited under a routine scholastic situation, existing at most of the institutions of higher learning.

3.4 Proposals for the Qualitative Improvement of the Scheme: In order that improvements may be brought about in the process of selection, placement and follow up, some research projects have been suggested in Appendix XII. Out of these, some projects have already been undertaken by the Expartment of Science Education and some of the findings of the research studies have been quoted in Appendix XX. It may be mentioned that constant research is needed to bring about needed improvements in the overall functioning of this Scheme. The validity and the reliability of the Science Aptitude Test have been determined, which gives a ray of hope that the suitable test items can easily be made use of by the Central and State Boards of Education and Examination. In fact some authorities have already made use of these items for diagnostic and prognostic purposes.

CHAPTER IV

ACCELERATED PROGRAMME FOR THE AWARDLES

- 4.1 A high achiever as the future scientist: The problem of educating the talented students in science, giving needful incentives and purposeful motiva tional situations, is of a perennial nature from times immemerial and bence needs to be studied with full confidence and proper weightage. Only then the channelisation of the energy of the bright scholars can be put on a firm ground of an utilitarian nature. It is a fact that the high achievers need a sustable academic atmosphere where they can attach sufficient weightage to their exercise abilities. At the same time it has been a painful experience that in the present system of traditional education, there is hardly any scope for the createsty and intellectual excellence. Therefore, it seems to be very necessary to provide an accelerated type of environment to the high achievers in and out of school. college atmosphere. The problem of providing challenging experiments of a creative nature is not so acute at the school stage but it assumes a wide dimension when it is a question of providing an accelerated environment to the high achievers at the college/university level. There are many problems assertated with this issue and some of them have been discussed in the next paragraph.
 - 4.2 Possible Alternatives: The first solution is to have special classes for the educationally gifted students after the routine classroom work. At these special classes, an effort can be made to devise accelerated types of courses for the scholars and then to enter into prolonged type of grouped discussions.

The second alternative is to pursue a parallel syllabus for the high achievers. This will mean a type of classification of pupils.

The third solution is to give the talented students intensive coaching during the holidays and summer vacations. The organisation of summer schools for the talented scholars has been very successful for motivating them to do initial research work alongside their usual academic work of a curricular nature.

The fourth solution is to set up separate institutions for the academically bright so that a new type of extensive curriculum and modern methods of evaluation can be followed without any difficulty. Recent thinking in all the developed countries of the world, including a socialistic country like Societ Union, has led to the setting up of special institutions catering to the needs of the bright scholars. This suggestion is engaging the active attention of some of the educational planners and thinkers of our country also and hence needs to be pursued with greater conviction.

The Follow up of the Accelerated Programme for the High Achierers: The recent trends in the follow-up programme of the National Science Talent Search Scheme have indicated that the awardees be given a congenial and an accelerated educational environment in order that they may derive full utility of their intellectual capacities. The follow-up programmes will, therefore, be useful only when they are evaluated from time to time. One such programme is the provision of an intensive placement schedule, where the awardees are required to get admission in selected institutions of a higher nature, specially the Centres of Advanced Studies. The appointment of individual guides to the scholars is also one of the important follow-up programmes directed towards accelerated type of scientific education. The organisation of summer schools for a longer duration also seems to be an important issue which should be given considerable thought.

The various types of follow-up programmes, including excursions to places of scientific interest, group discussions, lectures by eminent scientists etc. need to be followed up with regard to their efficacy.

It is hoped that the appointment of individual guides, placement of awardees, the organisation of the summer schools and allied steps will go a long way to motivate the scholars to a very great extent. The opening of separate institution for the talented scholars has to be scrutinised with greater attention and enthusiasm.

CHAPTER V

SAMPLE ITEMS OF THE SCIENCE APIITUDE IEST FROM INDIA AND ABROAD

5.1 Parallel Schemes in U.S.S.R., U.S.A and other countries: A mention has already been made about parallel schemes in India and abroad in the preceding Annual Reports. The Westing House Science Talent Search Scheme of the United States as well as the Mathematical Olympiads of the Soviet I men are the nearest schemes to the National Science Talent Search Scheme and a detailed mention of the two schemes has already made in the previous reports. The Science Aptitude Test used under the present scheme is very much similar to the Westing House Science Aptitude Test and hence it will be worthwhile to mention some items from this scheme for the guidance of the research workers and teachers of science.

5.2 Sample items from the Westing House Science Aptitude test

PART A

Directions: Each question has five possible answers, but there may be as many as five right answers for a question. For some questions there will be only one right answer, while others may have two, three, four or five right answers. Put an X in the parentheses corresponding to each right answer. Your score is the number of answers market correctly plus two times the number of questions answered entirely correctly.

- 1. Of the following planets, which one is the smallest?
- . 1. Earth

4. Mercury

2. Jupiter

5. Venus

- 3. Mars
- 2. Which of the following is (are) true of insects?
 - 1. All legs are attached to the thorax.
 - 2. Insects have antennue attached to their heads.
 - 3. Insects have six legs.
 - 4. Insects have two compound eyes.
 - 5. The body of an insect is divided into three parts: head, thorax and abdomen.
- 3. New findings from measurements made of earth-circling satellites give information about theearth's shape. Which of the following is (are) NOT true?

- 1. It bulges at the equator.
- 2. It has four high points, giving it roughly a pyramid shape,
- 3. It is narrower at the equator, wider at latitudes 60°N and 60°S and flatter at the poles than a sphere.
- 4. It is slightly pear-shaped with the narrow end in the Arctic.
- 5. The earth's equator is egg-shaped, not circular.
- 4. Flement 96, created by the bombardment of uranium 238 and plutonium 239 with high energy tons or alpha particles in a cyclotron, was named
 - 1. americium

4. currium

2. berkelium

5. telesuranus

- 3. californium
- 5. Which of the following is (arc) true of the new field of observational neutrino astronomy?
 - 1. It cannot properly be classified as a branch of astronomy.
 - 2. It is based on the weak interaction property of the neutron.
 - 1. It will enable astronomers to see the surface of Venus.
 - 4. It will enable scientists to obtain information directly from the interior of a star.
 - 5. It will provide improved estimates of the average energy density in the nuncerse.
- 6. Pauli's exclusion principle
 - 1. is basic to our understanding of the electron structure of the atom;
 - is important in understanding the gravitational forces within a solar system;
 - 3. is the basis of non-Mendelian genetics:
 - 4. states that a star cannot simultaneously generate energy by gravitational contraction and by hydrogen fusion
 - 5. States that no two particles of the same kind in the same atom can be in the same quantum state.
- 7. The study of the flow of materials, particularly plastic flow of solids and the flow of non-Newtonian liquids, is called
 - 1. dynamics
 - 2. hydraulics
 - 3. piezoelectric phenomera
 - 4. rheology
 - 5. atress
- 8. Which of these birds is (are) now extinct?

		4	1	4	tak	ahe
		norned o	sw.r	5.	wh	reping clane
	2.					
	3.	moa				a u a bill a céar sta
9.	mat	a must t	ysical theory requi se more than 7% support (s) the the	fillite tal same	ili a sun	eclesiss object a star, its Which of the following
	 3. 4. 	Anythin but only A small hold a	ly by reflected light ler body would solar system in or quired mass is an	t. have insuffic bit. naller than i	ent that	gravitational affraction to observed for any relevant
			on the mass is the			
10.	₩	hich of t	he following ident	ifications of 1	den	una ia (atc), criteri *
	1.	A	: thismise			
	2.	Bı	: folic acid			
	3,	$\mathbf{B}_{\mathbf{k}}$: riboflavin			
	4,	Biz	: tocopheroi			
	5.	, C	: ascorbic acid			
11	ħ	igher de	r that is not a roc gree) whose co-effi or zero) is	ot of any eccions are into	egeri	on (linear, quadratic, or o (positive of negative whole
	1	. imag	inary			transfinite
		indef			5.	ltansformed
	•	i, irans	scendental			
1:		· ·	sistor was first and	ounced in		
-					4.	1948
		1. 1933				. 1953
		2, 1938			. ب	1. 男子可称
		3, 1943	3			

13. Phloem is found in

- 1. blood

- computer circuits
 respiratory tracts
 smooth muscle fibers
- 5, trees

14. Each pair of answers consists of the common name of a group of animals and the name of a phylum. Which pairing (s) is (are) correct?

I. crustaceans : Arthropoda : Annelida : Annelida

3. round worms
4. single-celled animals
5. sponges
Porifera

15. Calcium

- 1. freezes at 48° C.
- 2. has a greater specific gravity than lead,
- 3. is an alkaline earth metal,
- 4. is harder than lead.
- 5. occurs in nature as the free metal

16. A warm-blooded animal in hibernation

- 1. does not breathe.
- 2. has a heart rate of 1-15 beats per minute.
- 3. has the same body temperature as surrounding air,
- 4. maintains a normal blood pressure.
- 5. may be frozen and than thawed without damage.

17. A plant growth hormone is


- I. a catalyst
- 2. an auxin
- 3. an enzyme
- 4 another term for fertilizer
- 5. produced in meristematic tissues :

PART B

Directions: in part B, the questions and answers following each section are based on the information given. Each question has five possible answers, BUT there may be as many as five right answers for a question. For some questions there will be only one right answer, while others may have two, three, four or five right answers. Put an X in the answer box corresponding to each right answer. Your score will be the number of answers marked correctly plus two times the number of question for which you have marked all the correct answers and no other answers.

SECTION A

Two pulleys A and B, are each 20 inches in diameter. The belt is 1, feet long and is positioned as shown in the diagram



Opentions on Section 4

- 18. How many rotations will puller A make as the belt makes were a separate circuit?
 - 1. 360/20n
 - 2, 600/20π
 - 3, 360/10#
 - 4. 360/100m
 - 5. The arrangement prevents motion of belt and policie
 - 19. If pulley B turns in a clockwise direction, pulley A
 - 1. cannot turn because of the arrangement of the belt .
 - 2. will rotate at half the speed of pulley H .
 - 3. will rotate at the same speed as pulley B.
 - 4. will turn in a clockwise direction ;
 - 5. will turn in a counterclockwise direction
 - 20. A point X is marked on the outside of the belt at the point shown in the diagram. In how many rotations (counterclockwar) of the belt will the X again be in that same position?
 - 1. 1
 - 2, 2
 - 3. 3
 - 4. 4
 - 5. The system will not permit rotation.

Section II

Dashiell found considerable improvement in performance due to audience affects on such tasks as simple multiplication on word association. But, as is the case in many other areas, negative audience effects were also found. Pessin asked college students to learn lists of nonsense syllables under two conditions, alone and in the presence of several spectators. When confronted an audience, his subjects required an average of 11.27 trials to learn a seven-item list. When working alone they needed only 2.85 trials. The average number of errors made in the "audience" condition was considerably higher than the number in the "alone" condition. Husband found that the presence of spectators interferes with the learning the finger maze. Later Pessin and Husband confirmed Husband's results. The number of trials which the isolated subjects required for learning the finger maze was 17.1. Subjects confronted with spectators, however, required 19.1 trials. The average number of errors for the isolated subjects was 33.7; the number for those working in the presence of an audience was 40.5.

The results thus seem to contradict one another. On a pursuit-rotor task Travis found that the presence of an audience improves performance. The learning of nonsense syllables and maze learning, however, seem to be inhibited by the presence of an audience, as shown by Passin's experiments. The picture is further complicated by the fact that Passin's subjects who tried to recall the lists in the presence of spectators did considerably better than those who tried to recall them.

Questions on Section II

- 20. In which studies was learning in the presence of other persons less efficient than learning without an audience?
 - I. Dashiell

4. Travis

2 Husband

- 5. Triplett
- 3. Pessin and Husband
- 21. What hypotheses were offered to account for the observed differences in learning of the different materials?
 - 1. Cognitive featuring is facilitated by the presence of an audience.
 - 2. Having an audience interferes with learning tasks requiring greater concentration or effort.
 - 3. No explanatory hypotheses were offered.
 - 4. The learning situation were to dissimilar to make comparisons.
 - The results depend on whether rate of learning or recall is used to measure learning.

- 22. Which of the following statements is faret consistent with the section ?
 - 1. A pursuit-rolor task was learned more effectively with specialist present.
 - 2. Learning of nonsense syllables was inhibited by the presence of specia-
 - 3. Maze learning was inhibited by the presence of speciators
 - 4. Recall of nonsense syllables was brites with specialors persons
 - 5. Social facilitation should be used to improve learning

Section III

In deep sea diving, oxygen toxicity may cause redent consultants and eventually death. The safe limit for breathing 100° oxygen is that atmospheres absolute for one-half hour. If the pressure of a gas mixture is increased, then the percentage of oxygen must be decreased sufficiently in order to present oxygen toxicity, but not so much as to cause symptoms of oxygen lack thypoxia). Our present operational limit of 180 feet for 30 minutes is based on the fact that a single gas mixture containing 16% oxygen is used for treatment of the bends to avoid the problems of hypoxia as the patient means the authors and to promote the removal of the mert gas causing the bends, a depth of 180 feet of sea water is equivalent to 12 atmospheres, and one-sixth of that amount is equivalent to two atmospheres of oxygen. Again, we do not fully understand the basic mechanisms of oxygen toxicity at the cellular level. If this understanding can be reached, then perhaps suitable pharmacological agents can be developed to minimize oxygen toxicity and thereby allow for decompression treatments starting at much greater depths.

Questions on Section III

31. Bends are

- 1. associated with too high a proportion of oxygen in the breathing mixture;
- 2. caused by helium only;
- 3. caused by inert gases in the breathing mixture;
- 4. cortain to occur after working and breathing in saygen pressures greater than 12 atmospheres;
- 5. the same as hypoxia;
- 24. Which of the following statements is (are) subtantiated by the Section -
 - Extrapolation of the information given shows that a diver can operate safely at a depth of 760 feet using 4% oxygen is his gas measure
 - Oxygen toxicity and bends not only have the same symptoms, but also the same physiological mechanisms.

- 3. Oxygen toxicity is a condition of more rapid oxidation within the cell than the cellular tissue can withstand.
- 4. The least oxygen safe for breathing is 16%.
- 5. Within the ranges of pressure and time indicated in the Section as safe limits, pressure of the gas mixture and proportion of oxygen are inversely related.

Section IV

A research scientist irradiated hybrid male mice for 12 weeks with various doses of neutron radiation. The animals lived during this time in cages on top of a graphic low-energy experimental pile, a neutron source.

After itradiation, the mice were mated with groups of female mice of a specific test stock, also used in radiation research. The male irradiated mice carried dominant genetic characteristics, such as coat colour, whereas the females carried recessive genetic characteristics that the offspring would inherit, such as pink eyes.

All the offspring of the mice were checked by the researchers to see if characteristics of permanent mutational change had occured. This was expressed, for example, as change of coat color from black to brown, spotting of coat, kinking of tail or body hair, change in size of cars or color of eyes, or abnormality of feet.

It was observed that after mating successive generations expressing mutations, when the dominant mutations of the irradiated male mice became doubled in an offspring, it nearly always caused death. The same was true when the recessive mutations were doubled. As an example of how seldom this happened, however, only about one mouse of each 2,000 carrying the dominant characteristics from the group of male mice irradiated with 200 rads of neutrons showed this lethal effect of dominant characteristics.

From these long-term irradiation exposure experiments it is not possible to predict effects of large doses in a short period of time. In another experiment, it was found that when the animals were given very high doses in just a few minutes instead of weeks, the number of mutations was much lower, being only about one-tenth of that produced by long-term exposures.

Questions on Section IV

- 25. Which of the following statements is (are) supported by the Section?
 - 1. Different kinds of radiation sources produced different mutations.
 - 2. Long term exposure produced more mutations than shorter intensive

- 3. Most mutations were kethal
- 4. The genetic effects of equal perhation of the control of
- 5. The results of the experiments as home over the artistics experiments with transitives
- 26. Which of the following best complete the argument in the finite study?
 - 1. to compare mutation rates for to here with the descriptions
 - 2. to find the minimum radiation capable of growth are minimum.
 - 3. to find the mutational potential of the mile me was
 - 4. to see if radiation of make only madel product the make on the make
 - 5. to test the fertility of madaird man " "

Section V

Porces of attraction between molecules, propagation on the are ables in and cohesion. These forces are essentially elegational. Addition in a tile arread or force between unlike particles (molecules or atomic to be an able to the Section like particles. Thus fine dust and paint addition is an atomic to a object to a time of a section of a steel cable cohere together. Hoth addition is and to the addition of a steel cable cohere together, and addition is and to the addition of a steel cable of adjusting surfaces, and make of a staget of pressure ele.

The constituent particles composing a body sample position determined by the principles of minimum potential energy. If an attensed is made to being these particles closer together, an classic teaction is set up, etc. strag the compression. Conversely, if the particles are separated be send their potential discusses, forces of cohesion, opposing this separation, come into play. The same conditions govern the spacing of atoms or ions in the crystal lattice of a solid

Two examples may be considered A. A clean, considered glass plate, suspended at its centre by a spring, exhibits considerable addition when brought into contact with the surface of water. When finally separated from this surface, the plate emerges well. B. If the same experiment is trivial with mercury the glass plate, removable from the mutanty surface with with considerable effort, is found to be dry.

Questions of Section V

27. According to example A:

- 1. adhensive forces (water to glass) are greater for curcular plates of glass having the same area;
- 2. Cohesive forces have to be greater than adhesive forces in situations like example A;

- 3. Cohesive forces (water for water) follow Hooke's Law;
- 4. if the glass plate had been corrugated the adhesion would have been increased.
- 5. the force of adhesion of water to glass is greater than the collesion of water for itself.

28. Considering example B:

- adelision between the glass plate and mercury is less than between the glass plate and water
- adhesion between the glass plate and mercury is not as great as the cohesion between mercury particles.
- 3. a square plass plate of the same as the circular glass plate would exhibit less adhesion .
- 4. mercury shows no elasticity
- 5. wetness or dryness of glass plate is not pertinent to the example.

29. Which of the following statements may be correctly inferred from the Section !

- 1. Adhesion and collesion are magnetic phenomena.
- 2. Smooth surfaces are easier to keep dust-free than rough surfaces.
- 3. The greater the similarity in the physical properties of two substances, the greater the adhesion between them.
- 4. The greater the viscouties of two substances the less the adhesion between them.
- 5. The principle of minimum potential energy governs the spacing of ions or atoms in the crystal lattice of a solid.

Section VI

In the diagram

ather u


dirif-1

a × d «r

hiems

c if fart

rasate. Harver N



Each of the values, a, b, c, d, e, f, r, s, t, u, v and N is integral and positive.

Questions on Section VI

30.	Which of the following sets of values taken one at a time make 124 it possible to determine the value off?				
	1. c, t				
	2. d, e, N				
	3. d, e, v				
	4. r, s, N				
	5. r, s, v				
31.	Which set (s) of values taken one at a time will enable one to determine each of the remaining values in the diagram, when t, a and t are known?				
	1. a, d, N				
	2. a, e, f				
	3. d, b, c				
	4. d.e. v				
	5. u, v				
32,	If the values of N, v, r and v are known, which additional net tax of values will enable one to determine the value of c?				
	1. a only				
	2. b only				
	3. donly				
	4. coniy				
	5. fonly				
33,	If N, u, r and t are known, what is the smallest number of additional values one must know to determine each of the remaining values (a, b, c, d, e, f, s and v) in the diagram.				
	1. 0				
	2. 1				
	3. 2				
	4. 3				
	5. 4				

CHAPTER VI

INTER-PRETATION OF THE DATA

6.1 AREAWISE DISTRIBUTION OF ITEMS ON SCIENCE APTITUDE TEST:

On a perusal of Appendix (v), it will be clear that the number of items included in the Biology section were a little more as compared to the number of items included in Physics, Chemistry and Mathematics sections viz., 7 in each of the latter 3 sections while 9 in the Biology section. The other 9 branches of science had 5 questions each. Low weightage to the interdisciplinary branches of sciences is because these areas are not included in the curriculum of the Secondary Boards. The interdisciplinary branches were included because there was a general feeling that we should have an assessment of the broad spectrum of knowledge of the students. The questions framed in these sections were of multiple-choice type arising out of thought provoking passages full of scientific information. Four alternatives were provided in each question. Thus, in all there were 75 thought type questions covered by 14 branches of science and, this constituted Part A (compulsory) of the test.

In Part B (optional) of the test, there were four sections, viz., Physics. Chemistry, Biology & Mathematics and these subjects are included in the curriculum of the Secondary Boards. An examinee was to choose one of the these four sections, depending upon his aptitude in a particular branch of basic science. Each of the four sections consisted of 30 factual type and 20 thought type questions. The questions were set in the multiple choice form with four alternatives to each question. Thus the Science Aptitude Test contained 56% of thought type items and 44% of the factual type items. whereas this figure is 76% and 24% in an examince's attempt. The number of thought type items (76%) were slightly more than three times the number of factual type items (24%) because it was felt that the former type of items were more suitable to spot falented students. A perusal of Appendix XIV will make it clear that 68% of the factual type items and 76% of the thought type items were selected on the basis of difficulty and discriminative values. The rejection of thought type items is slightly more this year as compared to the preceding year by 3% while in case of factual type items the rejection figure has increased by 10%. The increase in the rejected items of the factual type is because of their limited scope in eliciting higher and complex mental notentialities.

On the whole one can judge, empirically, with such objective type of test, the ability and interest in a particular branch of science of a student.

From the preceding year's figures it has been a because it at the gun entage of students who opt for Mathematics as an optional part of the test of the feet of the feet of the other optional parts of the test. It is a general feeting of the examinees that Mathematics part is more former or low man it is in the in comparison to other parts of the test. A secretain is group of it is in taken up very moon to verify the aforesaid belief

62 DISTRIBUTION OF THOUGHT TYPE THAT IN THE ITEM TO THE SCIENCE APPLIEDE TEST.

Appendix VI indicates the various sections together with the number of passages and the number of stems extracted from those grassages ander each area. The last column of appendix VI, gives the average number of the items per passage. These seems to be some paration among the paper setters in this respect. The number satisfaction 1 25 to 3 to 3 to 3 and 3 to 3 get the number of stems per passage is 2.3 m for compute expant of the feet and in case of optional part this figure is 3.2. The national explained above may be due to many reasons, like the readability of the parrager 30 m d fferent subject areas, abstract nature of the subject matter et. The way are be due to the fact that there are some areas where extraction of the about can judge critical thinking and secentific reasoning together some the and of higher mental powers) is very difficult and hence the angrage no dut of their per passage for such areas is as low as 1.25 e.g. in Philosophy of Samuel and Mathematics and in some particular blamber of memoria like Physics and Biology the culting of steme is comparatisely exist and that is why the average number of items per passage are 3 5, 1 4, and 1 if

6.3 ANALYSIS OF THE MERIT LIST:

In Appendix (VIII) the analysis of the merit lot is given, taking is slabs of 50 ranks each and the last slab of 68 ranks (in order of merity to indicate the educational courses opted by the awarders. Out of the top facinity awarders, 12 have joined basic science courses and only 6 have period engineering courses. Amongst the first 50 students, 14 poincil basis sections, 10 joined engineering and technological courses and one opted for other professional courses. In the next slab of 50 awarders, 31 have spired for other sciences and only 5 have gone in for engineering and technology. Thus of the top 100 talented students, 65% have joined basic science courses while in the middle group 64% and 67% have joined basic science courses while in the middle group of the students in the top group have joined engineering and other professional courses. This figure is 20% in the middle and 16% in the third group. In the last slab of 68, 54 have joined technical courses. I com the above statistical data one can draw the conclusion against the statement "that top meritorious students are more likely to go in for engineering, techno-

logical or medical courses". Rather there seems to be a tendency for the brilliant students to opt for basic sciences in preference to the technological or medical courses.

On the whole, 68°, students have joined basic sciences, while 17.4% have joined engineering or other professional courses. This bias in favour of basic science courses may be due to the specific aptitude of the students, facilities extended, and the pre-conditions laid down in the specific scholarship scheme as well as the pre-conditions of admission to the various institutions in the country.

6.4 STATEWISE DISTRIBUTION OF THE EXAMINERS AND THE AWARDELS:

Appendix IX A (i) reveals that there is a wide variation amongst the States in respect of number of students taking the Science Talent Search Examination. This reflects that:

- (I) the total number of students in class XI or an equivalent stage in different states is different:
- (2) publicity of the scheme in all the states might not have been uniform; some States and Union Territories like U.P., M.P., W.B., Madras, M.S. and Delhi have sent an appreciable number of students to take these tests:
- (3) there may be a wide variation amongst the states and the territories with regard to the number of students with 55% marks in science subjects in class X (or an equivalent class);
- (4) it is a fact that in some states the facilities for professional courses are so adequate as to accommodate most of the bright students, leaving very little incentive for them to go in for basic science courses.

Column (5) Appendix IX-A (i) gives the statewise selection ratio (in percentage) at the first stage of selection, viz., those eligible for being called for interview on the basis of marks obtained in theory papers.

It will be interesting to note that these selection ratios for the Delhi Territory and the States of W.B., Kerala and M.S. are higher than other States and Territories indicating that probably only those students were sent for the tests whowere high achievers. In the remaining states although a sizable number of students were recommended to take the test yet very few students were finally selected for the award, particularly in the states of Rajasthan, M.P. and A.P. This may be due to the fact that the recomended students had probably

not been able to show matching critical thinking and scientific compethenasin as could have been expected on the basis of their academic achievement cas reflected by school marks). This indicates that

- (1) the scientific studies in these States have not been oriented to incorporate the recent developments in sciences.
- (2) the school marks in these States reflect a tole memory knowledge rather than wide spectrum of scientific comprehension based on critical thinking and reasoning.
- (3) the teaching in these states may be more operated to perpare a udentafor public examination demanding rote type of selective learning
 rather than developing sescutific concepts, excellents and certical
 thinking;
- (4) the cut-off score of 55% reflects different standards of congression abilities in different states and territories.
- (5) the system of examination is quite different in different states

A perusal of column (7) giving the final velection satisfy, indicates slight ups and down in the relative position of the State's performance in comparison to their relative position in column (5). States like 12 P. Gaussiand Bihas have shown some improvement in the final result in comparison to that we the previous year's result.

The plausible reasons for comparatively good performance from Delhi (in addition to those quoted above) may be that .

- (1) the students in Delhi have an advantage over others in having better library and laboratory facilities in addition to better experimental methods of teaching:
- (2) the curriculum is computatively rich in content matter,
- (3) there may be some familiarity with objective type tests amongst fiether students because of the previous examinations of 1903, 64, 63 and 66; to compensate for this relative disadvantages of the students from other States, the Department of Science Education has sent copies of the test papers of previous years to all the states and territories so that the teachers and students may get an idea of the items that they can expect;
- (4) these students have added facilities of television lessons and well qualified science teachers, mostlypost-graduates;

(5) these students are exposed to better extramural activities of a scientific nature.

Column No. 8 indicates the percentage distribution of the awardees in the different states. Most of the participating states and territories have received a few scholarships, although territory like Delhi has been taken a hig chunk out of the total number. It may be noted that the awards were made on an All India basis and no state/territory quota was fixed. However, one feels that from the states like U.P., where the student population is quite large and much more than that in Delhi, a large percentage could have competed successfully in case their teaching and learning standards were comparable with those prevelent in Delhi.

A glance at Appendix 1X-A (ii) reveals that states like Kerala, W.B., Bihar, A.P. have shown better results in comparison to that of the preceding years, while in case of states like Gujarat, U.P., Orissa, M.S., M.P., Assam, the number of selected candidates for the award has decreased. It is quite clear from the aforesaid Appendix that from the State of W.B. and territory of Delhi, a good number of students are selected for the award every year. In thes year 1966, from the Delhi territory maximum number of students (150 awardee out of a total of 354, finally selected) were selected. But the statewise selection ratio is only 26% which has been reduced to 14.36% in the year 1967. This is because, in the year 1966, better students (securing marks higher than the cutoff point) were recommended for the test and the total number was 572, while in the year 1967 the total number of examinees has increased to 863, whereas the number of students securing marks much above the cut-off point has been reduced. One may be inclined to feel that the chief plausible reason for comparatively good performance of the students appearing from Delhi Territory is that the students get maximum information relevant to the examination and some other allied facilities. In reality this is not so, because it has been observed, since the year 1964, that students just at the tail end of the list of students who qualify for the interview are found to possess a good grasp over the subject matter and the project work. This may be due to good educational background. Though more rigourous norms are adopted in the interview board at Delhi, still the average score of the candidates in the Interview is more than that of the average score in Interview of the students from other States.

A perusal of the Appendix IX B, showing language-wise distribution and the average marks scored by the examinees appearing from different states at the essay paper of the National Science Talent Search Examination year 1967, indicates that there is no marked tendency among the students to write their essay paper in Hindi (27.9%) as against in English, where this percentage is 48.3%. This represents a changed position from that of last year, where the %age of students writing the essay paper in Hindi was more than writing the

paper in English. Though the total number of examinees have increased from 3932 (in the year 1966) to 6049 in 1967, yet the total number of examinees from the Hindi speaking areas has gone down particularly in the case of M.P. and U.P. States.

It is interesting to note that in case of Hindi medium states, there is a growing tendency among the students of writing their essay paper in Hindi in comparison to the students from states with regional media writing their paper in their own regional language, such as Bengali, Tamil, Malyalam etc.

The figures are as follows :-

%age of students who wrote their essay paper in	States with Hindi medium	States with regional language as medium
فالتبارخ والمراجع والمراجع فالمراجع والمراجع والم والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراج	وأكلفها كناوان إنهابات للكاستو هيمنى بالفيهن	The section of the se
(i) Hindi	79.10.	0.2%
(ii) English	19.2%	\$2.4%
(iii) Regional languages	1.7%	47.4°,

The overall %age of the esssy paper written in English, Hindi and other regional languages is 48.3%, 27.9% and 23.80%, whereas the total number of students from Hindi speaking areas are much less than the total number of students appearing from the remaining states/territories.

Moreover, a comparative study has been performed between the average score scored by the examinees appearing from the Hindi speaking areas and the areas with regional languages as medium (the state of Mysore is excluded because of the fact that 74% of the examinees wrote their essay paper in linguish). The figures worked out are 18.76: 20.72.

The language-wise average score of the examinees is given in the last row of the table. On a perusal of this table, we find that the average score scored by the examinees who wrote their paper in Assamese is highest i.e. 23.50 while in the preceding year the highest average score was in Tamil language. This should not be misinterpreted in terms of some special consideration to the Assamese language but may be due to the following reasons:

- (1) better verbal facility of the examinees and adequate ability to organise ideas and their systematic representation:
- (2) selected nature of the sample;
- (3) better academic achievement, irrespective of the language concerned.

A comparative study regarding the average score scored in the essay paper by the examinees appearing from the various states territories is given in the last column of Appendix IX B. There is a significant variation amongst the average score obtained statewise, the range being 16.20 to 23.60.

6.5 INTER-BOARD VARIATONS IN THE DISTRIBUTION OF SCORES ON THE DIFFERENT TESTS:

Appendix (X-A) gives the mean, standard deviation and a measure of skewness of the scores, together with their standard errors for each of the interview boards. It also gives the frequency distribution of scores board-wise and testwise. The average score in Science Aptitude Test varies from 47.50 to 80.12, while the pooled mean is 77.50. It is interesting to note that this range is smaller than the range that existed in 1966. Barring Delhi and Calcutta Boards, the average scores on the rest of three boards are not much different from the pooled mean. The average score on essay paper and project report varies from 26.26 to 27.42 and 12 22 to 13.91, whereas their respective pooled means are 26.98 and 13.04. It has been observed that on the essay paper, the average scores on the five boards are almost homogeneous and in the 'distribution of scores on project report, the average scores for the different boards are again homogeneous.

However, with regard to the Interview scores, the average score varies from 15.57 to 28.06, while the pooled mean is 19.62, indicating a wide hetrogeneity of scores scored by the candidates at the various interview boards. The inter-regional variations can be attributed to the heterogeneity of various factors obviously present at the different interview boards. The average score at Dehradun Board is the highest while that at Bangalore is the lowest. The measure of skewness $\sqrt{\beta_1} = 0.278$ in case of Dehradun Board is the lowest, indicating that the marking was not at all stiff. One of the reasons may be that the students interviewed at this Board may be of a higher calibre, which is incidentally supported by their average score in other theory papers. It is interesting to note that the standard deviation (S. D.) of the distribution of scores, scored by the candidates interviewed at this Board, in S.A.T., Project, Essay and Interview is comparatively lower as compared to the standared deviation (S. D.) of the distribution of scores at other Interview Boards, indicating that there is not much variation amongst the students at the abovesaid Board in respect of their scores in various tools of selection. Despite the fact that Delhi Board students have done well at the theory tests, they have recorded comparatively lower average score on the interview. From the measure of skewness $\sqrt{\beta_1} = 1.250$, it is clear that more rigorous norms were adopted at the aforesaid Board. Inspite of effective steps taken to structure the interview on sound lines and to increase the reliability of the interviews, not much benefit has come out except that the range has decreased and the minimum and the maximum scores have increased.

From the histograms B (i) (I to 6) of Appendix X (II), it appears that the distribution of Science Aptitude Test scores is slightly positisely skewed in case of all the Boards. Over all, we can easily conclude that the distribution of scores at various interview boards follow the normal distributions.

The distribution of the essay marks from histograms B (u) (1 to 6) is more or less identical at all the Boards, and follow the normal distribution.

A perusal of the histograms B (iii) (I to 6) of the aforesaid Appendix reveals that the distributions of the scores on the project report at various interview boards are positively skewed, with very low measure of skewness. Moreover, except at Delhi Board, the distribution of scores at the remaining boards follows the normal distribution. The histogram at the Hombay Board is of a bimodal nature.

The distribution of scores on the basis of interviews is positively skewed for all the Boards, with maximum measure of skewness $\sqrt{p_1-1}$ 25 at Delhi Board and the least at Dehradun Board ($\sqrt{p_1}-0$ 278).

6.6 A FOLLOW-UP STUDY OF 1964, 1965 and 1966 AWARDERS WHO JOINED BASIC SCIENCE COURSES:

A perusal of Appendix XI will reveal that the correlation between the S. T. S. total and the marks scored by the awardees at their B Sc. (final) examination is very low. This may be due to the different norms and standards adopted implicitly by the different universities in the country to measure the academic achievements. Besides, these marks measure primarily the actual achievement (with imperfect reliability and validity) whereas S. T. S. tests are intended to guage scientific aptitude (with greater reliability and validity) rather than pure achievement. Again the relationship between aptitude and achievement may not be exactly linear as is measured by the product moment correlation.

This low correlation may also be due to comparative low reliability of the scores in essay paper and project report. This is due to the descriptive nature of both these tools of selection.

The correlation between the scores on S. A. T. and the "o age of the marks secured in B.Sc. (final), though significant, is low. This may partially by due to some of the factors explained above. The significance of the correlation may be due to the following reasons:—

(a) In some universities the questions are so set that there is more weightage to the thought type questions, testing the specific ability of the students regarding his subject of study, rather than testing the

bookish knowledge. This trend is being followed more at the higher stages like B.Sc., M. Sc. etc., but less at the Higher Secondary/I.S C/Pre-university examinations. That is why the correlation between the scores in S.A.T. and the percentage of marks at the Higher Secondary or equivalent is not significant.

(b) The scholastic situations at selected institutes of higher learning are so structured that they may activate the powers of higher learning and creative abilities of the academically bright students. Similar is the scope of the S.A.T.

6.7 SOME CORRELATIONAL FIGURES AT A GLANCE.

In Appendix XIII there are 77 correlations between the following variables:-

- (a) Selection tools of the National Science Talent Search Examination;
- (b) Marks scored at class X or at equivalent standard in science subjects viz., Physics, Chemistry, Biology, Mathematics and General Science.
- (c) Marks scored at class XI or at equivalent standard in science subjects (viz., Physics, Chemistry, Biology, Mathematics).

A glance at the correlational figures at Si. No. 1 to 9 in this Appendix, representing the intercorrelations of the marks scored at the high school or equivalent standards in various science subjects, reveals that all the figures are significant except the inter-correlations between the marks scored in(i) Chemistry & Biology (ii) Physics & Biology (iii) Mathematics & Biology. This may be due to small sample size.

A perusal of the correlational figures at Serial No. 39 to 48 will reveal that all the inter-correlational figures are significant at 5% level, except the inter-correlation between the marks scored by the awardees in Mathematics and Biology papers at Higher Secondary level or at equivalent standard. This again may be due to the factor explained above. The above correlations give a general impression that a student scoring high in one subject is likely to do well in other subjects too, but the degree of his achievement in each subject will of-course be different.

The inter-correlational figures at Sr. No. 35 to 38 represent the correlations (degree of association) of marks scored by the selected awardees in science subjects (at high school level or its equivalent) with the marks scored at the Higher Secondary level or its equivalent. All the inter-correlations are significant at 5% level except the correlation between the marks scored in Biology at class X and XI respectively, which shows that some of the low achievers at high school level have shown a marked progress at the higher

secondary level whereas the high achievers have not been able to keep constant pace, which can be easily viewed from the raw data. These inter-correlations infact give us the predictive validity of the High School marks. It may be argued that these validity figures are higher than the figures obtained by correlating National Science Talent Search scores with the High School marks. This may be due to the common content factor in case of the former.

The figures at Sr. No. 74 to 77 give the inter-correlations of marks scored in general science, which is one of the papers at the high school level, with the marks scored in each of the science subjects vic., Physics, Chemistry, Mathematics and the total at the Higher Secondary level. All the correlational figures are significant at 1% level, except in case of Chemistry. The plausible reason for this can be that the content matter of chemistry mostly consists of rote memory work and the sample size is very low and is not a complete representative of the population.

On a perusal of correlational figures at Sr. No. 30 to 34 of the Appendix XIII, representing the inter-correlations of National Science Talent Science Talent Science Talent Science Talent Science Talent Science Talent Science Science Subjects, all the figures are not significant. This may be due to the usual imperfect reliability and validity of the essay type examinations prevalent at the school stage. Secondly, Science Talent Search Tests are primarily aptitude tests while the High and Higher Secondary School examinations are pure achievement tests. Thirdly, correlation has been worked out with the total and the partial scholastic achievement.

Figures at Sr. No. 69 to 73 gives the correlations of National Science Talent Search total with scores in Physics, Chemistry. Mathematics and scores at the Higher Secondary examination. All the five correlations, except in case of Biology, are not significant at 5% level. In case of Biology though the figure is significant but low. This also may be explained on identical lines as stated above. It may be observed that the Science Talent Search scores are primarily indicators of scientific aptitude and creativity (as against achievement) and hence can be validated against standardised Scientific Aptitude Tests only or against actual contributions of awardees in the scientific and technological fields. The figures at Sr. No. 10 to 14 represent the degree of association of marks scored by the awardees (selected group) in Science Aptitude Test (one of the selection tools of the National Science Tulent Search Examination) with the marks scored at class X or at equivalent standard in basic sciences (i.e. Physics, Chemistry, Mathematics and Biology). Most of the calculated correlations are not significant at 5% level. This may be due to different norms adopted implicitly by the different schools in the country to measure the academic achievements. Besides, the school marks measure primarily the actual achievement (with imperfect validity and reliability), whereas this objective test is intended to gauge scienctific aptitude (with greater validity and reliability) rather than pure achievement. Again, the relationship between achievement and aptitude may not be exactly linear as is measured by the product moment correlation co-efficient. Moreover, in the Science Aptitude Test an attempt has been made to include maximum number of thought type questions, which are non-curricular in nature and test the powers of reasoning, comprehension and critical thinking.

A glance over the correlational figures at Sr. No. 15 to 19, representing the association between the marks scored in the essay paper and the marks scored at class X or equivalent level in the basic sciences, reveals that all the calculated correlations are not significant. The possibility of non-significance and the negative correlation as obtained here, may be due to the facts: (a) that the essay examination is highly saturated with verbal fluency, handwriting and allied factors which may not be present in usual scholastic subjects or (b) the sample may not be a complete representative of the population. According to the eligibility conditions, the span of the scores in science subjects will bear a minimum cut-off point, while in essay this range is from 0 to 100%. empirical validity of this tool can be found out by the multiple correlation "R". The correlational figures from Sr. No 20 to 24, which represent the correlation between the marks scored in various science subjects at High School level or at equivalent standard and the Project Report, the figures calculated are negative and are not significant. Similar is the case with the Interview marks. This again may be explained on identical lines as stated above.

The figures at Sr. No. 49 to 53 represent the correlation between the marks scored in Science Aptitude Test and the marks scored in various science subjects at the Higher Secondary level or at an equivalent standard and also with the total marks obtained at these stages. It is observed that all the calculated correlations are significant at 5% level. This not only serves as a reliable criterion measure but also indicates the predictive aspect of the Science Aptitude Test. It may, however, be pointed out that the criterion scores are not very reliable and valid because of obvious reasons.

6.8 ITEM ANALYSIS OF THE SCIENCE APTITUDE TEST:

In order to judge the suitability of the different test items, a detailed itemanalysis has been carried out, which is reported in the Appendix (XIV).

The top and bottom groups constituted upper and lower 27% candidates emerging out of a stratified proportional sample of size 600. The discriminative and difficulty values have been calculated from the item-analysis chart by by A.E. Harper, B. Das Gupta & S.P. Sangal.

It will be noted that on the basis of the difficulty values and discriminating power of items (taking a cut-off point at 18 for discriminative power and diffi-

culty level between 25 to 67), 32% of the items of factual type, 24.5% of thought type and 27,6% of the total items in both parts of the test have been rejected, mostly in areas of Mathematics and Astronomy. In case of non-curricular (excluding Astronomy) subjects, the rejection is only 21% of the total rejected thought type items whereas the over-all rejection of items in compulsory part of the test is 19%, which is much less in comparison to that of last year's percentage of rejection (40% and 20%), thereby giving a general impression that the examinees have better acquaintance with these new areas (especially Geology, Physiology & Hygiene, Astronomy, History & Philosophy of Science, Bio-chemistry, Engineering and Agriculture, where most of the items are discriminative). It will be noted that items on Mathematics and Chemistry in both the parts of the test are mostly non-discriminative. One plausible reason for this can be that the content matter of Mathematics mostly consists of new areas like inverse operators etc. which are totally new ideas for the examinees and moreover it has been observed from the previous years that the %age of the students who opt for Mathematics as their optional part is very low in comparison to other optional parts of the test. The second reason is that the high achievers, who have opted for the optional part as Mathematics, have attempted the thought type and factual type questions with more concentration and in their case the distractors were not equally attractive whereas in the case of the low achievers, who opted Mathematics as their optional part and attempted the question successfully, the success seems to be mostly due to the guess work because all the distractors were found to be plausible in their case. The third reason is that some of the items are incorrectly responded by most of the high achievers in comparison to that of the low achievers and some of the items are equally responded by both the groups, thereby no significant difference exists between the number of correct items in the top group and the bottom group.

One of the plausible reasons for the non-discriminative items in Chemistry in both parts of the test, can be that the content matter of Chemistry mostly consists of rote memory work and hence it is really difficult for high and under achievers to be distinguished on higher mental powers and creative abilities.

A few items with difficulty index beyond 65 have also been taken because of the content validity.

Applying the rigid criteria of selecting items, 199 items have been found to be suitable for future use. Since the tool has been found to be highly reliable ($r\pi$ =0.92), it can be hoped that the pool of items can safely be used by the Secondary Examination Boards of various states and territories. Moreover, in such a perfect tool of measuring scientific aptitude, this high reliability co-efficient (which is a very good measure of internal consistency of the items) is normally expected. It is an interesting feature that the students in the top

group (27%) have answered questions on new areas much better than the questions on traditional curricular branches. This is encouraging because it indicates wide reading on the part of brilliant students. In case of bottom group (27%) the position is not so satisfactory. These students tend to answer questions correctly on traditional curricular themes in a better way than items on new information. Again, it is encouraging to find on a perusal of table (B) of the Appendix (XIV) that students both in the top and the bottom groups have answered the questions of thought type in a much better way than questions of factual type, or in other words, thought type items have proved to be more discriminative than the factual type items, because the %age rejection of items of factual type is more.

It indicates that the students do possess adequate mental capacities to attune to the new type of items, where higher mental powers are called forth as against rote memory. It also indicates that the thought type questions elecit spontaneous motivation, which is vital for proper academic distinction. This is clearly brought out by consistent high achievement on these types of items. It further indicates that the powers of critical thinking, analysis-synthesis and reasoning occupy an important place in the effective teaching and learning of science at the Secondary stage. Items which are suitable on the basis of discriminating and difficulty values are given below:—

Compulsory part of the Test:

1 to 12, 14 to 21, 24, 26, 29 to 34, 36 to 50, 52 to 59, 61, 63 to 67, 71 to 73 and 75.

Optional part of the Test (N₁=61)

- (i) Physics:— 1 to 11, 13, 15, 18, 19, 23, 25, 27 to 37, 39, 43 to 50 $(N_2=37)$
- (ii) Chemistry:— 3, 5,7 to 23, 25, 27 to 33, 35 to 39, 41 to 46, 49 and 50 (N_8 =40)
- (iii) Biology:— 3, 6, 8 9, 12, 15 to 18, 20, 21, 23, to 29, 31 to 33, 35, 41, 44 to 50 (Na=30)
- (iv) Mathematics:— 1, 2, 5 to 8, 12, 14 to 16, 21, 22, 24 to 35, 38 to 42, 49, and 50 (Ns=31)

An analysis of the item chart indicates that the test is a mixture of very difficult, moderately difficult and a few easy items. Generally, in such a type of test, items with high discriminating power and with a difficulty index near 50 is preferred. In a highly homogeneous test a wide range of difficulty value is desirable and that is why in the present case the cut-off point for difficulty index is 25 to 67.

One caution, however, needs continuous emphasis, i.e. item analysis data can never be the final criterion for inclusion or exclusion of test items. It is only an aid to selection. It can also give valuable hints for editing an item, so as to eliminate useless distractors, in-correct ambiguities, or make the item casier or harder as desired. It may also be noted that a low discrimination value does not necessarily disqualify an item, unless the test is presumed to be completely homogeneous.

6.9 RELIABILITY OF THE SCIENCE APTITUDE TEST:

The Reliability of the Science Aptitude Test has been worked out by Kuder-Richardson formula (KR-20) as stated in the Appendix XV which gives the internal consistency of the test items and thus the dependability of the test scores. For the compulsory part of the test, the figure comes out to be 0.92 and for the optional parts of the test, the figures are given below:—

(i)	Physics	rը≔0.86
(ii)	Chemistry	$r_{11} = 0.88$
(iii)	Biology	rn= 0.89
(iv)	Mathematics	ru == 0.72

This method of rational equivalence stresses the inter-correlations of the items in the test and the correlation of the items with test as a whole.

In order to visualise toe effect on the reliability of the different parts of Science Aptitude Test, year 1967, a small project was carried out and a detailed description of the study is given in Appendix XX.

6.10 INTER-CORRELATIONS OF THE SUB-TESTS OF THE SCIENCE APTITUDE TEST AND OTHER TESTS

From the table of inter-correlations of the various sub-tests, (Appendix XVI) it is interesting to note that there is a marked difference amongst the correlational figures of the various sub-tests calculated on the basis of (1) a random sample of selected awardees and (ii) a stratified proportional random sample of size 435 (roughly 7% of the candidates who took the National Science Talent Search Examination in the year 1967).

In case of sample (i) most of the inter-correlations worked out to be negative, particularly the correlation between the marks scored in S.A.T. and Interview is negative and this figure is significant at 0.05 level. This gives a general impression that the high achievers have not shown good performance in the Interview in comparison to the low achievers. Experience has shown that this often happens at the various regional interview-boards. This is because of the following reasons:

- (a) Interview marks are not allotted on the basis of the theory marks (aggregate of the scores on S.A.T., Essay & Project).
- (2) The criteria at the interview boards are entirely different than those in vogue at the theory tests and secondly the abilities involved are quite different in the two situations. The only common factor is "scientific aptitude" and its due assessment. In the Interview, special weightage is given to the following criteria of judgment:
 - (a) Scientific attitude
 - (b) problem solving ability
 - (c) creative thinking
 - (d) scientific interest
 - (e) self confidence
 - (f) verbal fluency and comprehension
 - (g) information on current scientific topics
- (3) The sample is not a complete respresentative of the entire population or in other words the random sample is from a truncated population i.e. it is a specific group.

This shows that if a sample is not properly chosen, it will reveal an entirely different picture of inter-correlational figures.

In case of sample (ii), all the inter-correlations are significant at 5% level and some at 1% level, except the inter-correlations of the scores in Interview with the scores on (a) essay paper (b) project Report. This may be due to the aforesaid reason explained at number (2). Since the inter-correlations of the various sub-tests are low it indicates that four different tools are measuring different abilities and there is no overlap in their domains. These four selection tools can be used as a battery.

A brief description of sample (ii)

The population representing the marks secured by the candidates in the National Science Talent Search Examination were classified into the various class intervals of size 10 each. This represented the strata and from each strata, a random sample of roughly 7% of the size of each strata was drawn with the help of Tippet Random numbers. The assumption "irrespective of states" has to be laid down because our selection tools are based on the assumption that uniform educational standards prevail amongst the students, coming from the various educated grades available in the states.

Though the essay examination is highly saturated with verbal fluency, expression, handwriting and allied factors, (which may sometimes inhibit the process of deep thinking and concentration, which are vital for answering the type of questions put in the Science Aptitude Test), yet the obtained scores

give significant inter-correlations with the two other tools of selection. This represents a vital change from the results obtained in the previous years, which may be due to better sampling techniques. We expect it to be so because in all the selection tools we are judging a common factor "scientific aptitude" of the students. This does not mean that the tools are overlapping each other's domain. However, with the help of factorial studies we can establish the relationship between the abilities called into play in responding to these four selection tools.

The insignificance of the inter-correlation between project report and Interview may be due to the fact that the teacher's contribution towards writing the Project Report may be so great that an examinee has very little grasp over the content matter of the Report with the result that he has to cut a sorry figure at the interview, when he is asked questions based on his written Report. Experience has shown that this often happens at the various regional interview boards.

This does not mean that this tool of selection may be abondoned because a good project report does indicate the originality of the ideas of an examinee together with his creative experimental attitude. Hence it forms a vital tool of selection for singling out potential students distinguished from mediocres.

On the other hand, the interviews do carry with them the hazards of subjectivity alongside being a vital tool for judging the depth in a particular branch of knowledge. The correlations of the S. T. S. total with the sub-tests are all positive and highly significant. This is on account of the overlap between the National Science Talent Search total (which is an aggregate of the sub-tests) and the sub-tests.

6.11 A detailed study of the population has been made in Appendix XVII and XVIII, which give the statewise frequency distribution of the marks scored by the candidates in the Essay Paper, Project Report and the Science Aptitude Test. Measures of central tendencies have also been reported on a statewise basis. In order to have an overall picture of the frequency distributions of scores on S.A.T. prevailing in the various states over the four years (1964, 65, 66 and 67), graphs of relative frequencies are included in the Appendix XVIII.

The data incorported in both the Appendices is very useful for making yearwise comparative study among the various states.

- 6.12 Topics for some research studies have been included in Appendix XII. It is contemplated to incorporate the findings of some of these studies in the subsequent annual reports.
- 6.13 Appendix (XIX) gives details of the follow-up study of some of the awardees and also gives comparative data with a parallel control group.

A random sample of sixty first divisioners was drawn from the finally selected awardees and was designated as the selected group. A similar random sample of candidates, who were not able to secure a position in the merit list of the National Science Talent Search examination because of their comparatively poor performance at all the selection tools has been listed as unselected group. The means of the achievement scores of the two groups in the eight different areas were compared and it was found that there was significant difference in favour of selected candidates in all the areas except in the case of Biology and Mathematics. The natural conclusion is that the Science Aptitude Test, alongwith allied techniques, seem to be more valid and reliable tools for the selection of talented students in basic sciences as compared to the Higher Secondary and Indian School Examination results. In order to find the prognostic value of the tests, follow-up programme for these two groups is proposed to be undertaken.

The non-significance of the difference between the average scores in Mathematics and Biology of the aforesaid two groups may be due to the small sample or the sample selected may not be a complete representative of the entire group. Evidently, no weightage can be given to the results obtained herein because the sample is too small and is chosen at random without any appropriate sampling techniques. Study performed in preceding years reveals that there has been a significant difference between the average scores of the two groups in Mathematics and Biology. This is supported by a follow-up study performed for the selected and unselected groups with regard to their positions at the 1st year of the B.Sc. (Pass/Hons.) course and at the final year of the B.Sc. (Pass/Hons.) course. Though there is significant difference of the average scores of the two groups in case of Mathematics and in case of aggregate score, but in the major three subjects of the basic sciences there is no significant difference of the average scores. One can easily drawn an impression that the National Science Talent Search awardees are in no way better than the other students with regard to their academic/scholastic achievements in Physics, Chemistry and Biology, which is not a very fair conclusion because of the fact that no generalised conclusions can be drawn based on such a small sample size of the groups, selected at random. Moreover, unreliable and invalid achievement tests (laying more stress on the preassigned curricular coverage) cannot give the true picture of the candidate's intellectual abilities and aptitude. It has been verified from the Reports of various Directors of the Summer Schools, organised every year at various places in the country, that most of our awardees possess good aptitude for science and have conducted many research studies designed by themselves under the overall guidance of the resource persons.

6.14 Appendix XX gives the results of some of the research studies conducted at the Department. Some of the findings are very useful in improving the quality of the Scheme.

APPENDIX I (A)

A Report of the Summer Schools organized in May-June, 1967 for the awardees of the National Science Talent Search Scheme

One of the chief objectives of the National Science Talent Search Scheme is the planning of accelerated programmes of education for the awardees so that they may utilise their mental potentialities to the maximum extent.

In 1964, one week workshops were organised for the scholars of the pilot project of 1963 and the awardees of 1964. At these workshops, some lectures were held on the current developments in the field of basic sciences. Alongside, practical training was imparted in the workshop at the University of Delhi.

In 1965, five summer schools were held in different parts of the country and the duration was one month. At these summer schools, the awardees were put under the charge of eminent teachers of science drawn from various institutions of higher learning. Lectures, laboratory work and workshop practice were the important features. In 1966, 16 summer schools were held on almost the same lines as those of 1965. The additional feature was the introduction of Audio-Visual techniques for Science Education. The students were also encouraged to undertake intensive library work

In 1967, 15 summer schools were held in different parts of the country. The participants were given the opportunity of designing some research projects in their areas of specific aptitudes. This was in addition to lectures, filmshows, laboratory work and excursions. This experience of exposing the students to project-oriented work proved to be very useful, both to the students as well as to the resource persons. The participants were further encouraged to complete their work during the one month's duration of the summer school.

The consolidated objectives of running the summer schools are given

- (1) To establish inter-personal contact between the teachers and the taught;
- (2) to enable the talented students to develop their intellectual potentialities in the best possible way;
- (3) to motivate the experimental curiosity of the students so as to stimulate the creativity and research spirit;

- (4) to enable the promising students to exchange views with their classfellows and thus to promote a greater understanding and appreciation of each other's views:
- (5) to enable the talented students to develop new basic concepts in their fields of specialization;
- (6) to encourage the scholars to pin-point their academic interests and aptitudes; and
- (7) to produce an accelerated programme of science education.

The boarding and lodging arrangements were made for the participants by the Director of the summer school concerned and all the expenses on this account were met by the N.C.E.R.T.

At the end of the summer school detailed evaluation proforms were filled in, both by the participants and the resource persons.

The details regarding some of the summer schools are given below.

A sample project report is also included in this appendix which clearly demonstrates the quality of work done at these summer schools.

Summer School in Physics

Venue: Saha Institute of Nuclear Physics, Calcutta-9.

Director: Prof. B. D. Nagchaudhuri,

Director.

Saha Institute of Nuclear Physics,

Calcutta-9.

Duration: 15th May to 10th June, 1967

Twenty-seven students attended the summer school. These students had completed final year of the three-years B. Sc. course or its equivalent.

Lectures and problem-sessions were held on the following topics:

- (i) Plasma Physics (Introduction and applications in cosmology).
- (ii) Plasma Physics (production of plusma, its various applications and diagnostics).
- (iii) Structure of Nuclear physics.
- (iv) Quantum Machanics and Elementary Particle Physics (An introduction).
- (v) Relativity, its application to cosmology.
- (vi) Satellite communication and some aspects of space physics.
- (vii) Masers and Lasers etc.
- (viii) Physical basis of life.

Some of the major experiments conducted by the students are given below:

- (a) Photon diffraction
- (b) Beta-absorption
- (c) Mass-spectrograph
- (d) e/m measurement
- (e) Emulsion technique
- (1) Lissajous sigures
- (g) Receiver-Transmitter set
- (h) Dielectric constant using microwaves
- (i) An ionospheric model
- (i) Determination of Plasma parameters by a Languiur probe
- (k) Compton scattering
- (1) Computation by calculating machines.

Students visited the following laboratories of the Saha Institute: (a) Cyclotron (b) Cockroft walton Generator (c) Electron—microscope (d) Mass spectrometer (e) Mass separator (f) Beta—ray spectroscopy (g) NMR spectroscopy (h) ESR and NQR—spectroscopy.

SUMMER SCHOOL IN PHYSICS

Venue: Physics Department,

Panjab University,

Chandigarh.

Director: Prof. B.M. Anand,

Head of the Physics Deptt.

Panjab University, Chandigarh.

Duration: 1st June to 30th June, 1967.

Fortytwo students (including nineteen girls) attended the Summer School. These students had completed 1st year of the three-year H.Sc course or its equivalent.

Some special features of the summer school

Free and frank discussions between the staff and students were encouraged. The lectures were so arranged as to have good participation from students during the class. Some lectures were devoted towards the good understanding of the fundamental concepts in Physics and others were of an informative type on modern topics.

Prof. Noah Sherman of Michigan University, U.S.A. and Prof. Arthur Rouse of St. Louis University, U.S.A., who were at the Department, participated in the Summer School activities from June 1 to June 9, 1967.

Special lectures were given by Dr. Sampuran Singh, Director, Terminal Ballistic Research Laboratory, Chandigarh on 'Ultra high speed photography'

and Dr. J. N. Nanda, Director, Defence Research Laboratory (Materials), Kanpur on 'Operational Research'.

A 'Travelling Science show' was presented to the students on June 10, by Regional College of Education, Ajmer.

An educational trip was arranged to Fertiliser Factory, Nangal and Bhakra Dam.

Project Work:

Each participant worked on a project of his/her choice and submitted a report. A short talk was given by each participant during the last week of the summer School.

Evaluation:—Detailed evaluation of the various activities of the summer school was undertaken, both by the participants and the resource persons.

Summer School in Physics

Venue: Physics Department,

Indian Institute of Technology.

New Delhi.

Director: Prof. S. C. Jain,

Head of the Physics Deptt.

I.I.T., Haus Khas.

New Delhi.

Duration: 15th May to 13th June, 1967.

Twenty-three students (including nine girls) attended the Summer School. These students had completed second year of the three years B.Sc. course or its equivalent.

Lectures, discussions and demonstrations were based on the following topics:

(a) Principles of Optics & Optical Instruments

Theories of light and their applications to the different aspects of instrumentation.

Ray theory of light. Definition of a perfect image. Primary aberrations. Nature of images in optical systems suffering from aberrations. Control of aberrations in eye-pieces, microscopes, telescopes. Photographic cameras and projectors.

Inversion and reversion of images. Theory of prisms & prism combinations used in periscopes, photometers, binoculars, sighting telescopes etc. Wave nature of light. Interference of light. Different types of interference fringes used in testing precision optical components.

Diffraction of light and its application in testing the performance of optical systems.

Optical glass suitable for the production of precision optical components. Necessity of different types of optical glass. Polarised light and its use in testing optical glass.

Optical workshop. Physical principles involved in the production of precision surfaces on glass. Knife edge test for mirrors.

(b) General and Modern Physics;:

Fundamental Particles
Accelerators
6 & M

Mossbauer Effect & Applications

(c) Principles of Nuclear Physics & Instruments

Radio-activity & its measurements
Nuclear Models
Reactors
Cosmic Radiation

(d) Kinetic Theory of Gases

Elementary Ideas

Assumptions about perfect gas

Deviation of Gas Laws.

Interpretation of temperature

Mean Free Path

Transport Phenomena (Diffusion, Viscosity, thermal conductivity)

Velocity distribution of molecules

Calculation of Averages of Simple functions of Velocities; Gamma Functions

Equipartition of Energy

Specific Heat of Gases

Specific Heat of Solids

. Effusion and its application to leak in high pressure and vacuum system.

Free electron theory of solids and Thermionic Emission

Brownian Motion

Van-der-Waal's Equation of State and its application to Liquifaction of Gases

Dray on Satellites.

Problems.

Elementary Statistics:

Introduction

Systematic and Random Errors

Mean and Weighted Mean

Mean Deviation and Standard Deviation

Chi-square Test

Co-efficient of Correlation

Method of Least Square

Continuous Distribution

Probability

Some Interesting Applications

Electrical Conduction in Gases and Solids

Ionization in Gases

Thermal, Electrical, Photoelectric

Langevin's Theory of Electrical Conduction

D.C. Field

A.C. Field

Transient Fields

Electron Collisions in Gases

Effect of Magnetic Field

Power Loss in a Gas

Propagation of Radio Waves in Ionized Gases.

Applications to Ionosphere

Band Structure of Solids-metals, insulators, semiconductors, p-semiconductors, intrinsic-semiconductors.

Free electron theory of solids

Transport phenomena in solids

Atmospheric Optics & Lasers

- 1. Introduction to Mirage and Looming
- 2. Formation of Images in Homogeneous Media, Caustic Curve
- 3. Quantitative Theory of Mirage and Looming
- 4. Applications of this theory to determination of Lapse Rate
- 5. Coherence
- 6. Spontaneous and Simulated Emission
- 7. Population Inversion
- 8. Ruby Laser
- 9. Gas Laser
- 10. Solid State Lasers.

The following experiments were performed by the students:

- 1. Use of Fizeau fringes for studying the nature of optical flats and curved surfaces & to determine their accuracy.
- 2. Use of a Fizeau interferometer for the determination of parallelism of beam dividers.
- 3. Use of Angle dekkors for the determination of angles of prisms accurately
- 4. Setting up a high power microscope to make the best use of the optical system available.
- 5. Determination of the Field of view, Resolving power etc. of telescopes.
- 6. To set up a projector and study the nature of the images on the screen-
- 7. e/m by discharge tube
- 8. Discharge of gases
- 9. Lissajous figures on Oscilloscope
- 10. Transistorised amplifier.
- 11. Velocity of Ultrasonic waves
- 12. Geiger counter and statistics
- 13. Gama spectrum by scintillator
- 14. 'e' by Millikans apparatus.
- 15. Uses of radio-isotopes
- 16. Emulsion as detector
- 17. Zone Refining of Naphthalene
- 18. Four Probe Method for Measurement of Conductivity of Semiconductors.
- 19. Measurement of Hall Effect and Magneto-resistance of Semiconductors.
- 20. Characteristics of Transistor.
- 21. Characteristics of a Solar Cell, measurement of recombination coefficient carriers.
- 22. Measurement of e/m by measuring diode characteristics at different temperatures.

A series of useful talks were delivered by some of the participants :

	Topic		Participants
1.	Visual Estimation of Length	1. 2.	Tritib K. Gupta Sumantra Goshal
2,	Fabrication of a solar cell	1. 2. 3. 4.	Miss Sreejeta Ganguli Miss Manju Baljee Miss Radha Rao Nirabendu Roy
3.	Fabrication of an optical flat	1. 2. 3.	Bimal Prasad Ashok Kumar Dhingra Raj Kishore Prasad

4. Preparation of thin films 1. Miss Gayatri Choudhary

2. Miss Meena Ghoshal

3. Miss Parvinder Kaur

4. Miss S. Subhana

5. Spark Counter 1. Sudhir Kumar

6. Growth of Crystals 1. Amrenora Singh

2. Trilok Nath Kundra

3. Rimal Sharma

Summer School in Physics

Venue: National College,

Bangalore

Director: Dr. H. Narasimhaiah

Principal and Professor of Physics

National College,

Bangalore

Duration: 8th May to 6th June, 1967.

Fifty students (including nine girls) attended the Summer School. These students had completed 1st Year of the three-years B.Sc. Course or its equivalent.

Expert level lectures were delivered on the following topics:

Fundamental Particles

Unity of Nature; Waves & Particles; History of Science.

Unity in Physics and Radio Astronomy.

Radioactivity and Nuclear Structure

Crystals and Solid State Physics.

Introduction to Vector Analysis; Elements of Probability,

Laboratory Works:

The following experiments were arranged for the participants:

- 1. Determination of Cauchy's constants for the material of a prism.
- 2. Determination of wave length of monochromatic radiation using Biprism on Optical bench.
- 3. Diffraction grating.
- 4. Interference of sound.
- 5. Current sensitiveness of a suspended coil galvanometer.
- 6. Triode characteristics.

The following experiments were arranged in the Indian Institute of Science.

- 1. Crystal growing
- 2. Determination of interfacial angles of crystals
- 3. Energies of β-rays
- 4. β-ray spectrum
- 5. Half life of β-rays of a Thorium isotope.

Project Work:

The projects, undertaken by the participants, are given below:

- 1. Estimation of "g" by various methods
- 2. Crystal Receiver
- 3. Low voltage power Rectifier
- 4. Analogues of Electronic Circuits
- 5. Harmonograph
- 6. Transistor Multivibrator
- 7. Lissajous figures.
- 8. Crystal Growth and Moire Pattern
- 9. Simple range finder
- 10. D.C. Motor
- 11. Current amplifier
- 12. Absorption Spectra
- 13. Ripple Tank
- 14. Determination of "e" using a Transistor
- 15. A device to measure current.
- 16. Transistorised Burglar Alarm
- 17. Transistor Receiver
- 18. Water heater with temperature control

Lectures on the following topics, were delivered by the students:

- 1. Zeeman Effect
- 2, Radio Receiver
- 3. Lissajous figures
- 4. Neutron
- 5. Nuclear fission
- 6. Cosmic rays
- 7. Pulsating stars
- 8. Broadcasting
- 9. Nature of the Universe
- 10. Doppler Effect
- 11. Theories of Light
- 12. Mesons
- 13. Compton Effect
- $14. \quad R = mc^2$

- 15. Theories of magnetism
- 16. Ultrasonics
- 17. Kinetic Theory of gases
- 18. Black body radiation
- 19. Lasers
- 20. Electron
- 21. Millikan's expt
- 22. Bohr's theory of Hydrogen like atom
- 23. Super Conductivity
- 24. Fine & Hyperfine structure of line Spectra
- 25. Wilson cloud chamber
- 26. Cathode-ray oscillograph
- 27. Electromagnetic Spectrum
- 28. Matter Waves
- 29. Photoelectric effect
- 30. Particle accelerators
- 31. Beta Decay
- 32. Special theory of relativity
- 33. Cosmic rays
- 34. Radar
- 35. Radio-isotopes
- 36. Semi-conductors
- 37. Artificial Radio-activity
- 38. Thermionic Emission
- 39. Special theory of relativity

Visits:

Visits to Sir M.V. Memorial Museum and National Aeronautic Laboratory were arranged. Film shows were arranged on scientific themes.

Detailed visits to L.R.D.E., Hindustan Machine Tools factory and H.M.T. Watch Factory were arranged for the benefit of the participants.

The participants also visited Raman Institute. Dr. C.V. Raman delivered a lecture on "Colour Vision".

Summer School in Physics

Venue: Ram Narain Ruia College,

Bombay.

Director: Dr. R.D. Godbole.

Principal,

R.N. Ruia College,

Bombay.

Duration: 15th May to 13th June, 1967

Twenty-one students (including three girls) attended the Summer School. These students had completed the second year of the three years B.Sc. Course or its equivalent.

The lectures were delivered on the following topics:

- 1. Conservation laws and symmetries in particle physics.
- 2. Classical and Quantum Mechanics.
- 3. Introduction to Nuclear reactions.
- 4. Evolution of Quantum theory
- 5. Ouantum Mechanics
- 6. Nuclear Spectroscopy
- 7. Positronium in solids.

The following experiments were arranged:

- 1. e by Millikan's method
- 2. Velocity of light
- 3. Gravitational constant
- 4. Zeeman Effect
- 5. Gamma Ray Spectrometer
- 6. Tuned Grid Oscillator
- 7. Saw tooth generator using thyratron.
- 8. Electronic Timer using multi-vibrator.
- 9. Uses of junction diode.

The following projects were undertaken by some of the students:

- (i) R-C Coupled amplifier
- (ii) A six transistor receiving set
- (iii) Variation of intensity of a source of light when kept in a magnetic field.

A visit to Bhabha Atomic Energy Establishment was arranged.

Summer School in Chemistry

Venue : Chemistry Department.

University of Delhi,

Delhi-7.

Director: Professor R.P. Mitra

Head of the Chemistry Deptt. Delhi University, Delhi-7.

Duration: 8th May to 6th June, 1967

Eleven students in all attended the Summer School. These students had completed the final year of the three years B.Sc. course or its equivalent. The academic work of the School was done under the following heads: (i) Lectures (ii) Project work and (iii) Group discussions.

(i) Lectures

One lecture (of one and half hour's duration) was arranged everyday on selected topics giving a perspective of the principles of chemistry. The lectures were followed by questions and answers.

(ii) Project Work

The experimental part of the School programme consisted of project work only. Students were required to choose from a exhaustive list, a project that they would like to undertake. They were provided with suitable library references to enable them to deal with the project work intelligently and the resource persons helped them to overcome their difficulties. They were encouraged to take initiative in making suitable alterations in experimental conditions etc., wherever necessary.

(iii) Group Discussions:

Group discussions were conducted on selected topics by the resource persons. The topics for the discussion had a direct relation with the subject matter of lectures delivered by the resource persons.

List of some of the projects:

- 1. The use of slide rule, desk calculator and computer (IBM 1620) for solving problems of chemical interest. The emphasis was be on the problem or the technique, depending upon the student.
- 2. Deducing the structure of a chemical compound by analysis of its Nuclear Magnetic resonance spectra.
 - 3. Studies on cobalt (III) complexes.
 - 4. Studies on chromium (III) complexes.
- 5. Pyrolysis of some metal carboxylates: Reaction products will be studied by thin layer and co-chromatographic techniques.
- 6. Preparation and T.L.C. and I.R. studies of copper complexes of diketonic compounds.
- 7. Oxidation of substituted toluenes with different oxidising agents in order to find the best method for the preparation of benzoic acids.

- 8. Studies on different types of adsorbents to test their suitability for thin layer chromatography.
- 9. Differential thermal analysis studies of some metal oxinates involving the setting up of a DTA apparatus, preparing the oxinates and determining transition temperatures and heats of reaction of phase transformation of the oxinates.
- 10. Studies of some physical properties (e.g. dissociation constants, association, polymorphism) of fatty acids, employing X-ray diffraction, ebullioscopic and potentio-metric techniques.

Summer School in Chemistry

Venue: St. Joseph College,

Bangalore.

Director: Dr. K. Srinivasan, Principal and Professor of Chemistry

College of Arts & Science,

Bangalore

Duration: 8th May to 6th June, 1967

Thirty-two students attended the Summer School. These students had completed 1st year of the three-years B. Sc. Course or its equivalent.

The following topics were dealt with in the lecture programme:

A Inorganic Chemistry - Ligand Field Theory

B Organic Chemistry — Modern Organic Chemistry with emphasis on mechanism and stereochemistry.

C Physical Chemistry — Thermodynamic, statistical mechanics,
Theory of metals, Electrode phenomena,
surface Chemistry.

Project Work:

The students were attending the summer school for the first time. They did not come to school with projects of their own. This situation had been anticipated by the resource persons and a list of projects had been drawn up, keeping in mind the level of students and the resources available.

The list of projects undertaken is given below:-

1. To grow sodium nitrate crystals; to study its crystal structure and to construct a simple polarimeter.

- 2. To set up a manual polarograph and use it to understand the basic principles of direct current polarography.
- 3. To construct a sensitive calorimeter and to determine the heat of neturalisation of an acid and the heat of solution of ions and to study whether the decomposition of ammonium nitrate interferes with its employment in the production of ammonia.
- 4. To study the corrosion of Zinc in an acid medium and construct Evan's diagram.
- 5. To study the difference in the surface active properties of a fatty acid in the unionised and ionised states.
- 6. To extract curcunin from Turmeric by soxhlet extraction and to investigate the feasibility of converting it into vanillin.
 - 7. To isolate sesamin from gingeli oil and to study its isomerisation.
- 8. To construct a demonstration gas-chromatograph and to analyse a simple mixture.

Scientific visits and Excursions :-

The participants were taken on excursions to the Indian Institute of Science, the Hindustan Machine Tools Ltd., the Indian Telephone Industries Ltd., and the Bharat Electronics Ltd.

Evaluation of students :-

The students were evaluated on the basis of the constant personal contacts by the resource persons and also on the basis of an oral examination of each of them at the end of the school. This oral examination, by all the resource persons sitting together with the students, was carried out in a very informal manner and the student was put at ease in the beginning. The object was to provide the best opportunity to the student to reveal what he had learnt during the period of the school. This was considered better than a written examination.

Summer School in Chemistry

Venue: Chemistry Department,

Poona University,

Poona.

Director: Dr. V. K. Phansalkar,

Chemistry Department,

Poona University,

Poona.

Duration; 2nd May to 31st May, 1967

Eighteen students (including ten girls) attended the Summer School. The students had completed second year of the three-years B. Sc. course or its equivalent.

Apart from usual lectures given by the resource persons on 'Principles of Chemistry' two guest lectures were arranged on 'Stability of Nucleus' and 'Application of Science to every-day life.'

The following experiments were performed by the students Acid—Base titration by conductometry Dissociation Constant of Weak acid by conductometry pH of a solution by conductometry pH of a solution by potentiometry Dissociation constant of an acid by potentiometry Potentiometric estimation of halides Acid—Base titration by potentiometry Verification of Beer's law Molecular wt, determination by the equilibrium method Investigation of rate of inversion by polarimetry Determination of degree of Association cryoscopically Microqualitative Analysis of Inorganic cations Use of indicators in pH determination Study of chemical Equilibrium Preparation of Inorganic Complex saits Preparation of an organic compound

Besides these, quite a few projects such as determination of solubility of sparingly soluble salt by various methods, uses of chromatograph for analysis, migration of ions under the electrical field were undertaken by the students.

Summer school in Biology

Venue: University Botany Laboratory,

Madras University,

Madras.

Director: Prof. T. V. Desikachary,

University Botany Laboratory,

Madras University,

Madras

Duration: 15th May to 13th June, 1967.

Thirteen students (including eleven girls) joined the school. These participants had completed two years of B.Sc. course in different universities.

It was felt this year that the summer school may largely be oriented as a project school, thereby giving sufficient scope for original expressions by these participants, and also for creating a zest for scientific research as a worthwhile career. In pursuance of this, routine lectures were limited to a dozen and they largely centred round fundamentals and techniques involved in projects selected by the individual participants. This project-oriented work substituted routine laboratory practicals.

Lectures were delivered on the following topics:

- 1. Path of carbon in photosynthesis.
- 2. Light and electron transport in photosynthetic reduction.
- 3. Physiology of seed germination.
- 4. Chromatography.
- 5. Protein synthesis.
- 6. Factors controlling respiration,
- 7. Pathways in respiration and the use of respiratory inhibitors.
- 8. Marine environment.
- 9. Hormonal control of reproduction.

List of Films shown:

1.	Laws of Heredity	2.	Genes in action
3.	DNA molecule in heredity	4.	Mitosis
5.	Seed Germination	6.	Meiosis
7.	The Sea	8.	Natural Selection
9,	Angiosperms	10.	Gymnosperms
11.	Fungi	12.	Plant Ecology
13.	Chick embryo	14.	Growth of Plants
15.	Bacteria	16.	Protozoa
17.	The Desert	18.	The Grasslands
19.	Tropical Rain Forest	20.	From sand dune to forest
21.	Fundamentals of nervous system	22.	Temperate deciduous forest
23.	Amphibian embryo	24.	The high artic blome
25.	Plankton on the open sea	26.	Social insects
27.	Blood	28.	Fish embryo
29.	Photosynthesis	30.	Principles of Chromatograph

The following projects were taken up by the participants:

1. Microbiology of soil and air.

- 2. Life in the sea.
- 3. Some respiratory characteristics of the Blue green algae, Anacystis nidulans—comparison of two strains of Anacystis nidulans I and II.
- 4. Physiology of spore germination (Penicillium chrysogenum).
- 5. Mineral nutrition in plants.
- 6. Physiology of seed germination. Effect of light on germination.
- 7. Comparative studies on breeding, embryology and development on a few animals.
- 8. Study of rates of respiration in leaf tissue of cotton (Variety K6)

 Gossyphum arboreum)
- 9. Effect of aging on oxygen-uptake of potato (Solanum tuberosum) tuber tissue.
- 10. Growth and synthesis in isolated leaf-tissue. The effect of potassium nitrate and soda water, individually and in combination, on the photosynthetic abilities of green and red tissue of Acalypha indica:
- 11. Growth and Sporulation patterns in Collectotrichum capsici.

Summer School in Biology

Venue: Botany Department,

Banaras Hindu University.

Varanasi.

Director : Dr. R. Misra,

Head of the Botany Deptt.

B. H. U., Varanasi,

Duration: 15th May to 13th June, 1967.

Twelve students (including six girls) attended the Summer School. These students had completed 1st year of the three-year B. Sc. course or its equivalent

The lectures were delivered on the following topics:

- 1. What is Science?
- 2. Cell structure and function
- 3. Structure or chromosomes
- 4. Structure of the gene
- 5. Role of genes in heredity and evolution

- 6. Development and growth
- 7. Diversity among animals
- 8. Reproduction in animals
- 9. Parasitism and hostparasite relationship.
- 10. Immunity and resistance
- 11. Useful and destructive insects.
- 12. Microbes: contribution to Biology
- 13. Nutritional patterns in plants
- 14. Genetic control of metabolism
- 15. Growth hormones
- 16. Flowering in plants
- 17. Ecosystems
- 18. Radiation Biology
- 19. Atmospheric pollution in relation to plants
- 20. Lichen Biology
- 21. Water relations of plants

The following practicals were performed by the students:

- 1. Study of different types of cells
- 2. Study of different types of chromosomes
- 3. Study of mitosis from smears of onion root tips
- 4. Study of meosis from squash preparation of grasshopper testis.
- 5. Study of mutants in Drosophila melanogaster
- 6. Study of fauna of ponds of B. H. U. Campus
- 7. Study of reproduction in Paramecium
- 8. To collect parasites from different hosts
- 9. Permanent preparation of the collected parasite and their identification
- 10. Collection and identification of useful and destructive insects
- 11. General survey of microbes
- 12. Demonstration of different fungal and bacterial cultures
- 13. Effect of ultraviolet light and antibiotics on micro-organisms
- 14. Study of oxygen uptake by plant tissues and separation of chlorophyll pigments
- · 15. Demonstration of photoreduction by isolated chloroplasts and Hormonal studies.
 - 16. Pond ecosystem
 - 17. Use of radio-active isotopes in biology
 - 18. Alternation of generations in plants
 - 19. Lichens and Lichen substances
 - 20. Enzymes in living tissues

Each participant was made to work on a small research project. The following projects were conducted by the students:

- 1. Human Blood groups
- 2. Somatic chromosomes of the rat
- 3. Meiosis in Rattus norvegicus
- 4. Sex linked inheritance
- 5. Study of reproduction in protozoa
- 6. Study of pond-fauna of the campus
- 7. Study of Biology and Bionomic of ectoparasites
- 8. Survey of the trematode parasites from the fishes of the Ganges
- 9. Plant foods: qualitative determination of plant foods using higher and lower plants.
- 10. Regulation of growth in plants
- 11. To study cultural behaviour of some soil micro-organisms
- 12. To study fsarium wilt of tomato
- 13. Most range to TMV in weeds
- 14. To study R.Q. of various plant materials
- 15. Seed Germination with respect to soil, light and temperature factors
- 16. Nutrition of plants with respect of N, P, and K.
- 17. Determination of lichen substances by crystallographic technique
- 18. Determination of pH of bark, leaf, and fruit (young and ripe) of some common trees.
- 19. Study of stomata and cuticle in the leaves of plants growing in sunny and shady areas.

Summer Scool in Mathematics

Venue: Mathematics Department.

I, I, T., Kanpur

Director: Dr. J. N. Kapur,

Head of the Maths. Deptt.,

I. l. T., Kanpur

Duration: 15th May to 13th June, 1967

Twenty-three students (including 3 girls) from all over the country attended the Summer School. These students had completed the first year of the three-years B. Sc. programme or equivalent there of and intended to pursue careers in mathematics or physics.

Academic Programme

This consisted of the following:

(i) A course on 'Number Systems' given by Dr. S.K. Gupta. The course was based on the book 'Number Systems' by Principal Shanti Narayan.

- (ii) A course on 'Basic Mathematical Structures' given by Dr. R.K. Rathy. The course was based on the book 'Basic Mathematical Structures' by prof. J. N. Kapur
- (iii) A course on 'Linear programming and Matrices' given by Dr. S. K. Gupta. This was based on his own research work.
- (iv) A course on 'Vector Analysis' was given by Dr. B. L. Bhatia, This was based on lecture notes 'Methods of Mathematical Physics' by Prof. J. N. Kapur.
- (v) A short course on Fortran progamming for computers was given by Shri V. K. Srivastava.
- (vi) Problem Solving Session was conducted by prof. J.N. Kapur. Fifty challenging problems were given to the students and their solutions were discussed in the class.
- (vii) 'Discussion Session' was conducted by Prof. J.N. Kapur. About ten discussions were held on topics like 'Mathematics', 'Scientific Societies and their role', 'Plans for future study', 'what is topology?', 'Algorithms for HCF, LCM, Square root etc. in school Mathematics', Irrational numbers.
- (viii) Special lectures by distinguished scientists and mathematicians were arranged.
 - (ix) Visits were organised to aeronautical engineering laboratories and computer centre.

Project Reports

In addition to the academic programme outlined above, special emphasis was laid on project-work by the students. Each of the 23 students completed a project during this time. Some of the projects were completely original and deserved publication, some were partially original and some others showed a remarkable capacity for assimilation of new ideas. Each student was given 15-30 minutes to present his or her project and most students showed a great confidence in presenting their projects. The following projects were completed by the students:

- 1. Groups of Symmetry
- 2. Magic Figures
- 3. Arithmetic in Binary System
- 4. Mathematical Induction
- 5. Lilavati

- 6. Graphs and their Uses
- 7. Transfinite Arithmetic
- 8. Why a fast bowler is able to swing the ball?
- 9. Study of some Quadratic Diaphantine equations together with some particular Linear Differential Equations.
- 10. Graph Theory and its Applications.
- 11. Fun with Mathematics.
- 12. Some Mathematical Fallacies
- 13. Linear Programming
- 14. Arithmetic in Base '7' system
- 15. Study of Mathematics Journals
- 16. All about Divisibility.
- 17. Dynamic Programming.
- 18. Classification of Fallacies
- 19. Theory of Games

Subject

Some Interesting properties of

numbers (4 lectures)

- 20. Study of Prime Numbers
- 21. An excursion into the World of Geometry.
- 22. Ancient Indian Contribution to Mathematics
- 23. A New Approach to Number System.

Special Lectures

Snoabar

Shri D. R. Kaprekar, Devlali,

Shajeçt	<i>ъреаке</i> г
Basic Concepts of Modern Physics (2 Lectures)	Prof. J. Mahanty, Prof. of Physics, I.I.T., Kanpur.
Structural Organic Chemistry	Prof. C.N.R. Rao, Prof. of Chemistry, LI.T., Kanpur
Integers as a source of research	Prof. I. N. Sinha, Assistant Prof. of Mathematics, I.I.T., Kanpur.
Algebra and Geometry	Prof. I. N. Sinha, Asst. Prof. of Mathematics, I.I.T., Kanpur.
Vuriational principles in heat transfer	Prof. H. L. Aggarwal, Asst. Prof. of Mech. Engg., I.I.T., Kanpur.
Non-Eucludian goeometry	Sri Richard A' Little, USA.
Topology	Sri Jon O. Herzog, U.S.A.
Integers as a source of research Algebra and Geometry Vuriational principles in heat transfer Non-Eucludian goeometry	 I.I.T., Kanpur Prof. I. N. Sinha, Assistant Prof. Mathematics, I.I.T., Kanpur. Prof. I. N. Sinha, Asst. Prof. of Mathematics, I.I.T., Kanpur. Prof. H. L. Aggarwal, Asst. Prof. Mech. Engg., I.I.T., Kanpur. Sri Richard A' Little, USA.

Introduction to aeronautics

Shri N. G. R. Iyenger, Aeronautical Engg, Deptt., I.I.T. Kanpur.

Summer School in Mathematics

Venue !

Department of Applied Maths.,

Indian Institute of Science,

Bangalore.

Director:

Prof. P.L. Bhatnagar,

Head of the Deptt, of Applied— Maths., Indian Institute of Science,

Bangalore.

Duration:

15th May to 14th June, 1967.

The participants of the Summer School had completed the final year of the three-years B.Sc. course or its equivalent.

A series of exhaustive lectures were arranged on the following topics:

- (a) Modern Algebra.
- (b) Geometry from the unified point of view.
- (c) Differential equations and special functions.
- (d) Principles in Mechanics and special theory of relativity.
- (e) Axiomatic treatment of probability theory, and Linear programming.
- (f) Linear programming.

Some general lectures were also arranged on the following topics.

- (i) Nature of Modern Mathematics and its impact on science.
- (ii) What you should not do in Mathematics?
- (iii) The structure of matrix Algebra.
- (iv) Recent developments in Astronomy.

Excursions were arranged to the following places of scientific interest:

- (i) Indian Institute of science.
- (ii) National Aeronautical Laboratory.
- (iii) Hindustan Aeronautics Ltd.
- (iv) Raman Research Industitute.
- (v) Visweswaraiah Industrial and Technological Museum.
- (vi) Hindustan Machine Tools.

STUDIES ON THIN LAYER CHROMATOGRAPHY

SUMMER SCHOOL PROJECT REPORT May, 1967

"THE AIM OF THIS PROJECT IS TO STUDY THE DIFFERENT TYPES OF ADSORBENTS TO TEST THEIR SUITABILITY FOR THIN LAYER CHROMATOGRAPHY"

SHAIKH K.K.A.R. Science College,
Satara

DETAILS OF THE PROJECT

What is T.L.C.

Chromatography is an established technique for the separation of mixtures and for the purification of compounds.

Different types of chromotography such as column chromatography, paper chromatography, gas chromatography and thin layer chromatography are seen.

The term chromatography denotes a procedure in which a solution of substances to be separated is passed over a more or less finely divided organic or inorganic solid whereby retention of the individual components to different extents is obtained.

Thin layer chromatography is the most useful technique in the hands of chemists dealing with chemical analysis and separations. It was described about twentyfive years ago by two Russian authors Ismailov and Shraiber but it was first introduced by G Stahl as a method for analytical adsorption chromatography. It was Stahl, who for the first time, described a practicable device for preparing layers of about 250 thickness on a special adsorbent 'kiesel gel G'. Thin layer chromatography has now become an elegent technique used most widely by modern chemists for analysis, seperation and isolation of different compounds.

Same conditions regarding physico-chemical principle apply to T.L.C. as to column chromatography because we deal, in both cases, with liquid-solid or liquid-liquid chromatography. The substance to be separated is extracted from a flowing liquid phase and retained on a solid phase or in a stabilized phase. In the first case we are concerned with adsorption while second case is a matter of partition chromatography.

General Techniques of T.L.C.:

T.L.C. involves three phases—the adsorbent which forms thin layer with the support of glass plates, the developing solvent in which the plate is dipped, and the substance to be resolved.

Layers of adsorbent approximately 250 μ thick are formed by a suitable method on 10 x 20 cm. or 20 x 20 cm. glass plates. Special spreader are used for this purpose. These spreaders may be of variable or fixed thickness. Using special trays and these spreaders the adsorbent is thinly applied on the glass plates. The plates are then activated by keeping them in specific temperatures (generally about 110° to 140°C). The spots of the substance to be resolved are then made at the lower edge of the layer with the help of micro-pipettes. This lower level is named as starting point (Fig. 1). After the solvent is evaporated, the plates are kept dipped vertically in the developing solvent, in the TLC jar or TLC chamber (Fig. 2).



Fig. 1. Aligning Tray with spreader



Fig 2 Developing Jar

As the solvent moves up, the spots also move and by the principle mentioned before, the mixture gets separated in o different spots. Coloured substances are easily seen on the plate but colourless substances are to be developed with special developers in order to make them visible. A list of the general solvents and developers is given later. The upper level (about 10 cms. from starting point) where the solvent reaches after some time is said to be the




Fig. 3. Resolution on T. L.C. plate.

solvent front. The rate of advance of each compound in a given solvent is expressed in R_i values in paper chromatography. R_i can be defined as—

In TLC, these values are expressed in terms of R_{\times} or R standard values. The reference substance in these cases is supposed to have R_f value. Thus R st can be expressed as:

Thus the resolution of a substance can be expressed in a statistical form with the help of these R st. values.

The separation of a substance in TLC can clearly be understood from a glance at Fig. 3.

Solvents generally used

(i) Petroleum ether.	(viii) Ethyl acetate.
(ii) Cyclohexane.	(ix) Pyridine
(iii) Carbon tetrachloride.	(x) Acetone
(iv) Benzene.	(xi) n-Propanol.
(v) Methylene chloride.	(xii) Ethenol.
(vi) Chloroform.	(xiii) Methenol.
A 14	

(vii) Diphenyl ether.

Special features of TLC:

TLC became very popular within a few years because of its outstanding characteristics such as

- (i) Less time:—The development in TLC takes place very quickly usually within a few minutes only. The time for resolution in TLC is just a fraction of what is needed in paper chromatography.
- (ii) Sharp resolution:—It is found that the spots and their outline is more sharp in case of TLC. They can very easily be distinguished from each other. Even in closely spaced groups of spots, the sharpness increases the number of separately definable fractions.
- (iii) High Capacity:—It is able to resolve as much as 100 milligrams of sample per plate which makes it particularly suitable for preparative fractionation.
- (iv) Versatility:—TLC not only separates a wide and increasing variety of substances but also permits use of aggressive developing agents and strong measures to analyze sample components.

(v) Operational simplicity:—No great skill is needed to form layers of adsorbents, from paper thin to 2 mm, thickness, on supporting glass plates. Processing of the plates is simple because of their rigidity and convenient size.

Its usefulness and applications have surpassed almost all other chromatographic techniques.

TLC originally used in Terpene research is now extensively used for separation of liquids and is a valuable analytical procedure for numerous other substances. Because of its demonstrated advantages, it is a method of choice in many laboratories over-shadowing both paper and column chromatography.

TLC powerfully compliments gas chromatography. Preliminary fractionation by TLC reduces the complexity of a sample prior to resolution in gas chromatography. Judicious choice of adsorbents and developing solvent often will result in fractionation into classes of compounds.

The different absorbents used are listed below:

- (i) Sil. gel
- (ii) Sil. gel G
- (iii) Florisil
- (iv) Aluminium oxide G.

Aim of present work:

The most extensively used adsorbent is sil. gel G. The specially prepared sil gel G, which could fulfil the necessities of a TLC expt., is not available in India. It is to be imported from western countries. As it is imported it has become most expensive, though extensive. Its present price is about Rs. 100 per 500 gms. One can easily imagine how costly it is and how much expensive it has become to carry on any research dealing with TLC. Use of sil-gel is not only expensive but it also forms an outlet of our money to foreign countries. This loss of money cannot be controlled or stopped unless we ourselves produce sil. gel G. in our country. But our yearly requirement of the same being very small (just a few kilos), we cannot afford to start in the direction of production of sil. gel. G. here But if sil. gel. G. is replaced by some other cheap, easily available powder which also can give equally good results, the problem will be solved. It is this idea that struck and made me to take up this project.

Bearing the above ideas into mind, an attempt was made to use some powders and their suitability as plate material were investigated. Both the evenness of the plate and their resolving power were considered. The different adsorbents used were:

- (i) Calcium carbonate.
- (ii) Magnesium carbonate.
- (iii) Barium carbonate.
- (iv) Barium sulphate.
- (v) Starch.
- (vi) Kiesel guhr.
- (vii) Magnesium carbonate mixed with sil. gel. G.
- (viii) Starch mixed with magnesium carbonate.
 - (ix) Kaoline
 - (x) Kaoline mixed with Kiesel guhr.

Different binders such as calcium sulphate, starch solutions were also used. A number of developing solvents were employed to obtain better results. The observations and actual experiments are given later on.

An attempt to reactive spent sil. gel, G was also made. The used sil, gel G was subjected to a number of washing with different solvents. It was then dried and activated. Its results were compared with the original sil-gel-G.

Experimental Data:

(i) Preparation of plates:

- (1) Selection of powders:—Powders were selected depending upon particle size, solubility etc. All insoluble powders were used. They were carbonates, sulphates etc.
- (ii) Sieving of powders:—The powders were sieved through thin piece of cloth so as to maintain their particle size uniform. Powders of uniform particle size give an uniform layer on the glass plate and resolution is good in such uniform, smooth layers.
- (iii) Use of Binder:—Binder is used to fasten the layer to the glass plate. Here for all above listed powders, except starch and knoline-MgCO₂ mixture, calcium sulphate was used as binder. It was mixed with the powders in different proportions. The binder was also sieved through the same piece of cloth so as to keep the same size of the particles of binder as that of the powders.
 - (iv) Spreading:—The mixture of the powder and binder was suspended in distilled water and then spread over the glass plates using shando variable thickness spreader keeping the width 250 μ.
 - (v) Activation:—The plate was then allowed to dry a little and kept in oven at about 110°C. This makes the plate activated. The activated plates were then used for the experiments.

Silica gel-G plates:

These plates were used as standard plates.

The results of other plates were compared with these sil. gel. G plates

No.	Adsorbent powder	Binder	Water	Thickness (μ)	Temp- of activation	Time of act
1.	Sil-gel-G.		1:2	250	110°C	30 mln.
2.	+CaC0 ₃ 87%	CaSO ₄ 13%	1:2	250	110°C	*,
3.	MgC0 ₃ 90%	CaSO ₄ 10%	1:2	250	110°C	**
4.	BaCo ₈ 90%	CaSO4 10%	1:2	250	110°C	,,
5.	BaSO4 90%	CaSO ₄ 10%	i : 2	250	110°C	,,
6.	Scarch	Starch solution l: 1,5	_	250	Room temp.	11
7.	Starch and Magnesium carbonate	Ca504 10%	1:2	250	Room temp.	11 19
8.	Klesel guhr 90%	CaSO ₄ 10%	1:2	250	110°C	*1
9.	MgC0 ₈ + sil. gel. G.	Ca\$04 10%	1:2	250	110°C	13
10.	Kaoline	CaSO4 10%	1:2	250	110°C	1,
11.	Kaoline+ kieselguhr	No binder	1:2	250	110°C	13
	*CuC0 ₂ - - AgN0 ₃					

^{*} for hydrocarbons using their complexing property.

(2) Resolution of different substances on plates;

Four different classes of componds were subjected and used for resolution on these prepared plates. Different developing solvents were used. The compounds used were:

- (i) Hydrocarbons—(a) Anthracene.
 - (b) Acenaphthene.
 - (c) Naphthlene.
 - (d) Eugenol methyl ether.
 - (e) Diphenyl

(ii) D.N.P. derivatives-

- (a) Acetone
- (b) Vaniline
- (c) Acetophenone.
- (iii) Sugars-
- (a) Glucose
- (b) Lactose
- (c) Maltose
- (iv) Dyes-
- (a) Sudan III
- (b) Azobenzene
- (c) Fat colour yellow,

OBSERVATIONS AND OBSTACLES

1. Developing of sugar sports with suitable developers:

N/10 AgN0₃ solution was used as developer for sugars. Actually ammonical AgN0₃ is used for the same but in MgC0₃ plate, the plate was first sprayed with N/10 AgN0₃ soln, and then exposed to ammonia. The spots became visible. No ammonical AgN0₃ was needed.

The above process of developing failed in the developing of sugar spots on sil-gel-G plate. No spots were visible by above process. So the plate was exposed to Iodine vapours, and it was unexpectedly found that the spots became clearly visible. So in some carbonate plates, iodine can be used as developer for sugars.

2. Preparation of starch plate:

Starch and sugars both contain a no. of hydroxyl group. So an attempt was made to resolve sugars on starch plates.

Binder for starch:—A small amount of thick paste of starch was suspended in hot water. The water was boiled for a while and then cooled. This 100 c. c. of starch solution was used as the binder for starch in proper proportions.

Activation of starch plate:—The starch plate was found cracked after activation at 110°C. So it was then activated (dried) in air only (at room temp.). Then also it was found cracked. A small percentage (20%) of MgCO₃ was then added to starch in order to save the plate from cracking. The cracking in this plate was reduced but no good results could be obtained. Starch is unsuitable as an adsorbent in TLC.

3. Sugar resolution on coated kiesel ghur plate:

Since the kiesel ghur was not given good resolution, it was coated with

water and ethyl glycerol (80: 20%) and then it was subjected to TLC using water saturated butanol as the solvent.

4. Recovery of used silica gel G:

This was rather a side attempt to see whether same silica gel, after proper washings, could be used again and again.

About 10 gms. of used sil. gel. G was collected. It was washed with water a no. of times so as to remove any soluble impurity, if any. It was then extracted with methenol and washed with the same for three times. A series of chloroform washningswas done then. The powder was kept in a porcelain dish and chloroform was allowed to go off. This powder was then heated to 110° C and then activated at 210°C for half hour. Plates were prepared from this recovered sil. gel. G and subjected to experiments. The results are given in the table.

5. Activation of CaCO₃ plate by AgNO₃;

The calcium carbonate plate was observed not to give good resolution of hydrocarbons. It was then activated by AgNO₃.

5 gms. of AgNO₃ dissolved in 50 c.c. was taken in the TLC jar and the plate was dipped in it. The AgNO₃ soln. was allowed to move right upto the top of the plate. The plate was then taken out, dried and then subjected to resolution of hydrocarbons.

Similarly sil-gel G plate was also activated with AgNO₃ and used for hydrocarbon resolution.

OBSERVATION TABLES

(A) Resolution of Hydrocarbons

O married		6		Good resolution. This can be taken as the standard. But Naphthalene and Acenapithere move almost the same distance.	Resolution not satisfactory. The places should be activated by solvents such as AgNO ₃ .	,	Resolution not satisfactory.	No resolution. Spots move upto the solvent. Activation with AgN03 may lead to good result.	No resolution. Spots move upto the solvent. This plate is unsuitable for hydrocarbons.
•	Rt values	ca		6 3 Z E	æ∓ &	l	oć.		Zohe
	Time	7		50 min.	60 min.		65 min.	SO min.	60 міп.
	Developer	,	0	lodine	fodine		todrne	Jodine	lodine
	Solvent		n	Petroleum ether 100% (60-80°)	Pet, ether 100%		Per. Ether 100%	Pet. Ether 100%	Pet. Ether 100%
	Sub. Resolved		4	(i) Anthracene (ii) Naphthalene (iii) Acenaphthene	(i) Anthracene (ii) Mixture of i & iii	(iii) Anthracene	(i) Anthracine (ii) Acenaphthene	(i) Anthracene (ii) Acenaphthene	(i) Anthracene (ii) Acenaphthene
	Plate material		ĸ	Silica gel G.	Sil. gel. G.		SII-gel-G activated with ArNO	် ပို	CaCO ₃ activated with AgNO ₃
	Date		2	10-5-1957	12-5-67		13-5-67	15-5-67	15-5-67
	Š			- :	4		mi	√	หา๋

						"				
6	Cante move unto the solvent	sport So this plate is not suitable for hydrocarbon resolution.	No resolutions. Plate unsuitable for hydrocarbons.	No resolution at all due to the cracked plate.	No resolution at all. The spots get spray spread on the plate.	No good resolution. Spots move upto the solvent front. The plate is not suitable.	No resolution at all. The plate is also not suitable for hydrocarbons.	The devioping solvent does not move up since the adsorbent is very firmly stuck to the glass plate.	Good resolution. Especially the mixture is separated nicely. The individuals can be clearly distinguished. The adjustment in percenta, e of kiesel guhr in kaoline will lead to better results.	
8		1	l	i	l	ł	1	1	l	
7		50 min.	46 min.	30 min.	30 min.	45 min.	30 min.	40 min.	60 min.	
9		Iodine	fodine	lodine	I	lodine	lodine	todine	lodine	
	•	Pet. Ether 100%	Pet. Ether 100°,	Benzene	iou⁄o Benzene	Petroleum ether 100%	Petrol	Petroleum ether 100%	Pet. ether 1009,	
-	*	(i) Anthracene (ii) Acenaphthene	(i) Anthracene (ii) Acenaphthene	(i) Anthracene	(ii) Acenaphthene Hydrocarbons	(i) Anthracene (ii) Acenaphthene.	(i) Anthracene (ii) Acenaphthene	(i) Anthracene (ii) Acenaphthene	(i) Anthracene (ii) Mixture I & III. (iii) Acenaphthene	
	3	MgC0 ₃	MgC0 ₃ (50%)+ Sil. Gel-G	(50%) Starth	Starch 80% + MeCG, 20%	BaCO ₃	Kieser ghur	Kaoline÷ CaS0₄	Kaoline 83% L Kiesel ghur 20%	
	2	17-5-67	. 24-5-67	ţ	24-5-67	25-5-67	25-5-67	30-5-67	31-5-67	
]_	ق ا	7.	(1 6	.	-	겊	13.	

(B) Resolution of D. N. P. Derivatives of Acetone, vanilline and Acetophenone

Remarks	6		Diffused spots. No good resolution.	Two spots except virilline more. There is no resolution of vanilline. So this plate is unsuitable for vanilline. Other two spots are round and small.	Spots are round and small but they move upto the solvent front. Vanilline derivatives also move a little. This plate is better than MgCo ₃ .	D.N.P. derivatives of Acetone & Acetophenon move right up to the front Vanilline moves a little. This plate may stand good for resolution of phenolic D.N.P. derivatives.
Rx values	60	a) 1 b) 0.6 c) 0.17	a) 1 b) 1.001 c) 0.35	(5) (2) (2) (2) (3) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	a) 1 b) 1:01 c) 0:04	(a) 1 (b) 1 (c) 0.3
Time	7	35 min.	50 min.	55 min.	60 min,	55 min.
Developer	9	8 7	self	self	s el	self
Solvent	ហ	Benezene 90% Acetone 10%	Benezene 100%	Benezene 90% Acetone 10%	Benezene 90% Acetone 10%	Benzene 90% Acetone 10%
Sub-resolved	4	D.N.P. derivatives	D.N.P. derivatives	D.N.P. derivatives of a) Acetone b) Vanilline c) Acetophenone	D.N.P. derivatives a) Acetylene b) Acetone c) Yaniline	D.N.P. derivatives.
Material	M	Silica gel G	င်္ခင်ဝန္ဒ	MgCo _s	Ba Cos	Sil-gel G 50%+ MgCo ₃ 50%
Date	2	15-5-67	15-5-67	18-5-67	19-5-67	22-5-67
ģ	-	7	<u>15.</u>	<u>3</u>	7.	5 .

						79			
No. resolution. unsuitable.	Unsuitable	No resolution plate.	Spors move upto the front. Unsuitable.	Spots move upto the front. Vanilline shows tailing. Plate	unsuitable.	Substance resolves but adsorbent being very firmly bounded, the developing solvent does not rise up. Binder should be reduced.			
	1	i	ı	I		(a) 1 (b) 0.09 (c) 0.3	(a) (b) 0.35 (c) 0.35 (c) 0.1	(e)	(c) 0.28
	10 min.	10 mln.	25 min.	35 min.		60 min.	50 min.	40 min.	
	self	self	self	٩		self	seif	اوا	
2	Benezene 90% Acetone 10%	Benezene 100%	Renezene 90%	Acetone 10%	Benzene 100%	Benzene+ ethylacetate 5%	Benzene+	%S	Benzene 90% Acetone 10%
+	D.N.P. derivatives	,	.	ģ	-op-	-op-	O.N.P.	derivatives.	op
m			Starch+ MgCos 20%	25-5-67 Kiesel guhr.	25_5_67 Kiesel guhr.	Kaoline		Kaoline od 707 Kiesel guhr 20%	Recovered sil-gel-G
-		24-5-6/ 354111	24-5-67	25-5-67	75-5-67	30-5-67 Kaoline		31-5-67	1-6-67
-	-	.61	79.	21.	8	ង		74	ĸ

			(1) Practical (11) Intellige (11) Tractical (11) Intellige	organs—(1) gra	שיד (ני) פנסיי	crose (m)	MAILUSE	
Š.	Date	Plate material	Substance resolved	Solvent	Developer	Time	Rg value R. glucose	Remarks
-	2	3	+	ıs	9	7	œ	6
%	18-5-67	Sil-gel-G.	Sugars: i) glucose ii) Lactose iii) Maltose	Chloroform 90% Methenol 10%		65 min.	Rg i) 1 Rg ii) 0.51 Rg ii)0.95	Resolution not satisfactory. Tailing and diffuse spots obtained.
27.	18-5-67	MgC0 ₃ + CaS0 ₄	Sugars: i) glucose ii) Lacrose iii) Malrose	ģ	AgN0 ₃ +	65 min.	Rg I) 1 Rg II) 0.33 Rg III) 0.23	. No good resolution; unsuitable for sugars; can be developed with lg also.
38.	18-5-67	BaCO ₂ + CaSO ₄	ģ	Chloroform 60% methanol 40%	- ⁶	2 hours	Rg i) 1 ii) 0.56 iii) 0.44	Diffused spots obtained; BaCO ₃ not suitable for sugar resolution. Changed percentage of solvent does not make any change.
29.	18-5-67	BaCO ₃ + CaSO ₄	Sugars 4) glucose ii) lactose iii) malcose	Chloroform 90°, Methanol 10°,	<u>-8</u> 0	2 hours	Rg i) 1 ii) 0.19 iii) 0.38	Plate is unsuitable for sugar resolution.
30.	20-5-67	CaCO ₈ + CaSO ₆	.	- 	<u>.</u> #	60 min.	R _B i) l ii) 0.31 iii) 0.43	
<u>.</u>	22-5-67	Sii. Gel. G 50% +MgC0 ₃ 20%	Sugars	ģ	12 Agno ₃ + NH ₃	50 min.	1	No resolution at all. This plate is unsuitable for sugar resolution.
32	. 22-5-67	Starch 80% +MgC0 ₃ 20%	Sugars	ģ	et 	15 min.	1	No resolution at all. Plate unsuitable.

					۰	7	œ	6
-	2	е	*			Jr.	ı	No resolution. Spots move
 	25-5-67	Kiesel ghur	Sugars	- p	Agnos NH3 NH3			upto the front and get interest. Some material on the plate is needed in order to check this speed,
%	. 27-5-67	Kiesel ghur	Sugars	Saturated . Butanol	AgN0+ NH3	30 min.	l	No resolution obtained, so this plate is unsuitable for sugar resolution.
35.	77-5-67	Kiesel ghur	Sugars	Saturated Butanol	AgN0 ₃ + NH ₃	35 min.	1	No good resolution but the special feature of this plate is that a round spot of glucose is obtained which is not seen in any other plate.
36.	27-5-67	Kiesel ghur Dipped in	Sugars	Ethyl acetate	- op -	Į	Ī	No resolution, so kiesel guhr plates are unsuitable for sugar resolution.
37.	30-5-67	ethylene glycol. Kaoline	Sugars	Chloreform 90% Methanol 90%	ф	 - hr.	1	Adsorbent is firmly attached the plate and does not allow the solvent to move up. Addition of some other more polar powder may give good result.
38	31-5-67	Kaoline— Viscalantr 2002	Sugars	è	P	l	١	No resolution. This plate is unsuitable for sugars.
		O'A TINGEN						

		<u>(a)</u>	(D) Resolution of Dyes :-	- (i) Sudan III (ii) Azobenzene (iii) Fat colour yellow	(ii) Azoben:	(iii) эпэ2	Fat colour ye	low
ģ	Date	Material	Substance Resolved	Solvenc	Developer	Tıme	Std. Rs	Remarks
39.	19-5-91	Sil-gel-G.	a) Sudan III b) Congo red c) fat colour yellow.	Benzene 80% Acetone 20%	Self	35 min.	Rs [a) 1 Rs b) 0 Rs c) 0.88	Congo red does not move. Plate unsuitable for congo red.
6	16-5-67	රිට	-op-	Benzene 100%	Self	50 min.	Rs a) - Rs b) 0 Rs c) 0.	This plate is also unsuitable for congo red. Some other dye give resolution.
∓	17-5-67	MgCOs	a) Sudan III b) Azobenzene c) Fat colour yellow	Benzene 50% Petrol 50%	Self	60 mln.	Rs a) 1 Rs b) 1.15 Rs c) 0.74	Azobenzene resoives better than congo red. Changed percentage on solvent gives better result.
42.	19-5-67	BaCOs	-op-	ф	Self	60 min.	Rs a) Rs b) 1.06 Rs c) 0.74	Spots are clear and sharp. Migration is good. Thit plate may give better results after alternation of solvent of its percentage.
€.	20-5-67	Sil-gel-G	Dyes: a) Sudan III b) Azobenzene c) Fat yellow	Benzene 100%	Self	80 min.	Rs 2) 1 Rs b) 3.3 Rs c) 0.26	Good resolution.
‡	20-5-67	\$00°0	Dyes: a) Sudan III b) Azobenzene c) Fat colour yellow	Benzene 100%	Self	60 min,	Rs a) Rs b) 1.07 Rs c) 0.3	Resolution is not so good compared to sil-gel-G. But fat yellow is resolved into two spots whereas sil-gel-G shows only one spot. This is remarkable that this plate shows least impurity, if any.
.	22-5-67	Sil-gel-G 50%+ MgC0 ₃ 50%	, -ор-	, op	Self	65 min.	Rs a) Rs b) 2.3 Rs c) 0.36	Good resolution. Dark, round and sharp spots obtained.
4 .	31-5-67	Kaoline 50% +Kiesel guhr 50%	-op-	Benzene÷ ethyl acetat e.	Self	90 min.	Rs a) Rs b) 1.18 Rs c) 0.54	Resolution takes place but the solvent does not move up.

Conclusion:

Looking to the number of results obtained in these experiments one can say and find that no other material can give better or at least as good results as the sil-gel G. So silica gel G still remains the universal and unchallanged material for TLC. But these attempts to find some other adsorbents has certainly not failed completely, Though unable to be used for almost all compounds, some of the materials do pro nise good resolution and better results in some specific cases.

The separation of hydrocarbons mixture, which is not clear even in silgel G plate, is observed wonderfully good in the adsorbent Kaoline mixed with kieselguhr. The idea can be more clear on comparing picture slips no 2 and 3.

Glucose, which shows failing even in sil, gel G plate is resolved in a round spot in kieselguhr plate.

The want of sil-gel G can be lessened by mixing some other suitable adsorbent (cheaply available) with it in different proportions so as to get equally fair results.

It is also suggestive that the experiments with starch and Kaoline 100% will save the time of future workers in this direction since these materials are most unsuitable to be used as adsorbents in TLC.

The most inspiring result in these attempts which, I hope, will attract the attention and concentration of the workers in this field is the successful recovery of used sill-gel G. It is found that the used sill-gel G can be recovered and used with slight loss of efficiency. Comparing the Rf values of the original sil-gel-G and the recovered one, one can easily see the success of the attempt. The Rf values are once again given here for a glance over.

The environmental conditions, solvent, developer and resolved substances are same for both plates.

No.	Material	Resolution of	Rf Values
1.	Sil. gel G	D. N. P. dervatives of a) Acetone b) venilline c) Acetophenone	R acp a) 1 R acp b) 0.6 R acp c) 0.17
1.	Recovered Sil. gel G	do	R acp a) 1 R acp b) 0.68 R acp c) 0.28
۸	Sil-gel G	Hydrocarbon i) Anthracene ii) Mixture iii)Acenaphthene.	R aep iii) 1 R aen i) 0.7058
2,	Recovered Sil-gel G	-do	R acn iii) 1 R acn i) 0.8

A little more effort in the direction will surely lead to the substance which could replace sil-gel G at least in some specific cases and trying with some more lab, ways it would be possible to use the same used sil-gel G again and with the same efficiency as the original one.

APPENDIX II

SAMPLE ITEMS FROM SCIENCE APTITUDE TEST, 1967 PART-A (THOUGHT TYPE)

PHYSICS

Section 1

A merry-go-round rotating at constant speed makes one complete rotation every ten seconds. It has a ring of horses mounted at a distance of 20 feet from the centre and a ring of swans mounted at a distance of 10 feet from the centre. The frequency of any rotating object is defined as the number of revolutions that the object makes per unit time.

(

QUE	STIONS C	ON SECTION 1	
1.	What is t	the frequency at which the horses are rotating?	
	2. 1, 3. 1	/10 rev. per sec. /2 rev. per sec. rev. per sec. 0 rev. per sec.	
2.	The ratio	of the frequency of rotation of horses to that of the swans	is
	2. 2 3. 1	l:1 2:i √2:1 1:2	
3.		the ratio of the speed of the horses to that of the swans? o the ground)	(both
		$1: \sqrt{2}$ $\sqrt{2}: 1$	0000
4.	from the	equency of the merry-go-round is f and the distance of the becentre is r, what is the area swept out per unit time by any horse to the centre?	
	2. 7 3. 2	7 ff 7 f ² f 27 f ² f	

CHEMISTRY

Section 2

The decay of organic matter is generally caused by activity of different -living organisms, like bacteria. When vegetable matter decays in air, all of its carbon content is finally converted into carbon dioxide. When the decay occurs under water, as in swamps, it produces methane.

QUESTIONS ON SECTION 2

_	'l'hate	10 00	haaniica
5.	1 1172	12 20	because

1.	oxygen is only slightly soluble in water and the total amount available to promote decay is inadequate for the oxidation of all the
	carbon
2.	the chief factor in promoting the two different kinds of decay is
	the difference in the kind of bacteria found in air and in water []
3.	the percentage of hydrogen is greater in water than in air and a
	large part of the carbon of the vegetable matter, therefore, com-
	bines with this element
4.	there is enough oxygen in air and abundance of hydrogen in
	water \square

BIOLOGY

Section 3

The bud of the opium poppy throws off the green calyx which sheaths it and the shining corolla spreads out to the sun. In the heart of the flower stands the pistil surrounded by numerous stamens. The ripe stamens allow the fine pollen dust to escape. The dust is made up of thousands of microscopic grains. At the top of the pistil, like the spokes of a wheel, are the black bands of the stigmas. Pollen, which has fallen on the stigmas, remains imprisoned on the papillae. The septate ovary contains hundreds of translucent ovules. From each pollen grain issues a fine tube which penetrates the ovary to fertilize an ovule. The flower droops; stamens and petals disappear; the fertilized pistil remains. The sole survivor of the withered flower, the pistil, day by day changes into a fruit. The ovules have become seeds.

QUESTIONS ON SECTION 3

	6.	The	pollen	dust	is	produc	ed	in	th	le
--	----	-----	--------	------	----	--------	----	----	----	----

1.	stigmatic papillae	
2.	pistil	
3.	stamen	
4.	ovule .	

7. After fertilization is over in plants	
 the pollen issues a pollen tube the plants wither the ovary falls the oyules are transformed into seeds 	0 0
MATHEMATICS	
Section 4	
A centre of any geometrical object which may consist points, lines, circles etc is a point O, possessing the following is any point of the geometrical object and P' is the point on PO that P'O=OP, then P' should also be a point of the geometric this definition, a circle or a sphere has only one centre which is it usual sense. A geometrical object may not have any centre one unique centre, or may have more than one centres.	property. If P produced such cal object; with its centre in the
QUESTIONS ON SECTION 4	
 A square has one unique centre no centre an infinite number of centres four centres 9. A pair of intersecting straight lines (produced indef directions) has	finitely in both
 no centre a unique centre two centres an infinity of centres 	000
10. A pair of parallel lines has 1. no centre 2. one centre 3. two centres 4. an infinity of centres	
 Three mutually parallel lines lying in a plane have always one centre no centre at all, in any case may have an infinity of centres in some cases will always have an infinity of centres 	

AGRICULTURE

Section 5

Four forms of water are known to exist in the soil. Gravitational water percolates downwards through the subsoil. Capillary water is held by the soil against the pull of gravity and moves in any direction in response to capillary tension. Hygroscopic water is firmly retained by an air-dry soil. Combined water is held in chemical combination after the hygrospopic water has been removed.

QUESTIO	NS ON SECTION 5	
12. The	main source of water available to plants is	
•	 gravitational water capillary water hygroscopic water combined water ASTRONOMY 	
gas and du density. The aided by the densation	the beginning of its life a star is simply a condensation of interstell ist, large in size, relatively cold throughout its material, and low the condensation is held together by its own gravitation and may the pressure of hot, ionised hydrogen from its surroundings. The contracts, becomes hotter and denser inside. Ultimately, it starts a star is born.	in be on-
QUESTIO	ons on section 6	
13. Du	ring the stage of contraction, a star is	
	 collapsing in size, largely under its own gravitation collapsing in size, largely under the pressure of outside gases losing its mass rapidly getting cooler 	
14. The	raw material for the building up of a star is	
Section 7	 ionised hydrogen gravitational force intersteller gas and dust condensed water BIOPHYSICS 	

When certain radioactive atoms are introduced into the human system, they go to the specific places in the body and the average time of their stay can be found out from the measurement of radiation which the radioactive substance gives off. Administration of compounds of radioactive iodine I¹⁸¹, followed by external measurements of radioactive emanations in the thyroid region of the neck can determine whether the thyroid is normal, over, or under active. A hyperactive thyroid may absorb upto 80% of the iodine; a hypoactive thyroid may absorb as little as 15%.

QUESTIONS ON SECTION 7

15.	Which one of the following statements is correct?	
	 large amounts of radioactive emission indicates hypothylactivity 	oid
	 small amounts of radioactive emission indicates hyperthyractivity 	oid
	 a hyperactive gland gives (when it absorbs radioactive ind about five times as much radioactive emission as a hypoac gland 	
	 a hyperactive gland (when it absorbs radioactive iodine) g about half as much of radioactive emission as does a hypoac gland 	
16.	Which one of the following statements is true?	
	 1. 1¹³¹ is not useful for finding thyroid defects 2. I¹²⁷ is not useful for finding out thyroid defects 3. normal thyroid is hyperactive 	
	4. normal thyroid is hypoactive	
	PART B	
•	PHYSICS (FACTUAL TYPE)	
1.	Give another name for "the smallest part of an element capable of ta	king
	(i) an electron (ii) a proton (iii) an atom	
	(iv) a molecule	
2.		□ -ixap
2.	At what angle to the horizontal should a ball be kicked to attain n	-ixse

3.	Lenz's Law is a consequence of the law of conservation of	
	(i) charge (ii) momentum (iii) mass (iv) energy	0000
4.	A charged particle moves through a magnetic field. The effect field is to change the particle's	of the
	(i) direction of motion (ii) mass (iil) speed (iv) energy	
5.	It is possible to measure the passage of 50 electrons per second certain sensitive device. This corresponds to a current of approx	
•	(i) 8.0×10^{-18} amp. (ii) 1.6×10^{-20} amp. (iii) 8.0×10^{-20} amp. (iv) 1.6×10^{-10} amp.	
6.	The electric field intensity at a point in space is equal in magnitud	e to
	 (i) the potential difference there (ii) the electric charge there (iii) the force, a unit charge would experience there (iv) the force, an electron would experience there 	0000
	CHEMISTRY	
	(FACTUAL TYPE)	
7.	Reaction between neutral solution of barium chloride and sodium nate goes to completion because	ı carbo-
	 (i) a gas is formed (ii) the reaction is reversible (iii) barium carbonate is insoluble (iv) sodium chloride is more stable than sodium carbonate 	
8.	. Sodium bicarbonate is an important constituent of	
	(i) caustic soda (ii) washing soda (iii) baking powder (iv) soaps	0000

9.	Which of the following property isotopes of the same element?	is different for neutral atoms of the to	Ю
	(i) atomic number(ii) atomic weight(iii) number of electrons(iv) number of protons		
10.	Consider the following data:		
	Element	Atomic Weight	
	A	1 2· 0	
	В	35:5	
		ance X. If four moles of B combine w then the weight of one mole of X is	ith
	(i) 47·5 g.		
	(ii) 83.0 g.		
	(iii) 154·0 g.		
	(iv) 166·0 g.		
	BIO	DLOGY	
	(FACTU	JAL TYPE)	
11.	Although the potato tuber h	as no chlorophyll, it contains lot of sta	rch
	(iii) it is a modification of the	the absence of chlorophyll from the leaves to the tuber the stem which already contains starch aufacture and deposit starch in them	
12.	During snow-fall the plants	•	
	(i) do not respire	•	
	(ii) do not photosynthesize		
	(iii) show maximum transpi		
	(iv) show minimum life fun	ctions	L
13.	. The fungal diseases are usually	more prevalent in	
	(i) desert areas		
	(ii) wet weather		
	(iii) fruit trees (iv) extremely cold climate	•	
	CALLENIEN CORECIMATE		- 1

14.	If a man is suffering from deficiency of vitamin C, he should drink	eat or
	 (i) lot of eggs (ii) plenty of lime juice (iii) sufficient quantity of groundnuts (iv) a glass of mango juice every day 	0 (1 0
15.	Which of the following groups of plants contain chlorophyll?	
	(i) bacteria (ii) algae (iii) fungi (iv) all of the above	0
	MATHEMATICS	
	(FACTUAL TYPE)	
16	The number of permutations of the letters of the word CLASSES all together is	, taken
•	$(i) \ $	_ _ _
	(iii) $ 7 - 5 $ 7 (iv) $ 3 $. 0
1	7. The line $50x-48y+7=0$, is drawn in the Cartesian plane of points	the four
	(0,0); (5 5); (4.5); (3.6) (i) all lie on the same side of the line (ii) three of them lie on one side and one on the other (iii) two of them lie on one side and two on the other (iv) some lie on the line	0 0 0
1	18. The function $f(x) = 7-2x-3x^2$ for real values of x, has	
	 (i) a maximum which is positive (ii) a maximum which is negative (iii) a minimum which is positive (iv) no minimum or maximum 	0
	19. Of the following four functions defined in the interval (0,1)	
	$\sin \frac{\pi x}{2}$; $\cos \frac{\pi x}{2}$; $\frac{x}{1-x}$; $\sin \pi x$	

Ţ

 (i) all are increasing (ii) two are increasing and one is decreasing (iii) two are decreasing and one is increasing (iv) three are increasing and one is decreasing 	
20. The equation	
3 Sin 0-1-4 Cos0≠a,	1
has real solutions in 0, only when	
(i) a>0	
(ii) $a \geqslant 0$	
(iii) u ≤5	
(iv) $ a < 5$	

APPENDIX III

SAMPLE TOPICS OF ESSAY TYPE TEST

Time-2 hours

Maximum Marks--50

Note: Write an essay on any one of the following topics in about 2,000 words. Diagrams should be presented, whereever necessary, to illustrate the answer. The essay may be written either in English or in a regional language.

- 1. Artificial fibres.
- 2. Food and fitness.
- 3. Interdependence of plants and animals.
- 4. Measurement of time.
- 5. The conquest of space.
- 6. The role of science in economic development.

PROJECT REPORT

APPENDIX IV PROJECT REPORT

Roll No. 15911

Investigation of the variation of the intensity of sunlight using a Solar Cell.

I Problem:

The energy of the Sun is used to illuminate our globe. The earth receives only a minute fraction of the total solar light energy. It is estimated that the earth intercepts only 5×10^{-10} per cent of the total radiation. Again this small percentage of the solar radiation varies from morning to evening daily and there is monthly variation and also there is seasonal variation.

In this investigation, variation of intensity from morning to noon and from noon to evening is studied. An attempt is also made to correlate the intensity of sunlight at a given time for a few days in the week.

The advent of the solar cell during the last few years has made this study possible.

II Method of investigation:

A solar cell which gives a high open circuit out-put voltage was used. The cell was first mounted on an optical bench and its response to the illuminations of 15, 25, 40, 60 and 100 watt coiled coil filament lamps, all made by the same firm, ("Bengal Lamp Works") was studied for various distances of the cell from the lamps. For this study, a Weston galvanometer was connected across the terminals of the solar cell and deflections of the galvanometer are recorded. The deflections were plotted against the wattage of the lamps for various distances. The graphs obtained were straight lines indicating the linear relationship existing between wattage of the illuminant and the response of the solar cell.

To keep the deflections of the galvanometer on the scale, two methods were tried (i) The galvanometer was shunted with a low resistance. As we do not have very low standard resistances, this method was partially used. The intensity of the sunlight is of such tremendous magnitude that the approach to the problem cannot be altogether successful by this method; (ii) Ground glass plates 10cm × 7cm and thickness 0.32 cm were used as light filters to diminish the intensity of sunlight falling on the solar cell. The fractional transmission of the filters were studied using a 100 watt lamp. In addition to these filters, a shunt of 0.5 is used across the galvanometer.

The sensitivity of Weston galvanometer of different manufacturers were studied. A galavanometer of low sensitivity was used in the investigation as it was found that the deflections of the more sensitive ones could not be easily controlled.

The solar cell was mounted on a pedestal at a distance in front of the laboratory and the galavanometer and its accessories were kept in the varandah

in a shaded place. The arrangements are shown in the photograph. The deflections of the galvanometer are noted every half an hour, using the appropriate ground glass filters.

In addition to the ground glass light filters, Red, Green, Yellow and Blue colour glasses were also used as colour filters and corresponding deflections were also noted.

III Experimental details of components


(a) Description of the solar cell used:

A solar cell consists of razor—thin strips of silicon about one thousandth of an inch thick and it is doped with boron impurity. The performance of the solar cell is that it gives photoelectric power conversion efficiencies in sunlight of around 7 to 8 per cent. This figure is about an order of magnitude higher than for any previous light converter and even exceeds by a large factor the efficiency of the photo—synthetic fixation of solar energy in the leaves of living plants. A hundred of solar cells are needed to make a torch bulb glow¹ and 50,000 solar cells covering the area of a small room would only produce a kilowatt of electricity.

The solar cells convert the energy of the sun rays photoelectrically into electrical energy.

(b) Choice of the Galvanometer.

(1) Determination of the resistance of a Galvanometer.




The circuit diagram showing the connections is shown above. The key is plugged in and the resistance of the rheostat is adjusted so that there is a particular reading in galvanometer. The potential difference between the two terminals of the one-ohm resistance will always be the same. Now the resistance of the resistance box R is adjusted so that the galvanometer reads exactly half of its original reading. Since the current has become half, the resistance is doubled because the potential difference has to be constant. The resistance

^{1.} One hundred solar cells would produce enough voltage to make a torch bulb glow.

SOLAR CELL



Size--0.57 of the Original Size. To give an indication of the Size of the cell, a scale marked in [centimeter it as been placed on it by sticking tape at its ends.



of the galvanometer is therefore equal to the resistance, reading in the resistance box.

Experiment Readings.

Galvanometer A

S. No.	Original reading of the galvanometer Scale deflection	Final reading of the galvanometer Scale deflection	Resistance of the galvanometer Ohms
1.	20	10	280
2.	18	9	280
3.	10	5	280

Resistance of galvanometer A=280 ohm.

Galvanometer B

S.	No.	Original reading of the galvanometer Scale deflection	Final reading of the galvanometer Scale deflection	Resistance of the galvanometer Ohms
,	1.	20	10	135
	2.	18	9	135
	3.	16	8	135


Resistance of galvanometer B=135 ohm.

Galvanometer C

S. No.	Original reading of the galvanometer Scale deflection	Final reading of the galvanometer Scale deflection	Resistance of the galvanometer Ohms
1.	20	10	5
2.	18	9	5
3.	16	8	5

Resistance of galvanometer C=5 ohm.

(2) To find a suitable galvanometer for the experiment



The galvanometers are connected one at a time with the solar cell. The deflection of the galvanometer is noted down and the galvanometer which deflects most is the most sensitive galvanometer. The least sensitive galvanometer is chosen because the intensity of the sun rays is much greater than the intensity of the bulb.

Experimental readings

When the solar cell is held in front of a 60 watt bulb:

Galvanometer	Deflection (Scale Division)
A	8.0
B	9.5
C	0.5

We used galvanometer C whose resistance is 5 Ohms and which deflects 0.5 divisions when the solar cell is held in front of the 60 watt bulb at a distance of 40 cm.

(3) To find the relation between wattage and deflection of the galvanometer. Electric bulbs of different wattages were used.

A lamp of 15 watts was mounted on an optical bench. The solar cell connected to a galvanometer was mounted at different distances from the bulb. The deflections on the galvanometer were noted. These observations were repeated using 25 watts, 40 watts, 60 watts and 100 watts bulbs.

TABLE 1

S. No.	Lamp	Distance	Deflection		on	Mean
1.	15 Watts	20 cm 40 cm 60 cm 80 cm 100 cm 120 cm	9 7 5 5 5 4	8 7 5 5 4 4	9 7 5 5 5 4	9 7 5 5 5 4
2.	25 Watts	20 cm 40 cm 60 cm 80 cm 100 cm 120 cm	12 7 6 5 5	12 7 6 5 4	12 7 6 5 4.5 4	12 7 6 5 4. \



Solar cell mounted on a pedastal



Measurement of galvanometer deflection

3.	40 Watts	20 cm 40 cm 60 cm 80 cm 100 cm 120 cm	17 10 7 6 5 4	16 7 5 5 4 4	17 10 7 6 5	17 9 7 6 5
4.	60 Watts	20 cm 40 cm 60 cm 80 cm 100 cm 120 cm	24 12 8 7 6 4	24 11 8 6 6 4	24 12 8 7 6 4	. 24 12 8 7 6
5.	100 Watts	20 cm 40 cm 60 cm 80 cm 100 cm	30 20 12 8 7 5	30 20 12 8 7 5	30 20 112 8 7	30 20 12 8 7 5

(2) Choice of light filters

To find the absorption of light by different filters, when mounted in front of an 100 watts lamp at a distance of 50 cm.

(i) The solar cell, connected to a galvanometer, was mounted in front of a 100 watt lamp at a distance of 50 cm. The ground glass filters were placed on the solar cell and the deflections were recorded:

S. No.	Filter	Deflection	Fractional transmission
1.	Without Filter A B C D E F G H I B D B D E B D E G H I B D E G H I B D E G H I B D E G H I	12 .7 .9 8 8 9 8 7 7 7 6 4 2 2 2	0.58 0.75 0.67 0.67 0.75 0.67 0.58 0.58 0.50 0.33 0.17 0.17

(2) The solar cell connected to the galvanometer and directed to diffused (and scattered) light through a window in the laboratory. The deflections were recorded using the ground glass filters.

Filter	Deflection	Fractional Transmission
No filter D B B D B D B D B D B D B D B D B D B	23 19.5 18 12 10 7 6 5	0.85 0.78 0.52 0 43 0.30 0.26 0 22

V. Experimental Study

The deflection in the galvanometer, which is proportional to the intensity of the sun rays, was noted at intervals of half an hour.

The experimental arrangement is shown in the photograph.

We connect the galvanometer to the solar cell battery and expose the solar battery to direct sunlight. The shunt is put across the galvanometer and a commutator is included in the circuit. The filter I is put in front of the solar cell and the deflection is noted. Blue, green, yellow and red filters, one at a time are put on the filter I and the deflections are noted. This is repeated after every half hour. The galvanometer with the shunt and commutator are placed in the shade. The solar cell must be completely devoid of light when the experiment is not being performed.

As different shunts have been used, main current was found out before plotting the results:

Experiment Readings

Shunt used =0.5 ohms

			14th Dec.			
	Time	Filter I	Blue	Green	Yellow	Red
· · · · · · · · · · · · · · · · · · ·	11,00 a.m.	18.5	8.0	7.5	6.5	5.5
cloudy	11.30 a.m.	14.0	5.5	4.5	5.0	4.5
cloudy	12,00 a.m.	14.0	5.0	4.2	4.5	4.0
cloudy	12.30 p.m.	12.2	5.5	5.5	5,0	4.0
_	1 05 p.m.	10.5	6.0	5.5	5.0	4.0
	1.30 p.m.	9.0	3.0	2.2	2,5	2.0
	2.00 p.m.	9.0	3,0	2.0	2.1	2.0
	2.30 p.m.	7.0	3.0	2.1	2.0	1.5
	3.00 p.m.	6.5	3.0	2.0	2.0	2.0
	3.20 p.m.	5.0	2.0	1.5	1.0	1,0
		1				

Shunt-0.5 ohms

	Deflection						
	Time I	filler I	Blue	Green	Yellow	Red	
	11.00 a.m. 11 30 e.m. 12.00 a.m 12.15 p.m.	15.0 16.0 23.5 30.3	5,5 ,0 10,0 12,0	4.5 6.0 8.0 9.0	4 0 7 0 (0.0 11.0	4 () 6,0 8,0 9,0	
	Shunt used—2 o	hms	Deflectio	sn.	······································	19th Dec.	
	Time	Filter 1	Blue	Green	Yellow ,	Red	
	11.37 a.m. 12 00 a m. 12.20 a.m. 1.30 p.m. 2.00 p.m. 2.30 p.m. 3.00 p.m.	26 0 26 0 27 5 24.5 21.5 17.0	10 0 9 8 1' .2 9.0 7.9 6.0 4.0	8.0 7.5 8.0 6.5 6.0 4.5 2.8	8.5 8.5 9.0 7.5 6.5 5.0 3.0	7.0 7.0 7.5 6,0 5.5 4.0 2.5	
	Shunt used—2 o	hms	Deflection	nc		21st Dec.	
	Time	Filter I	Blue	Green	Yellow	Red	
-	8.05 a.m. 8.30 a m. 9.00 a.m. 9.25 a.m. 10.00 a,m. 10.30 a.m. 11.30 a.m. 12.00 a.m. 12.30 p.m. 2.30 p.m. 2.30 p.m. 3.30 p.m. 5.00 p.m. 5.00 p.m.	3 0 5.0 8.0 10 5 14.0 17.5 19.6 23.0 25.2 25.0 22.0 19.0 14.5 10.0 2.5 0.0	0.7 1.2 2.5 3.5 5.0 6.0 7.0 8.2 9.5 9.2 9.0 7.9 6.9 5.0 0.0	0.5 1.0 1 8 2.5 3.5 4.5 5.5 6.0 6.6 7.0 7.0 6.0 5.0 3.5 2.8 0.0	0.5 1.0 2.0 3.0 4.0 5.0 6.0 7.0 7.5 7.4 7.5 6.5 5.5 4.0 2.5 0.0	0.3 0.8 1.5 2.5 3.2 4.2 5.9 6.5 6.5 6.5 4.5 3.5 2.0 0.0	

VI Conclusion

The variation of intensity is shown graphically. The maximum intensity was as expected about noon. There is a steady rise in Illumination during the morning hours and a steady decline in the afternoon. The diurnal variation is seen in the records but a systematic study was not possible for want of time. More detailed study has to be done in this direction. The absolute measurement of intensity can be done if standard sources of illumination are available. The intensities of the primary colours Blue, Green and Red and the compound colour yellow are according to their wavelengths. It is found that light of shorter wavelengths are more in the total radiation. This result may be due to the selectivity of the soalr cell used.

Acknowledgements

This investigation was made possible through the gift of a solar cell from Dr. B. L. Saraf, Head of the Department of Paysics, University of Rajasthan and I must express my grateful thanks to him. Thanks are also due to my Physics teacher who suggested the problem and guided me throughout. Finally I must express my sincere thanks to the Principal of the School for the provision of the needed apparatus and interest taken.


TIME - DEFLECTION UARIATION OF INTENSITY OF SUNLIGHT ON THE 21ST OF DECEMBER 5CALE-XAXIS - 5 div = 1 kour yaxıs -30div = 10 deflection;


TIME OF THE DAY


9


10

7









APPEN
AREAWISE ITEMS OF THE

(Quoting actual number of test Items

Subject/Test	Physics	Chemistry	*Blology	Mathematics	Agriculture	Geology
PART A	ورمیس انجر نیز پی ۱۰۰۰ مثر			و با درانات النافي و المسيد واست. المستد المستد		
(Thought Type Items)	1-7 (7)	8-14 (7)	15-23 (9)	24~30 (7)	31-35 (5)	36-40 (5
PART B		an a garangantantan a a		ري خواه ور هوافاهستانيد ته او يصنونا	فاختباط المطاعلة والمراجع المالي	
(I) Factual Type Items	1-30 (30)	1-30 (30)	1-30 (10)	1-30 (30)	X (0)	× (0)
(II) Thought Type Items	31-50 (20)	31-50 (20)	31-50 (20)	31-50 (20)	× (0)	X (0)
Total (Thought Type)	27	27	29	27	5	5
Total (Factual type)	30	30	30	30	X(0)	X(0)
Grand Total	57	57	59	57	5	5
				*Biolo	gy	
			Botan	y	Zool	ogy
PART A	4		•			
Though	t Type Items	(15-20)	6	(21-2)	3)	
PART E	3					
Factual Type Items (I-15) except No. 9		(1-15) : Na. 9	14	(16-30) 16	
Though	t Type Item:	(31-41)	11	(42-50)) 9	
		Total	31		28	•

DIX V

SCIENCE APTITUDE TEST 1967

from the test alongwith the arrangement).

Philosophy of Science	Physiology & Hygiena	Engineering	Meteorology	Blochemistry	Astronomy	Biophysics
41-45 (5)	46-50 (5)	51-55 (5)	56-60 (5)	61-65 (5)	66-70 (5)	71-75 (5)
X(0)	X(0)	×(0)	×(0)	×(0)	X(0)	X(0)
X(0)	X(0)	X(0)	X(0)	X(0)	X(0)	X(0)
5	5	5	5	5	5	5
X(0)	X(0)	X(0)	(X(0)	X(0)	X(0)	X(0)
5	5	5	5	5	5	5

APPENDIX VI
THOUGHT TYPE ITEMS—AN ANALYSIS OF PART (A) OF THE TEST:
COMPULSORY

s. N	o. Area	Serial of Sections	Number of Passages	Number of items from each Area	Average number of Items per Passage
	1	2	3	4	5
1.	Physics	1-2	2	4-13 7	
2.	Chemistry	3-5	3		3,5
3,	Botany Blology	6-7	2	5-	2.3 3.0ე
4.	Zoology J	8	1	3 3 (9)	. 3.€
5,	Mathematics	9-10	2	3 3) 5-12 - 7	3.0
6.	Agriculture	11-14	4	1+1+2+15	3.5
7.	Geology	15-16	2	3 2 5	
8.	Philosophy of Science	17-20	4	1+1+1+2=5	2,5 1,25
9.	Physiology and Hygiene	21-22	2	3+2=5	2.5
10.	Engineering	23-24	2	3+2-=5	. .
11.	Meteorology	25-26	ž	3+2•≈5	2,5
12.	Bio-Chemistry	27-28	2	2+3=5	2,5
13.	Astronomy	29~30	2	•	2.5
14,	Blo-Physics	31-32	2	2+3 5 2+3-5	2.5
			32	75	2.5

APPENDIX VI (Contd).

THOUGHT TYPE ITEMS—AN ANALYSIS OF PART (B) OF THE TEST;

OPTIONAL

S. No.	Area .	Serial of Sections	Number of Passages	Number of items from each area	Average number of Items per Passage
	ı	2	3	4	· 5
I. P	hysics	1-7	7	4+3+2+3+3+3+2=	20 2.9
2. 0	hemistry	1-8	8	4+2+2+2+2+4+3+	1=20 2.5
3. N	1athematics	1-4	4	3+4+10+3-20	5,0
4. B	lology	1-6	6	5+4+2+3+3+3=20	3.3
	(I) Botany	J-3	3	5+4+2=11	3,6
	ii) Zoology	4-6	3	3+3+3=9	3.0
,			25		

APPENDIX (VII)

DEPARTMENT OF SCIENCE EDUCATION

(National Council of Educational Research & Training)

NATIONAL SCIENCE TALENT SEARCH EXAMINATION (1967) MERIT LIST

List of the candidates who have been selected for the award of scholarship and Certificate of merit under the National Science Talent Search Examination, 1967. Their names have been arranged in order of merit.

4	No.	Number		obtained			Joined
					Centre	State/ Territory	
	. ~	m	4	\$	9	7	Control of the Contro
	_	13925	Sh. Amarendra Nath Sinha	199	Purulia	W. B.	Phy.(Hons)
	7	1094	" Sandesara Niranjan Bhogilal	197	Ahmedabad	Gujarat	ф
	7	15542	" Rajen Pratap	197	Delhi	Delhi	ਜ ਜੁਲੂਫ਼-
	4	12251	" Kamal Arora	196	Amritsar	Punjab	Phy.(Hons)
	3	15517	" Kishan Shenoi	193	Delbi	Delhi	Engg.
	Ŋ	9348	" K. Muraleedhara Varier	193	Kottayam	Kerala	Phy.(Hons)
	7	15511	" Amitabba Basu	192	Delhi	Delhi	op
	7	16042	" Rabikar Chatterjee	192	Calcutta	W. B.	Engg.

										1	17													
∞	Phy.(Hons)	qo	Chem.(Hons)	Engg.	Phy. (Hons)	Refused	Zoology (Hons)	Phy.(Hons)	Engg.	Chem.(Hons)	no reply	Engg.	op	Math. (Hons)	B.Sc. (Pass)	Refused	Phy.(Hons)	qo	Chem.(Hons)	Phy. (Hons)	op .	Math. (Hons)	Dhy (Hone)	rny.(nons)
7	Delhi	Delbi	W.B.	Madras	Delbi	2		Bihar	W.B.	Delhi	**	2	ŝ	W.B.	Hariyana	Delhi	**	Mysore	Kerala	W.B.	A.P.	W.B.	M.S.	Муѕоге
9	Delhi	Delhi	Calcutta	Madras	Delbi		ŗ	Hazaribagh	Calcutta	Delhi	ç	66	2	Calcutta	Ambala	Delhi	2	Bangalore	Ernakulam	Calcutta	Hyderabad	Calcutta	Kolhapur	Bangalore
5	161	190	187	187	186	184	184	184	183	182	182	182	181	181	180	179	179	179	179	179	178	178	177	177
4	Sh. Ardhendu Sen	Abhiit Sen	Ashoke Kumar Banerjee	Amit Mitra		Probir Chakraverti	Km. Rekha Dev	Sh. Padmanabhan Kishore	Anantnarayan Kumar Subramaniam	•	Sh. M. Ravi Chandran	S. Kasturirangan		Bala Krishna Shetty	Javant Moreshver Manskar	Pratha Sarathi Sarkar		K.V.S. Prasad	James Jesunatha Das	Nag Barindra Nath	" Dilip Ranganathan	" Burke Darryl Ragnald	", Ashtekar Abhey Vasant Rao	" Hulikal Ramaiengar Krishnamurthy
ĸ	11607	11223	15599	16048	13687	15419	11963	15650	21448	11959	11637	11318	15844	13067	18871	15544	11224	16072	18761	11239	. 15772	21484	2514	3231
77	0	, 5	2 =	1 =	13	14	14	14	17	. 20	18	18	21	21	73	24	24	24	24	42	23	83	31	31
1		v 5	2 =	12	12	14	15	16	17	. 22	16	20	21	22	23	24	25	56	121	: X	8	30	31	32

F4	7	æ		4	5	9	7	60
33	31	13177	Sh.	Sandeen Kumar Senounta	177	Calentta	a M	
34	34	15963		Pulst Datte	136	Calculta	i.	Cuciu. (rions)
35		10/11	6	Trian Dalla	170	73	2	Phy. (Hons)
2 ;	3 4	13495	2	Shekhar Priydarshee	176			Engg.
36	34	15663	:	Binay Prasad	176	Patna	Bihar	9
37	34	9627	3	Sudarsana Damodara Prasad	176	Ouilon	Kerala	Chem (Hone)
38	34	18996	ž	S. Sridhar	176	Emakulam		Phy (Hone)
39	34	4726	:	Deepak Dhar	176	Muzaffar Nacar	, L	B Sr (Pare)
5	4	15522	:	Bantwal Ramakrishna Rau	174	Delhi	7.1. Pelh:	D.Oc. (Tabb)
41	9	11307	2	P. Ramani	174		-	Ilugg.
42	\$	11319	-	A. Koneti Rao	174	:	•	Cudciago
43	\$	21483	* *	Agarwala Jonathan	174	Calcotts	. A	them (Hone)
4	\$	21503	2	Abbijit Chatterjee	174	Bankura	i i	Crem. (nons)
45	45	26558		Chatterii Arun Kumar	173	24 Paroanse	:	9k.: (Uzzz)
46	45	9694		Karthi Keyan Chittayil	173	Trichur	Kerala	t ny. (mons)
47	47	13163	•	Kamlesh Kar	171	Calcutta	M M	8 4
4 8	47	13094		Dipan Kar Sarkar	171		į	8 -
45	47	22173	5	K.R. Krishna Gandhi	171	Trichur	". Kerala	9 4
ર	47	11968	Km.	Shobha Madan	171		Delbi	3 4
51	47	6763	Sp.	Loveraj Takru	171	Inchnow	II D	00 00
23	52	1804		Datus Curamus Chandenstatter		The state of	; ;	no repriy
	; \$	15423	£	Matting Swally Chandiasheknar	170	Poona	M.S.	B.Sc. (Pass)
? :	7 5	13463	t	Karuna Shankar Mathur	170	Delhi	Delbi	Engg.
¥ ;	7	76260	٤	Shankar Kumar Shome	170	24 Рагдапа	W.B.	Phy. (Hons)
55	22	15964	2	Ashok Mitra	170	Calcutta	ç	Math, (Hons)
								•

∞	M.B.B.S.	Phy. (Hons)	op	Engg.	B.Sc.	Botany (Hons)	Engg.	Phy. (Hons)	not eligible	Phy. (Hons)	Engg.	M.B.B.S.	B.Sc.	no-reply	Phy. (Hons)	B.Sc.	Chem. (Hons)	Phy. (Hons)	no reply	B. Com	resused	Phy. (Hons)	B.Sc.	Phy. (Hons)
7	W.B.	33	66	U.P.	Delhi	î	M.S.	Madras	Delhi	W.B.	Bihar	Kerala	U.P.	U.T.	U.P.	*	W.B.	Kerala	Delhi	Madras		W.B.	Mysore	Madras
9	Calcutta	a	23	Lucknow	Delhi	:	Bombay	Chingalput	Delhi	Calcutta	Patna	Kozhikode	Gorakhpur	Chandigarh	Kanpur	Lucknow	Calcutta	Trivandrum	Delhi	Madras		Calcutta	Bangalore	Tiruchirapalli
5	170	169	169	169	169	169	169	169	168	167	167	167	167	167	166	166	166	166	166	166	166	165	165	165
. 4	Nano Kumar Menon	Alok Ray	1. Madhuri Guba	Priyadarshan Roy		o. Madhur Khanna				_		J. Dinesh Bhat	Rajiya Ranjan	Rajinder Singh Dhillon	John Varghese		_•			Krishna Ram Rao Bhanavar				"Siddhartha Bhowmick
	SP.	*	×	Sh.		Km.							, . , –					9 Sh.		: S	. 19	15	46	96
en .	21498	13136	15668	6764	11313	11970	15677	7886	11278	1307	1594	2183	634	2225	1893	919	1323	891	1581		716	1314	240.	7996
2	\$ 52	57	57	57	57	57	57	57	. 45	65	65	ક જ		3		02	202	202	2 6	5 5	2, 5	7.	7.2	77
1	S6	57	. % %	<i>\$</i>) S	. 19	; Q	<u>و</u>	}	. 53	, Y	3 5	S 8	3 5	B, E	3 5	: 2	. ç		<u>,</u>	1 4	5 5	. 6	2 8

											12	0												
60	vian on	Fnoo	. S. S.	Chem. (Hons)	Phy. (Hons)	refused	Phy. (Hons)	Premedical	Zoology (Hons)	B.Sc.	Chem. (Hons)	no reply	Phy. (Hons)	op	Premedical	Phy. (Hons)	Botany (Hons)	no reply	Phy. (Hons)	op	οþ	Engg.	B Sc.	Eligible for next year
7	Delhi	<u> </u>	Orissa	W.B.	Bihar	U.P.		Delhi	U.T.	M.P.	W.B.	Punjab	Delhi	:	:	: 1	£	W.B.	:	=	:	Kerala	U.P.	Mysore
9	Delhi	:	Cuttack	Calcutta	Patna	Nainital	Dehradun	Delhi	Simla	Jabalpur	Calcutta	Hoshiarpur	Delhi	;	:	:	7	Calcutta	:	ė.	24 Parganas	Trivandrum	Nainital	S.Kanara
٧,	165	165	164	164	164	164	164	164	164	164	163	163	163	163	163	163	163	162	162	162	162	162	162	162
4	K. Raja Ram	Haresh M. Shivdasani	Satyabarata Misra	Manish Sarkar	Anup Mukerji	Purnima Pande	T. Ranga Rajan	Madhuri Bihari	Lily Dudeja	Subramanian Ananthanarayanan	Kumar Dev Bose	Daljit Kaur	Narendra Dev	Ashwani Kumar	Bhaskar Kumar Roy	Ranjana Vinayek	Sunita Talwar	V. Ganesan	Parsathi Sinha	Asok Mohan Chakraborty	Pranab Ranjan Choudhuri	Narendra Prasad P.	Pankaj Joshi	Dinesh Nettar
	Sh.	*		7		Кш	Sħ.	Km	1	Sh	:	Km.	SH.	;	:	Km.	12	Sħ.	Km.	당.	š	£	2	£
en	18980	15560	16044	16037	16277	22507	19264	11972	12515	16549	13090	12953	11228	22869	11764	11966	11951	21449	16300	13147	13690	8922	4470	3943
7	77	11	82	82	87	82	82	82	82	82	9	9	8	9	8	90	8	26	76	97	. 97	76	97	76
I	80	81	82	83	%	85	98	87	80 90	89	90	91	92	93	94	95	%	24	98	66	100	101	102	103

												_												
c	ю	Phy. (Hons)	no reniv	Chem. (Hons)	Math. (Hons)	Phy. (Hons)	op	ф	op	qo	Chem. (Hons	B.Sc.	Fngg	i do	Chem. (Hons)	M.B.B.S.	Engg.	Pre-medical	no reply	Chem. (Hons)	Phy. (Hons)	Eligible for	next year	Engg.
ı	7	Delhi	2	W. B.	<u>.</u>	: ;	٠,	Bihar	1.P	Delhi	;	, V	, a	.	:	, dibor	Dillai Verala	NCI MIG	 II.P.	Delhi	•	: :	•	£
	9	Delhi	**	: Colonitto	Calcula.	", Coloutta	Calculta	", Dumka	Lucknow	Delhi	Cellin	9.9 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	Kolnapur	Calcutta		;	Patra	Trichur	Ernakula:u	Luckiiow		:	2	:
	5	162	162	162	101	101	101	101	101	101	101	191	161	160	160	160	16)	160	99 5	9 5	160	1,00	S	160
	4	Km. O.K. Padmini	Sh. Amrish Kumar Garg		Sh. Ayusman Sen	" Amit Kumar Bose	" Sanjay Choudhuri	" Mohan Kumar Phani	Sh. Barindra Dan	" Syed Faiz Ahmad	Km. S. Meenakshi	" Meena Wij	Sh. Alawani Ganesh Madhav	" Adarshpal Singh Sethi		Ŀ		" P. Jayanarayanan	" Ashok M. Menon	" Rajendra Kumar Srivastava	Km. R. Radha	Sh. C. R. Rajendran	Miss K. Sashikala	Sh. Nigel Вату Pendse
	m	11343	15559	24832	22224	21502	21500	13071	14180	6791 .	11352	22424	2230	21447	21446	16301	15940	9762	9288	6762	11353	11310	18971	11853
	7	70	6	. 6	107	107	107	107	107	107	107	107	107	116	116	116	116	116	116	116	116	116	116	116
	-		ą v	<u> </u>	7(8	60	01	11	12	13	14		. 4	7 -		2 0	<u> </u>	21	22	23	124	125	126

	2	εn		4	'n	9	7	∞
127	116	11965	K	Km. Vidushi Saraf	160	:::		
128	116	18306	Sp.	K. Ravi Shankar Iver	201		Cellin ;	Pre-medical
129	116	13074	'		20.	Chandigarh	Haryana	Engg.
130	116	13095	÷ ;		3 5	Calcutta	₩.B.	Phy. (Hons)
131	131	13140	2	Anion Can	3 :	ŗ	2	qo
132	131	13036	ě	Tan aci	159	*	:	Pre-medical
	707	07/57	*	Amlan Kusum Sengupta	159	Purulia	:	Genloov (Hone)
133	131	13671	â	Soumyendra Nath Maitra	159	Murshedahad	•	40
134	131	15664	ŗ	Abbijit Sen	1.59	Patna	7, D:Lo-	2 F
135	131	4574	*	Deepak Kumar Goval	150	Vernanie	Dillar	engg.
136	131	11309	: }	P Vasu		Talends!		qo
127	121	10001	ħ		139	Celli	Delhi:	Phy. (Hons)
176	131	10003	£	Madhav Yinayak Marathe	159	Bombay	M.S.	B.Sc.
138	131	22249	ŗ	Rakesh Gandhi	159	Chandigarh	Harvana	France
139	139	13873		Dhanesh Kumar Sukhani	158	Calcutta	W P	1 C C
140	139	13134	£	Swapan Kumar Saha	159	Calciula	Ġ	D 00.
141	139	15666	: 1	Tapas Sinha	9-1	÷	* :	Phy (Hous)
142	130	0224	r.	Thomas T	907	ratna	Bihar	ę
7 7 7	1 5	1020	Ç	THOMISS, I.	158	Ernakulam	Kerala	Chem.(Hons)
# 40 4 4 4	727	23209	ŗ	Udayan Madhukar Paranjpye	158	Lucknow	U.P.	B.Sc.
144	139	3437	ţ	B. Krishnarajulu Naidu	158	Bangalore	Mysore	Phy (Hone)
145	139	18977	•	Mukesh Bhanti	158	Delhi.	Pelli:	2-1-1-1-1-1-1
146	139	11622	;	T. Prem Kumar	1 50			go ,
147	139	7238	×	-	ָ קילי		2	g
148	130	2300			128		Madras	Geology (Hons)
140	7 6	5552	£	Hemant Krishna Singh	158	Chandigarh	Haryana	Enge.
143	139	12921	ŕ	Satiesh Chandra Bhargava	158	Jabalour	χ.	9 4
150	150	11308	2	R. Rangarajan	157	Delhi	Dela:	Chem (Hons)

-	7	3		4	ν,	9	7	80	
.15	150	11347	1 '	Km. K. Usha	157	Delhi	Delhi	No reply	
£	150	11280	Sh.	Nagesh Sagar	157	ç		00 10	
1 1 1 1 1 1 1 1 1 1	150	15829	ţ.	Ashok Kumar Singh	157		:	Chem.(Hons)	
154	150	11651		Rajeev Kumar	157	*	Ť.	Phy.(Hons)	
	150	15973		Mustansir Barma	157	Вошрау	M.S.	Math.(Hons)	
.921	150	15680	. 2	Narayanan Chandra Kumar	157	Chingleput	Madras	Chem.(Hons)	
7	150	1457	£	Trivedi Ajay Indukant	157	Ahmedabad	Gujarat	다 1 1	
158	150	22252		Sukhbir Singh	157	Chandigarh	.1.	8 ,	
7.04	150	22251	: :	Bhupinder Singh	157	ç	2	B Sc.	
7. 5. 1. 5.	951	21497		Banerii Lakbindar	156	Calcutta	W.B,	Math.(Hons)	
3 5	3 5	13491	# E		156	Howrah		Chem (Hons)	
Tor	201	16461		Kuruvilla Fanen	156	Kottayam	Kerala	Phy.(Hons)	
79.	001	2151		-	156	Bangalore	Mysore	op	
507 103	901	11305			156	Delhi	Delhi	op :	
5 5	9	15525	ì	Sunder M. Kekre	156	•	:	EOSS.	
103 164	9 9	15520		Pradeep Narain Bansod	156	22	• •	do TT. TT.	
167	160	11930	: :		156	66	ŗ	Pny.(nons)	
168	160	11955	×		156	ŗ	î	D.Sc. Pre-medicai	
691	160	11954	2	Kusum Guglani	156	:	:	R Sc	
170	160	5987	Sh.		156	2.5	Α,	Phy.(Hons)	
171	160	2641	2	•	60	Nagpur	E M	do	
172	172	13137	*		155	Calcuita 24 Bergens	1	Chem.(Hons)	
173	172	26559	*		155	Inchnow	U.P.	Phy.(Hons)	
174	172	16038	ñ	, Syed Siraul Hasan	133	Trevers			

∞	No reply	Phy.(Hons)	B.Sc.	ф	No reply	Engg.	B Sc.	Engg.	ф	Chem (Hons)	Phy (Hons)	9	Eligible for	B.Sc.	Zoology (Hons)	Phy (Hons)	do	No rente	Pre-medical	Chem (Hone)	do	No reply	B.Sc.	
7	Delhi	2	ţ		:	U.T.	U.P.	2	*	Mysore	Delhi:	â	Madras	Harvana	₩.B,	Kerala	:	Delhi	:	: :	: 1	: :	M.S.	
9	Delhi	33	. 66		:	Chandigarh	Dehradun	Lucknow	6	S. Kanara	Delhi	;	Madras	Karnai	24 Pargana	Trichur	Ernakulam	Delhi	;	: :	. ;	: ;	Bombay	
۲۰	155	155	155	155	155	155	154	154	154	154	154	154	154	154	154	153	153	153	153	153	153	153	153	
4	Rakesh Jha	R. Ramachandran	Kawal Jeet Singh Sethi	Aiyagari Sudhakar Rao		Trilochan Singh Anand	Anil Kumar Singh	Rajiv Kumar Gupta	Rajiv Sen	Narendra Nayak	Amit Kumar Ganguli	Bappaditya Chakravarty	K. Sajeeva Thomas	Vijay Vir Singh Virk	Gitesh Ranjan Bhattacharjee	Surendran K. K.	P. Mohana Krishnan	J. Shashi Kala	Sushil Rattan Khanna	Surendra Ponrathnam	Alok Bhattacharya	Usha Kaushik	Asutosh Mathur	
	Sh.	=	2		Ж.	S	7	*	:	ŗ	,	ţ	ĥ		*	\$	ţ	Kп.	S		ž	Kш,	Sh.	
 m	11383	11302	11199	11809	12086	22248	4571	4662	4659	3940	11829	11612	7162	16280	26561	10077	9279	11350	22868	18979	11608	11969	18820	
23	172	172	172	172	172	172	181	181	181	181	181	181	181	181	181	190	190	26	8	190	190	190	190	
~	175	176	177	178	179	180	181	182	183	184	185	186	187	881	683	8	[6]		93	94	95	96	76	

					ч	4	7	∞
	7	m		4	n	>		
			1		153	Trioura	U.T.	Phy.(Hons)
	061	8609		Sidharatha Purkayartha	1.53	Ahmedabad	Gujarat	qo
	190	1455	Km.	Bhambri Manju Mohaniai	153	Delhi	Delhi	Chem.(Hons)
	200	12089	_	Sobha Nambisan	152	Delhi	Delhi	No reply
	200	15827	Sh. S	Shekhar Chauduhri	152	Delbi	Delhi	Pre-medical
	200	11231		Raj Kumar Johny	152	Dela	Delhi	Phy.(Hons)
	200	13874		Raitan Krisnan Sukhani	12	Calcutta	W.B.	Phy.(Hons)
	200	13164	2	Subit Kumar Mandal	153	Bangalore	Mysore	B.Sc.
	200	3584		Eswarahallı Sundararajan Dauaucya	3 5	Chualennt	Madras	Phy. (Hons)
	200	7120	*	Sreenivasan Murlidharan	201	Debradun	11 P.	· op
	200	4581	2	Paramjit Singh Sidhu	154	Moninar	T 1 T	qo
	200	8671		Adhikari Mayum Surjalal Sharma	707	Nampo	11 0	Engg.
	200	4579	*	Shailendra Sahai	701	Deniadun 11 1 1 1 1 1	•	op op
	200	15769	2	B. Ashok	152	Hyderabad	A.f.	B.Sc.
	211	18303	*	Ajit Singh Hira	[2]	Chandigain	Rihar	No reply
	211	15713	ę	Vinod Wadhi	151	Kantui Dalbi	Delhi	Phy.(Hons)
	211	22425	Ka.		151	Della:	Delhi	Batany (Hons)
	211	11956	66	Neera Bhalla	17.	Color ide	Delbi	op
	211	18990	Sp.	Narendra Singh Yadav	101	Delhi:	Delhi	Phy.(Hons)
	216	12066	Km.	Usha Gupta	001	Delti:	Delhi	No reply
	216	11650	Sb.	Varun Kumar Prasad	2 5		Delhi	Phy.(Hons)
	216	11827	Km.	Km. Sheela Roy	25.	Pelhi	Delhi	underage
	216	11855	Sh.	Ramachandran Sreenivasa	150	Delini Fi	Delbi	Phy.(Hons)
220	216	11320		C. R. Rajan	130			

													_													
, oa	Chem (Hone)	Versi (II ous)	Main.(Hons)	Engg.	Chem.(Hons)	op .	No reply	B.3C.	ragg.	B.Sc.	Engg.	B.Sc.	No. reply	Phy.(Hons)		Math (Hone)	Dhy (Hone)	Luy-(Lious)	D.3C.	B.Sc.	Phy.(Hons)	Chem. (Hons)	, op	Епос	Chem (Hone)	Phy.(Hons)
7	Delhi	a m	d. W	¥. ₹	× ×	χį ς	A.F.	Margare	MASSON	Z. S.			Bihar	Karela		Madrae	Priniah	11 12	i.	ا بر	W.B.	W.B.	W.B.	W.B.	N N	Delbi
9	Delhi	Midnesore	Durdung	Durawan	24-Farganas	Calcutta	Decunderagad	Rangalore	Sholoning	Dombou	Dog 11:	Darelliy	Hazaribagh	Trivandrum		Madras	Amritsar	Kannir	and the Co	Denradun	Midnapore	24-Pargana	Calcutta	Calcutta	Calcutta	Delhi
5	150	150	3 5	3 5	1 1	2 2	5 5	2 5	150	3 5	25.5	130	149	149		149	149	140	} ;	λ † ,	149	149	149	149	149	149
4	" Rajiv Krishan	" E. A. Chakachery	Prithwish Duft		Miss Rita Das	Sh. Krishna Kumar	,		w	Sh. Navin Hiranand Makhirani		Discussive trainer parcile	" Kanjit Kumar Nair	" Kose John	" Arungundram Krishna	Murtbi Vijaya Kumar	" Raj Kumar	" Om Prakash Gnota	Ashok Arora	Colin Deserti	יי סמור חקוחבו או	" Swapan Kumar Bose	" Pranab Roy	" Prabhat Narayan Shukla	" Apji Suchet Chaudhuri	Km. Sushil Duggal
е	11438	15727	13575	13698	13249	15464	3155	16091	10508	4658	5261	15640	SEOCT.	8883	21829		12254	5511	4582	15139	12705	CD/CT	13174	15497	22206	11953
7	216	216	216	216	216	216	216	216	216	216	216	232	4 6	767	232		232	232	232	232	233	777	727	232	232	232
1	221	. 222	223	224	225	226	227	228	229	230	231	232	223	233	234		235	236	237	238	230		747	241	242	243

						,	·
1	7	en.	4	જ	9	F :	6
			w w Morumdar	149	Delhi	Delbi	Phy. (Hons.)
244	232	12011	Kill, Krishna Aracana	149	Delhi	Delbí	Engg.
245	232	11359	·Sh. Pravin Kumai	148	Delhi	DeIhi	No reply
246	246	15509	" Amar Kumar	148	Delhi	Delhi	Geology(Hons)
247	246	15823	", Manoj Shukla	148	Deihi iri	Delhi	Math.(Hons)
248	246	11311	" N. Arjun	148	Nadia	W.B.	Chem.(Hons)
249	246	13897	", Swapan Kumar Chatterjee	148	Purula	W.B.	Phy. (Hons)
250	246	13930	" Asim Ranjan Pati	148	Rurdwan	West Beng	West Bengal Chem. (Hons)
251	246	13564	" Ranjit Chatterjee	140	Hazarihaoh	Bihar	Engg.
252	246	15647	", Raj Bhuptani	140	Hyderahad	A.P.	Refused
253	246	15766	" Ashfaq H. Arastu	140	Delahat	Karela	Math.(Hons)
254	246	9135	,, Neithalath Mohan Kumar	148	Cuignat	Kerala	Refused
255	246	15676	" C.P. Mammoy	148	Tucknow	II.P.	B.Sc.
256	246	6728	", Raman Srivastava	140	Bangalore	Mysore	No reply
257	246	16085	" R. Ravindran	140	Langarore	Assam	Phy (Hons)
258	246	10312	" Wahiduddin Ahmad	140	Joi nat	Harvana	B.Sc.
259	246	12792	" Dinesh Kumar	170	Madras	Madras	ф
260	246	21835	" V. Kumaraswami	140	Midnanore	West Ben	West Bengal Phy. (Hons)
261	261	15141	" Deva Prasad Saha	74.1	Trichur	Keral	Math.(Hons)
262	261	22176	" p. P. Sreedharan Namboodri	147	Inchasi	11.6	B.Sc.
263	261	6732	., Rakesh Jindal	147	Meerit	U.P.	B.Sc.
264	261	18969	" Arun Kumar Grover	147	Chandigarh	U.T.	B.Sc.
265	261	18305	", Anil Banerji	147	Rombay	X.S.	B.Sc.
266	797	1934	", Neelamegam Sundarajan	147	Bombay.	M.S.	B.Sc.
267	261	2820	Km. Roshen Onden	*	Company		

											12	8													
80	Pre-Medical	do	M.B.B.S.	Pre-Medical	Eneg.	Pre-Medical	Phy.(Hons.)	Math (Hons)	Phy (Hons)	B.Sc.	Botany (Hons)	Chem (Hops)	Enoa	9 5	Zoolow, there	Zoulogy (raulis.)		בייט	Dh.: /rr	ruy. (Hons)	no reply	Phy. (Hons)	qo	Engg.	Phy. (Hons)
7	Delhi	Delhi	Delhi	Delhi	Delhi	Delhi	=		; ;		: ;	: :	; ;	2 :	2	ں <u>ک</u>	Mysore	11 P	;	 2	Kerala	*	Bihar	W.B.	W.B.
9	Delbi	Delhí	Delhi	Delhi	Delhi	Delhi	:	:	£		: :	: =	: :	: 1		Naganir	Rangalore	Dehradun		÷ (Ernakulam	Trichur	Patna	Bankura	Calcutta
'n	147	.147	147	147	147	147	146	146	146	146	146	146	146	146	146	146	146	146	146	771	140	146	146	146	146
4	Km. Vaishna Jaggi	" Renu Taparia	" Sumitra Basu	" Usha Sharma	, Bina Agarwal	, R. Latha	. Jitendra Nath Budhraja	" Anil Chaterji	, Arindam Sen	n. Geeta Kiron Bhalla	" Poonam Nanda	, Shobha Ranjan	Chanchalendu Baneriee							T V Draher	I. N. Flakası	 Ananda Valley L. 	Manoranjan Prasad	Asok Kumar Sen	Ranabrata Sen
						•	Sħ.		•	Kп.			Sh.	2	24								Sh.	£	Sh.
е	22433	12209	11960	11962	. 12076	11337	9375	15418	15451	11507	12075	12083	11619	11881	11348	2642	3240	4573	20753	8003	7660	1696	15665	13522	15966
7	261	261	261	261	261	261	274	274	274	274	274	274	274	274	274	274	274	285	274	274		+17	274	274	274
1	268	269	270	27.1	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	. 00	007	289	290	291

60	B.Sc. Phy. (Hons)	Chem. (Hons.)		Phy.(Hons)	Fngg	Dre-Med	rac-mara.	B.3C.	E1188.	S Q	D.3C.	Phy.(Hons)	op ·	op	Engg.	Phy. (Hons)	M.B.B.S.	Chem. (Hons)	Phy.(Hons)	B.Sc.	Phy.(Hons)	R SC		Math.(Hons)
7				5	66	<i>د</i> د	A.F.	U.P.	Madras	5	M.S.	Delhi	2		5	8	33	33	2	. 1	2	Marcore	rat y sour c	Ş
9		24-Fargana Hooshly	Colcutto	Calcutta	33				Chingleput		Вошраў	Delhi .]		2	•	: :		; ;	: :	2	66	2 - 6	Beigaum	Rangalore
8	146	140	C#1	145	145	145	yulu145	145	145	,	145	145	145	145	145	145	144	14	144		! ?	144	14	144
4	Gadre Deepak	Ashok Kumar Chowdhury	Monoj Kumar Dutta	Utpai Sanyal	Parbati Bhattacharya	Prithish Ganguly	Tamirisa Venkata Srinivasa Charyulu145	. Kum Kum Kanwar	R. Ramani	Shaikh Rashid Ahmed	Mohamed Usman	Shyam Kumar Gupta			Desirador Khanna	V Cridher			Sandings, Missis,		M. Seshadri	Miss K.K. Lalitha	•	Hampapuram Kasturi
	S. Sh.		Sp.	1	3 Miss	O Sh.	9	8 Кп.	.us 9	9				7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7			2 A		200				.76 Sh.	99
en en	-	13693																						
2	274	274	294	294	294	294	294	294	294	294		200	+ 67 C	† 67 6	167	294	294) i	307	307	307	307	307	307
1	797	293	294	295	296	297	298	299	000	. 108	5	ç	305		304	305	306	307	308	303	310	311	312	313

											1.	30												
••	Math (Hone)	Characteria (Trans)	Chem.(rions)	igg Lugge	Engg.	Fny. (Hons)	do Tabe	rugg.	do.	3	Phy. (Hons)	Zoology (Hons)	B.Sc.	no reply	Engg.	Chem.(Hons)	B.Sc.	Enge.	B.Sc.	S. AC	Math (Hone)	B Sc	, M	Chem.(Hons)
7	17.P	Verelo	Dite	uy a	ġ &	ď.	•	, v.	V		Madrat	Madras	Rajasthan	M.P.	Bihar	Madras	Harvana	U.P.	U.P.	H.P.	M.S.	M.S.	Orissa	W.B.
9	Kanour	Delegher	L'ozoriboch	Midososos	24 Bargage	Colombia	Calcutta	Nagnur	Bombay		Madras	Chingalput	Jaipur	Indore	Patna	Cuddalore	Karnal	Lucknow	Dehradun	Simla	Bornbay	Poona	Cuttak	Calcutta
Ŋ	144	144	144	14.	147	1 7 7	144	14	14		144	4	144	144	143	143	143	143	143	143	143	143	143	143
4	Santosh Kumar Rao							Vijay Kumar Dattatraya Rao Tolev 144	. Nandini Katre	P.N. Vijay (Pattamadai	Nataraja Sarma)	R. Jaya Mohan Pillai	. Rupa Sirohi	Inder Jit Singh	Kamaduj Sharan	Narayanaswami Sathyamoorthy		Ramesh Sampath	Deepak Batia	Pradeep Kaur	Bevis Angelo Coutinho	Kothari Surajmal Chandmal	Swoyam Prakash Rout	Sugata Ray
	Sh.	Kn	Sħ.	;	:	: ;		•	Кп	Sh. I		ž	Km	Sh.	14	;	2	;	:	Km	Sĥ	*	ĩ	£
ε	15950	9580	16191	15143	13709	13069	15598					18809	15911	4466	15667	6943	15917	4584	4575	16290	2042	2245	15641	13072
2	307	307	307	307	307	307	307	307	307	307		307	307	307	327	327	32.7	327	327	327	327	327	327	327
-	314	315	316	317	318	319	320	321	322	323		324.	372	326	327	328	329	330	331	332	333	334	335	336

										1.	1 (
∞	Phy. (Hons)	Math.(Hons)	no reply	Engg.	Math.(Hons)	Phy.(Hons)	Chem.(Hons)	Phy.(Hons)	ę P	op	M.B.B.S.	Phy.(Hons)	B.Sc.	Engg.	Phy.(Hons)	Botany(Hons)		B.Sc.	оþ	Phy. (Hons)	Chem.(Hons)	no reply	, ,	3
7	W.B.	W.B.	Delhi	Delhi	Delhi	£	*	Kerala	*	Delhi	:	*		:	;	•		A.P.	Bihar	Gujarat	Kerala	;	•	66
9	Calcutta	Calcutta	Delhi	Delhi	Delhi	;	2	Trivandrum	Trichur	Delhi	:	**		22		•		Tanuku	Ranchi	Ahmedabad	Alleyppey		T/ 1:1 1-	K.oznikode
۶	143	143	143	143	143	143	143	143	143	142	142	142	142	142	142	142		142	142	142	142	142		147
4	Arun Prasad Chatteriee	Alokenath Bhattacharvya	S. Rangarajan	Akhilesh Bansal	,, Miss R. Shantha	Yudhisthir Kumar	Miss Jaishree Benerjee	Sabir M.	Jese P. Panakkal	Om Parkash Sharma			Rakesh Bhalla	Thimiri Perumal Rajmanohar	N. Ramesh		Meduri Venkata Bhaskara	Satyanarayana Murthy	S. Javaraman	Falenni Kumar Sen	Thadathil Mathews George	Coorne Carisa	George Cyriat	Ralph Victor D'rozario
	5	i		: :	Miss	Sh.	Miss	Sp.	;	£ 5	K H	:	Sh.	:		Km.	Sp.		5	;	.	ŗ.	?	\$
m	13140	74161	11638	22870	11344	11364	11495	8895	9458	19491	11506	. 11508	16334	18994	11322	11349	10177		20198	1459	0822	7706	200657	15686
2	227	120	327	327	327	327	327	327	202	776	346	346	346	346	346	346	346))	346	346	376	7,40	240	346
1	757	750	330	340	341	342	343	244	345	7 1	240	348	349	350	351	352	353	,	254	255	756	ם מיל	357	358

										•
60	Chem.(Hons)	Math. (Hons)	B.Sc.	Inter science	B.Sc.	B.Sc.	Phy. (Hons)	Chem. (Hons)	B.Sc.	ф
4	Assam	Madras	U.P.	M.S.	M.S.	M.S.	W.B.	W.B.	Madras	M.S.
9	Shilong	Madurai	Debradun	Bombay	Nagpur	Nagpur	Nadia	Calcutta	Madras	M.S.
٠	142	142	142	142	142	142	142	5	99	162
4	Sh. Arunabha Datta	Km. Kursheed Begum Fqkkir Mohamed 142	K. Shankar Rani	-	Neela Madhukar Kher	Satuinder Dhillan		Km. Anjana Basak	Iyengar Usha Parthasarathy	Ravthi Kalyana Sundaram
	Sb.	Ä	£	셠	Kn.	7	녌	Kai	2	£
3	16371	7657	20747	2766	2649	2933	13898	13232	1451	1803
2	346	346	346	346	346	346	346	346	116	26
-	359	360	361	362	363	364	365	396	367	368

APPENDIX VIII

ABS OF 50 RANKS IN SIX GROUPS (IN ORDER OF MERIT)

	ANALYSIS OF THE MERIT LIST, TAKING SLABS OF 50 RANKS IN SIA GROUP IS OF	MERIT LI	ST, TAKING TIONAL CO	SLABS OF CURSES OF	50 RANKS TED BY TH	IN SIA GRAE	S (LAST GR	lour is of	8 3	
	TO INDICALE 1111			RANK	RANK BANDS		;	976	Total	0, age
,	option option	05-1	21-100	101-150	151-200	201-250	25'-300	301-388		
9	Courses open				٣	51	2	8	21.5	30.5
B.Sc.	(i) Physics (Hons)	¤ -	7 E			~ ~	4 14	00 v o	ჯ ლ	6.4
	(ii) Chemistry (Hons) (iii) Math (Hons)	٠,	_ (-	н :	n į	, – ,	-	4 1	o:
	(iv) Botany (Hons)	: .	7 _	: :	_	ч.		- <u>i</u>	4	0:1
	(v) Zoology (Hons)	-	- :	m	:	- 1	: =	8	63	16.8
	(vi) Geology (Hons)	; 7	1	<u>د</u>	89 7	, £	: K	ኔች	250	68.U
	(vii) b.st. (deliction) Total	*	31	2	5	052-106	251-300	896-108	Total	o, age
		1-50	51-100	101-150	151-200	207-107	<u>.</u>	i	E1	. e
		;	ч	m	a (- ^	, co	80	22	15.5
. Pre	Premedical	2	ĸ	7	٠,		0	0	7	ל
П	Engineering & Technology	. -	0	o '	o 4	- 49	7	*	82 7	7 7
5 2 2	Underage No reply	7	9,	7 0		0	4	o	o M	ö
S. Ref	Refused	7	۱ ;	7	_	0 9		. 0	7	0
7. Joil	Joining Next year	; -	-	0	0 '		. –	ч	9	<u> </u>
ž	t eligible	٠ ;	ч	_	9	• :	:	•	-	j
. 9. 9. 9. 8. ()	Professional courses	:		:	:			89	368	
		S.	8	20	20	20	200			
	Total	.								

APPENDIX IX A (II)
YEAR WISE AND STATEWISE PERCENTAGE DISTRIBUTION
OF THE AWARDES

S.No.	State/Territory	Year 1994	Year 1965	Year 1966	Year 1967
1.	A.P.	0.85	1.23	0.6	1,63
2.	Assam	2.26	2.15	0.3	0.54
3.	Bihar	1.13	4.00	0.85	4.07
4.	Delhí	29.38	29.85	41.8	33.69
5.	Gularat	2.00		1.50	1.35
6.	Haryana	Paren			3.53
7.	J&K	No candidate	_	-	_
		appeared			
8.	Kerala	-do-	0,31	3.65	7.33
9.	Madras	3.95	4.00	1.50	4.34
10.	M.P.	7,62	0,62	4.8	0.81
11.	M.S.	10.45	11.08	8,50	5,97
12.	Mysore	3.11	7,08	4.50	3.80
13.	Orissa	2,00	1.85	1,2	0.54
14.	Punjab	11.02	3,38	2.25	18,0
15.	Rajasthan	1.13	1.54	1,50	0.27
16.	U.P.	13.81	8.31	9.5	8.69
17.	U.T. (Except Delhi)	1.13	0.9	0,3	1.08
18.	W.B.	10.17	23,69	17.0	21.46

LANGUAGE-WISE DISTRIBUTION OF CANDIDATES WHO APPEARED AND A STATE-WISE STATEMENT OF THE AVERAGE SCORE SCORED BY THE EXAMINEES AT THE ESSAY PAPER 1967


APPENDIX IX B

S. No	o. State	English	Hindi	Punjabi	Gujarati	Marathi	Kannada
 I.	Andhra Pradesh	136	•••		***		
2.	Assam	19		***	111	***	•••
3.	Bihar	48	144		•••	•••	•••
4.	Delhi	804	48	***	***	1	
5.	Gujarat	22	1	***	51	2	-
6.	Jammu & Kashmir	17	5	2	*11		***
7.	Kerala	349	***	***	***		***
8.	Madhya Pradesh	80	458	***	•••	1	
9.	Madras	239	1	***	•••		400
10.	Maharashtra	172	15	•••	4	231	6
11.	Mysore	355	1	***	•••	5	118
12.	Orissa	47	***	•••	•••	***	•••
13.	Punjab	60	24	27	***	•••	•••
14.	Rajasthan	36	193	***	***	***	•••
15.	Uttar Pradesh	213	707	***	***	•••	•••
16.	West Bengal	208	8	***	***	•••	
17.	Union Territories	39	23	***	•••	5	•••
18.	Except Delhi Haryana	78	64	3	•••		***
19.	Total	2922	1692	32	55	2,45	124
20.	% age	48,30	27.90	0.51	18.0	4.05	2.50
21.	Average Marks Scored	20.83	18.79	21,29	17.05	20.21	17.63

APPENDIX IX B (Contd.)

LANGUAGE-WISE DISTRIBUTION OF CANDIDATES WHO APPEARED AND A STATE-WISE STATEMENT OF THE AVERAGE SCORE SCORED BY THE EXAMINEES AT THE ESSAY PAPER 1967

Urdu	· Bengali	Malayalam	Assamese	Tamii	Tejugu	Orlya	Total	Average score
5		•••	.,,		136	I	278	16.35
	11	***	51	,	•••	***	81	23.60
***	12	•••	***			1	205	21.63
	1			•••	***	•••	854	22.70
	***	***	•••	•••	•••	•••	76	16.80
5			•••			***	29	18.00
•••	***	33	***	2		***	384	22.75
. 3	***	•••	•••		411	***	542	16.20
1		1	***	376	1		619	21.20
4		,,,	***	***	***	,	432	20.28
	.,,	,,,	,	1	4**		480	17.50
***	***	•••	***		***	22	69	21,10
,.,	***	***	•••	•••		115	111	21.45
***	***	***	***	***	•••	***	229	18.00
2							922	19.30
	297	***	***	***		***	513	22.30
•••	13	•••	144	•••	•••	***	80	21.50
							145	22.10
20	334	 34 -	P.4	576		0.4		22, 10
			51	379	(37	24	6049	
0.32	5.52	0.52	0.80	6.26	6.26	0.35		
8.06	22,29	22,70	23.60	21,20	16.38	20.92		



APPENDIX (X A)

TENDENCY AND VARIABILITY OF SCORES INTERVIEW_BOARD WISE (ZONAL)

2101104155	ASSESSED OF CENTRAL TENDENCY AND VARIABLEIT	DENCY AND VAN	Maleria C.			
- 1	Delhi	Calcutta	Bangalore Mean Sd.	Bombay Mean Sd.	Dehradun Mean Sd.	Total Mean Sd.
Centres Tests	Mean Sd.	rean or.		1	1 0 11 21	77.5 13.46
Total Total	80.12 13.58	79.69 13.92	74.5 12.25	74.5 12.37	169.0 68.0	
Sc. Apritude 153. S.E.	0.797 0.563	0.870 0.615	0.747 0.528 0.396	0.125	8	0.394
Skewness	0.30		١	77 47 6 53	26.98 6.26	26.98 6.63
7	26.26 5.81	27.39 6.495	27.08 7.41		0.486 0.343	0.196 0.138
. S.E.	0.341 0.241	0,406 0.287	0.452 0.378	8	0.057	0.225
Skewness	0.721				13.25 4.49	13.04 4.46
	13.91 4.10	12.27 4.83	12.22 3.97		Ĭ	
Project	Ĭ	0.302 0.213	0.242 0.171	0 379 0.268		-
S,E	0.241	0.339	0.116	0.117	0.2/3	
Skewness	, io.		1	19 55 9 72	23.06 5.77	19.62 9.60
	(7.32 7.92	21.75 7.78		_	0.469 0.331	0.295 0.209
Interview	0.474 0.335	0.497 0.351	0.70		0 278	0,356
S,E.	ř	- 0.659	0 724	0.625	0.4.0	
Skewness	067.1					

Table No. (ii)

Frequency Distribution of Scores on Essay Paper

(interview Boardwise)

Class Interval	Delhi	Dehradun	Bangalore	Bombay	Calcutta	Total
5-9	7		3	1	, 1	12
	3	4	14 -	7	5	33
10-14	18	18	21	5	23	85
15-19	61	30	42	26	51	210
20-24	124	64	85	46	82	401
25-29	66	33	55	42	56	252
30-34		14	41	23	34	121
35-39	9	2	8	5	4	20
40-44	l		_	٠ ١	-	. 3
45 - 49	l	1		154	256	1137
Total	290	166	269	156		
Mean	26,26	26.98	27.08	27.42	27.39	26.9
S.D.	5,818	6,266	7.411	6.529	6,495	6.63

APPENDIX (X B) Table No. I Frequency Distribution of Scores on Science Aptitude Test

(Interview	Board	wise)	
			

Class Interval	Deihi	Dehradun	Bangalore	Bombay	Calcutta	Total
40-49	2		2	2		6
50-59	8	6	20	13	10	57
60-69	53	34	81	47	53	268
70-79	88	61	81	- 4 0	82	352
80-89	76	37	54	38	48	253
90-99	35	22	23	12	37	129
100-109	20	6	7	4	20	57
110-119	8	, -	1	_	6	15
Total	290	166	269	156	256	1137
Mean 8	0.12	77.69	74.50	74.50	79.69	77.50
S.D. 13	. 587	11.514	12.255	12,377	13.918	13.466

Table No. (II)

Frequency Distribution of Scores on Essay Paper

(Interview Boardwise)

Class Interval Delhi		Dehradun	Bangalore	Bombay	Calcutta	Total	
5-9	7		3	1	, 1	12	
10-14	3	4	14 -	7	5	33	
15-19	18	18	21	5	23	85	
20-24	61	30	42	26	51	210	
25-29	124	64	85	46	82	401	
30-34	66	33	55	42	56	252	
35-39	9	14	41	23	34	121	
40-44	1	2	8	5	4	20	
45-49	1	1		, I	~	. 3	
Total	290	166	269	156	256	1137	
Mean	26.26	26.98	27.38	27.42	27.39	26.98	
S.D.	5.818	6,266	7,411	6.529	6,495	6.634	

Table No. (III)

Frequency Distribution of Scores on Project Report
(Interview Boardwise)

Class interval	Delhi	Dehradun	Bangalore	Bombay	Calcutta	Total
(-2	·	3	3	2	10	18
3-4	1	2	5	2	11	21
5-6	14	8	11	4	11	48
7-8	15	14	29	10	20	88
9-10	33	15	37	22	42	149
11-12	40	19	61	24	29	173
13-14	48	43	45	24	36	196
15-16	62	24	35	20	45	186
17-18	37	16	30	14	35	132
19-20	27	14	11	21	8	81
21-22	łl,	7	1	11	9	39
23-24	2	1	1	2	-	6
Total	-290	166	269	156	256	1137
Mean	13,91	13.25	12.22	13.87	12,27	13.04
S.D.	4, 107	4.498	3.977	4.733	4,829	4.462


Table No. (iv)

Frequency Distribution of Scores on Interview
(Interview Boardwise)


Delhi	Dehradun	Bangalore	Bombay	Calcutta	Total
		43			43
	_		24	5	100
22					217
111	1	46			201
64	8	32			
	27	27	19		167
	61	26	11	48	164
		9	9	13	77
			8	13	58
12				6	22
3	4		-		5
1	1		_	•	1054
279	151	253			19,62
17.32	28.06	15.57	18.55		
	5.772	11,156	9.225		9,604
		22 — 111	43 22 - 49 111 46 64 8 32 38 27 27 18 61 26 10 36 9 12 13 12 3 4 7 1 1 2 279 151 253 17.32 28.06 15.57	Delini Delinistation - - 22 - 49 24 111 1 46 23 64 8 32 30 38 27 27 19 18 61 26 11 10 36 9 9 12 13 12 8 3 4 7 2 1 1 2 - 279 151 253 126 17.32 28.06 15.57 18.55 11.156 9.225	Delhi Denradur Dangstett —


Graphical


Representations





Graphical Representations
















FREQUENCY DISTRIBUTION OF SCORES ON ESSAY PAPER (INTERVIEW BOARDWISE) DELHI BOARD


































۲.



















N=126

TABLE B(iv)-4







APPENDIX XI

DATA FOR THE PREDICTIVE VALIDITY OF THE TEST, YEAR 1964

2. 173 12 89 13 79.6 5 70.4 3. 139 49 47 72 75.4 10 62.1 4. 136 54.5 49 70.5 74 19 58.0 5. 138 51.5 52 64 70.3 31 67.1 6. 150 29 62 45 67.6 37 62.1 7. 139 49 55 58.5 77.2 6 73.2 8. 132 67 55 58.5 63.4 50 67.8 9. 133 65 73 34 62.2 55 72.0 10. 152 26 59 49 72.2 26 65.4 11. 148 32.5 88 14.5 52.6 71 51.1 12. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 65.2	S. No.	S.T.S, Total	(a) Rank	Marks in S.A.T.	(b) Rank	% ago of Marks at Hr. Sec.	(c) Rank	%age of Marks at B.Sc. (final)
3. 139 49 47 72 75.4 10 62.1 4. 136 54.5 49 70.5 74 19 58.0 5. 138 51.5 52 64 70.3 31 67.1 6. 150 29 62 45 67.6 37 62.1 7. 139 49 55 58.5 77.2 6 73.2 8. 132 67 55 58.5 63.4 50 67.8 9. 133 65 73 34 62.2 55 72.0 10. 152 26 59 49 77.2 26 65.4 11. 148 32.5 88 14.5 52.6 71 51.6 12. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 53.0	1.	142	41.5	52	64	84.8	2	86.4
4. 136 54.5 49 70.5 74 19 58.0 5. 138 51.5 52 64 70.3 31 67.1 6. 150 29 62 45 67.6 37 62.1 7. 139 49 55 58.5 63.4 50 67.8 8. 132 67 55 58.5 63.4 50 67.2 9. 133 65 73 34 62.2 55 72.0 10. 152 26 59 49 72.2 26 65.4 11. 148 32.5 88 14.5 52.6 71 51.6 12. 140 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 53.0 15. 154 24 61 46 70.5 30 58.8	2.	173	12	89	13	79.6	5	70,4
5. 138 51.5 52 64 70.3 31 67.1 6. 150 29 62 45 67.6 37 62.1 7. 139 49 55 58.5 77.2 6 73.2 8. 132 67 55 58.5 63.4 50 67.8 9. 133 65 73 34 62.2 55 72.0 10. 152 26 59 49 72.2 26 65.4 11. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 69.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 63.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4	3.	139	49	47				62.1
6, 150 29 62 45 67.6 37 62.1 7. 139 49 55 58.5 77.2 6 73.2 8. 132 67 55 58.5 77.2 6 73.2 8. 132 67 55 58.5 63.4 50 67.8 9. 133 65 73 34 62.2 55 72.0 10. 152 26 59 49 72.2 26 65.4 11. 148 32.5 88 14.5 52.6 71 51.6 12. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 6.5 4 44 53.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 22. 156 22.5 67 40 53.8 69 58.0 22. 156 22.5 67 40 53.8 69 58.0 22. 131 70.5 65 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 65 68 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 88.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.3 34 65 33. 145 37 75 32 58.4 65 62.4 33. 145 37 75 32 58.4 65 62.4 33. 145 37 75 32 58.4 65 62.4 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 68.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4	4.	136	54.5	49			19	58,0
7. 139 49 55 58.5 77.2 6 73.2 8. 132 67 55 58.5 63.4 50 67.8 9. 133 65 73 34 62.2 55 72.0 10. 152 26 59 49 72.2 26 65.4 11. 148 32.5 88 14.5 52.6 71 51.6 12. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 53.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 </td <td>5.</td> <td>138</td> <td>51.5</td> <td>52</td> <td></td> <td></td> <td></td> <td>67, I</td>	5.	138	51.5	52				67, I
8. 132 67 55 58,5 63,4 50 67,8 9. 133 65 73 34 62,2 55 72,0 10. 152 26 59 49 72,2 26 65,4 11. 148 32,5 88 14,5 52,6 71 51,6 12. 148 32,5 81 23 65,4 44 65,0 13. 130 74 69 37,5 68,7 36 65,2 14. 156 22,5 58 52,5 65,4 44 53,0 15. 154 24 61 46 70,5 30 58,8 16. 129 76 55 58,5 55 68 62,4 17. 134 62 57 55 64 48 66,4 18. 139 49 44 75 50,3 73 55,5 20. 131 70,5 50 68 73,6 21,5 73,4	6,						37	62.1
9. 133 65 73 34 62.2 55 72.0 10. 152 26 59 49 72.2 26 65.4 11. 148 32.5 88 14.5 52.6 71 51.6 12. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 53.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4	7.		49					73.2
10. 152 26 59 49 72.2 26 65.4 11. 148 32.5 88 14.5 52.6 71 51.6 12. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 53.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4	8.	132	67		58,5			67.8
11. 148 32.5 88 14.5 52.6 71 51.6 12. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 53.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 <td>9.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>72,0</td>	9.							72,0
12. 148 32.5 81 23 65.4 44 65.0 13. 130 74 69 37.5 68.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 53.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 21. 129 76 54 62 66.5 39 73.4 22. 151 27 71 36 76.7 7 70.4	10.	152	26	59				65.4
13. 130 74 69 37.5 68.7 36 65.2 14. 156 22.5 58 52.5 65.4 44 53.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.2 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0<	11.	148	32.5	88				51.6
14. 156 22.5 58 52.5 65.4 44 53.0 15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3<	12.							65.0
15. 154 24 61 46 70.5 30 58.8 16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 <td>13.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>65.2</td>	13.							65.2
16. 129 76 55 58.5 55 68 62.4 17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
17. 134 62 57 55 64 48 66.4 18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2				61				58.8
18. 139 49 44 75 50.3 73 55.5 19. 136 54.5 69 37.5 68.8 34.5 55.5 20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54	16.							62.4
19, 136 54.5 69 37.5 68.8 34.5 55.5 20, 131 70.5 50 68 73.6 21.5 73.4 21, 129 76 54 62 66.5 39 73.0 22, 151 27 71 36 76.7 7 70.4 23, 164 16.5 84 20.5 60.3 57.5 79.3 24, 138 51.5 35 77 53.4 70 56.0 25, 131 70.5 65 43 59.9 61 61.3 26, 156 22.5 67 40 53.8 69 58.0 27, 135 58 50 68 65.3 46 67.2 28, 189 6 77 28.5 60.3 57.5 57.2 29, 131 70.5 70 47 62.3 54 63.1 30, 140 46.5 49 70.5 61.3 56								66.4
20. 131 70.5 50 68 73.6 21.5 73.4 21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
21. 129 76 54 62 66.5 39 73.0 22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5								
22. 151 27 71 36 76.7 7 70.4 23. 164 16.5 84 20.5 60.3 57.5 79.3 24. 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65								
23, 164 16.5 84 20.5 60,3 57.5 79.3 24, 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 <								
24, 138 51.5 35 77 53.4 70 56.0 25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 63 52 5								_
25. 131 70.5 65 43 59.9 61 61.3 26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.								
26. 156 22.5 67 40 53.8 69 58.0 27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 49.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								
27. 135 58 50 68 65.3 46 67.2 28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 49.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								
28. 189 6 77 28.5 60.3 57.5 57.2 29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								
29. 131 70.5 70 47 62.3 54 63.1 30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								
30. 140 46.5 49 70.5 61.3 56 68.0 31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								
31. 164 16.5 85.5 18 60 59.5 79.3 32. 134 62 59 49 74.2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								
32. 134 62 59 49 74,2 16.5 65.7 33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 49.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								
33. 145 37 75 32 58.4 65 62.4 34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								
34. 141 44.5 51 66 48.4 77 47.0 35. 142 41.5 55 58.5 63 52 51.0 36. 150 29 50 68 64.7 47 62.4								65.7
35. 42								
36. 150 29 50 68 64.7 47 62.4								
37. 180 10 77 28,5 56,5 67 60.9								
38. 202 4 103 6 75.2 12 74.5	38.	202	4	103	6	75,2	12	74.5

APPENDIX XI (Contd.)

DATA FOR THE PREDICTIVE VALIDITY OF THE TEST, YEAR 1964

(d) Rank	d ₁ (a—d)	(p—q) q ⁵	dg (a—c)	(b—c)	(c—n) q ^g	(3—p)	d ₇ (a-b+c+d)
2	39,5	62,0	39.5	62.0	0.0	22.5	109,5
23.5	11.5	9.5	7.0	8.0	18.5	1.0	53.5
50.5	1.5	21.5	39.9	62.0	40.5	23.0	181.5
64	9.5	6.5	35.5	51.5	45.0	16.0	208.0
31	20.5	33.0	20.5	33.0	0.0	12,5	177.5
50,5	21.5	4,5	8.0	8.0	13.5	16.0	161.5
16	33.0	41.5	43.0	52.5	10.0	9.5	129.5
29	38.0	29,5	17.0	8.5	21.0	8.5	204.5
21	44.0	13.0	10.0	21.0	34.0	31.0	175.0
36	10.0	13.0	0.0	23.0	10.0	23.0	137.0
73.5	41.0	59.0	38.5	56,5	2.5	0,81	191.5
38	5,5	15.0	11.5	21.0	6,0	9.5	137.5
37	37.0	0.5	38.0	1.5	1.0	36,5	184.5
71	48.5	18.5	21.5	8.5	27.0	30.0	190.0
62	38.0	16.0	6.0	Î6.0	32.0	22.0	162.0
48	28.0	10.5	8.0	9.5	20.0	17.5	250.5
33	29,0	22.0	14.0	7.0	15.0	07.0	198.0
69	20,0	6.0	24.0	2.0	4.0	26.0	266.0
69	14,5	31.5	20.0	3.0	34.5	17.0	195.5
15	55.5	53.0	49.0	46.5	6.5	1.5	175.0
17	59.0	45.0	37.0	23.0	22.0	14.0	194.0
23.5	3,5	12.5	20.0	29.0	28.0	9.0	93.5
9.5	7.0	11.0	41.0	37,0	3.0	4.0	104.0
67	15.0	10.0	18.0	7.0	6.0	25.5	265.5
55	15.5	12,0	9.5	18.0	5.0	27.5	229.5
64	41.5	24.0	46.0	29.0	5,0	17.5	195.5
30	28.0	38.0	12.0	28.0	16.0	10.0	202.0
66	60.0	37.5	\$1,5	29.0	8.5	22.5	158.0
42	28.5	5.0	16.5	7.0	12.0	23.5	213.5
27.5	19.0	43.0	9,5	14.5	28.5	24.0	200.5
9.5	7.0	8.5	43.0	41.5	50.0	1.5	103.5
35	27.0	14.0	45.5	32.5	18.5	13.0	162.5
48	11.0	16.0	28,0	33.0	17.0	5.0	182.0
76	31.5	10.0	32.5	11:0	1.0	21.5	263.5
75 40	33.5	16.5	10.5	6,5	25.0	17.0	227.0
48	19.0	20.0	18.0	21.0	1.0	59.0	192.0
57	47.0	28.5	57.0	38.5	10.0	. 18.5	162.5 36.0
41	10.0	8. Q	8.0	6.0	2.0	2.0	30.0

	<u> </u>	ı		<u>-</u>			
S. No.	S.T.S. Total	(a) Rank	Marks in S.A.T.	(b) Rank	% age of Marks at Hr. Sec.	(c) Rank	%age of Mark at B.Sc. (final)
39.	143	39	55	58.5	76	9	72.6
40.	145	37	45	74	75.3	H	74.9
41.	145	37	67	40	49	74.5	55.5
42.	131	70.5	55	58,5	49	74.5	41
43.	135	58	52	64	57. 4	66	60.6
44.	158	20	67	40	65.8	42	61.7
45.	238	. 1	127	2	63	52	61
46.	134	62	58	52.5	60	59.5	69.9
4 7.	141	44.5	63	44	72.5	24	51.7
48.	157	21	74	33	68.8	34.5	72.8
49.	135	58	78	27	59	62	62.8
50.	172	13	95	8.5	74	19	68
51.	186	7	90	12	63.7	49	62.6
52.	177	11	93	10	73.4	23	66.1
53.	218	.2 18	116 105	3 · 4.5	82,2 76,3	3 8	83.6
54. 55.	163 165	15	85	18	76.3 72.3	25	78.7 59
56.	133	65	80	24.5	74.3	19	69
57.	150	29	85	14.5	65.4	44	62.5
57. 58.	184	8	95	8.5	66.7	38	64.2
59.	159	19	80	24.5	58.6	63.5	66,8
60.	213	3	105	4.5	74.2	16.5	62,8
61.	140	46.5	76	30.5	63	52	58
62.	135	58	82	22	51.5	72	62
63.	171	14	98	7	65.9	41	80
61.	142	41.5	46	73	70.9	28.5	74.6
65.	149	31	91	11	85.5	1	80
66.	153	25	66	42	75	13.5	64.4
67.	142	41.5	58	52.5	73.6	21.5	60
68.	146	34.5	72	35	70.9	28.5	60.3
69.	131	70.5	59	49	58,6	63.5	51.6
70.	129	76	84	20.5	69	33	64,8
71.	182	9	86	16	69.6	32	71
72.	131	70,5	76	30.5	47	76	61.6
73.	137	53	85	11	72	27	92.5
74.	146	34.5	79	26	66	40	80
75.	198	5	133	1	74.5	15	80
76.	133	65	58	52.5	75	13.5	80
77.	135	58	40	76	80.8	4	72.7

(b)	/d ₁	/d ₂ (b—d)]d ₃]	d ₄	d ₅	[dej	d ₇
Rank	(a—d)	(p —q)	(a—c)	(b—c)	(c—d)	(a — b)	(a+b+c+d)
]]		<u> </u>		l
20	19.0	38.5	30.0	49.5	11.0	19.5	126.0
12	15.0	62.0	26.0	63.0	1.0	37.0	134.0
69	32.0	29.0	37.5	34.5	5.5	3.0	220,5
77	6.5	18.5	4.0	16.0	2.5	12.0	280.4
58	0.0	6.0	8.0	2.0	8.0	6.0	246.0
53	33.0	13.0	22.0	2.0	11.0	20.0	155.0
56	55.0	54.0	51.0	50.0	4.0	0.1	111.0
26	37.0	27.5	2.5	7.0	34,5	9.5	199.0
72	27.5	28.0	20.5	20.0	48.0	0.5	184.5
18	3.0	15.0	13.5	1,5	16.5	12.0	106.5
43.5	14.5	15.5	4.0	25.0	18,5	31.0	190.5
27.5	13.5	19.0	6.0	10.5	8.5	4.5	68,0
45	38.0	33.0	42.0	37.0	4.0	5.0	113.0
34	23.0	24.0	12.0	13.0	11.0	1.0	78.0
3	1.0	0.0	1.0	0.0	0 0	1.0	11.0
11	7.0	6.5	10.0	3.5	3.0	13.5	41.5
61 26	46.0 39.0	43.0 1.5	10 0 46.0	7.0 5.6	36.0	3.0	119.0
46	17.0	31.5	15.0	5.6 29.5	7.0 2.0	40.5	134,5
4I	33.0	32.5	30.0			14.5	133,5
32	13.0	32.5 7.5	30.0 44.5	29.5	3.0	0.5	95.5
43,5	40.5	39.0	13.5	39.0 12.σ	31.5 27.0	5.5	(38.5
64	17.5	33.5	5.5	21.5	12.0	1.5 16.0	67 .5
52	6,0	30.0	14.0				193.0
6	8.0	1.0	27.0	52.0	20,0 35.0	36.0	204.0
13	28.5	60.0	13.0	34.0 44.5	35.0 15.5	7.0	68.0
6	25.0	5.3	30.0	10.0		31.5	156.0
40	15.0	2.0	11.5	28.5	5.0 26. 5	20.0	49.0
60	18.5	7,5	20.0	31.0	38.5	17.0	120.5
59	24,5	24.0	6.0	6.5	30.5	11.0	175.5
73.5	3,5	23.5	7.0	14.5	10.0	0.5	157.0
39	37.0	18.5	43.0	12.5	6.0	21.5 55.5	256.5
22	13.0	6.0	23.0	16.0	10.0	7.0	168.5
54	16.5	23.5	5.5	45.5	22.0	40.0	79.0
1	52.0	17.0	26.0	9.0	26.0	35.0	231.0 99.0
`6	28,5	20.0	5.5	14.0	34.0	7.5	106.5
6	1.0	5.0	10.0	14.0	9.0	4.0	27.0
6	59.0	45.5	51.5	39.0	7.5	2.5	
19	39.0	57.0	54.0	72.0	15.0	18.0	137.0 157.0
s	.S. 66907.25	59872.50	58661.50	69145.50	33415.25		T.S. 12011.00

M, 155.98 S.S. 2156988.25 p :-- Spearman Rank correlation Coefficient.

$$1 - \frac{6 \sum di^2}{n(n^2-1)}.$$

W:-Kendall Coefficient of concordance (measure of overall correlation when there are 'K' sets of rankings of the same 'n' objects)

Where S is the sum of the squares of the deviations of the total of the ranks obtained by each object from the average of these totals.

k :—No. of sets of rankings.

n:—Objects or persons

Testing the significance of W:-

$$W = \frac{12 (s + 1)}{k^2 (n^3 - n) \cdot 24} \cdot F_{(N_1, N_2)} T = \frac{(k - 1) \cdot 10^{-1}}{1 - 10^{-1}}$$

Where N1: -(n-1)-2/k.

$$N_2$$
: $(k-1)[(n-1)-2/k)]$

1. Correlation between the total scores on the Science Talent Search Tests Year 1964 and the percentage of marks scored at the B.Sc. (Final) by the awardees of 1964.

Not significant at 5% level

Correlation between the scores on the Science Aptitude Test of the year 1964 and the
percentage of marks scored at the B,Sc. (Final)

Significant at 0.05 level

 Correlation between the total scores on the Science Talent Search Tests Year 1964 and the percentage of marks scored at the Higher Secondary by the Awardees of 1964.

Significant at 5% level

4. Correlation between the scores on the Science Aptitude Test of the year 1964 and the percentage of marks scored at the Higher Secondary by the Awardees of year 1964.

Not Significant at 5% level

Correlation between the total S.T.S. marks and marks in the S.A.T. scored by the awardees of year 1964.

p 0.60

Significant at 0.01 level

 Correlation between the marks scored in Science subjects at B.Sc. (Final) and in Higher Secondary by the awardees of year 1964.

Significant at 0.01 level

7. The co-efficient of con-cordance 'W' i.e. the measure of overall correlation between given four sets of Rankings is

Significant at 0.01 level.

APPENDIX XII

NEEDED RESEARCH

- (a) Analysis of the data collected with a view to determine the discriminative and difficulty value of the test items of the Science Aptitude Test in order to assess the effectiveness of the different items constituting the test;
- (b) Determination of the internal consistency of the test items together with the conceptual analysis of these items to work out construct and concurrent validities of the tools.
- (c) Determination of the empirical and predictive validities of the tools of selection.
- (d) A longitudinal study of the selected awardees to correlate their success during their formal education with the on-the-job performance.
- (e) To correlate the relative role of the different anticedent variables in predicting job success, the variables being:
 - (i) Coginitive (S.A.T. etc.)
 - (ii) Personality variables (drive, initiative, achievement-motivation and other personality characteristics).
 - (iii) Environmental variables home, school and family conditions.
- (f) To determine the inter-correlations between different variables like sub-tests of the S.T.S., income level, tests of intelligence and achievement etc.
- (g) To discuss the nature of score distributions of the various tools of selection.
- (h) To conduct further research work like the factorial analysis of the sub-tests of the S.A.T.; inter-correlations of the various tools of selection; a factorial analysis to ascertain the factorial content of the S.A.T. and to examine if a single factor runs predominantly through all the selection tests, which could be called a factor of scientific aptitude.
- (i) To study the personality structure of the high achievers as against a control group of low achievers.

These research studies will be helpful in improving the S.T.S. Scheme.

APPENDIX XIII

CORRELATIONAL FIGURES -AT A GLANCE

Sr.	No. Specification	n	r	Significance Level
	Physics (High School) X Chemistry (High School)	228	0,560	at l % level
2.	Physics (High School) X Mathematics (High School)	222	0.373	at % level
3,	Physics (High School) X Biology (High School)	65	. 0.144	Not significant at 5 % level
4.	Chemistry (High School) X Mathematics (High School)	222	0.423	Significant at 1 % Level
5.	Chemistry (High School) X Biology (High school)	66	0.073	Not Significant at 5 % level
	Mathematics (High School) X Bio- logy (High School)	60	0,138	do
7.	Physics (High School) X General Science (High School)	85	0.347	Significant at 5% lavel
8.	Chemistry (High School) X General Science (High School)	84	0.296	do
9.	Mathematics (High School) X General Science (High School)	80	0.343	—d o —
10.	S. A. T. X Physics (High School)	220	0.055	Not Significant at 5% level
	S. A. T. X Chemistry (High School)	220	0,056	do
	S. A. T. X Mathematics (High School)	218	0.038	do
13.	S.A.T. X Biology (High School)	64	0.061	do
14.	S.A.T. X General Science (High School)	88	0.044	do
15.	Essay X Physics (High School)	220	0,078	do
16.	Essay X Chemistry (High School)	220	0.067	do
17.	Essay X Mathematics (High School)	218	0.068	—d a —
18.	Essay X Biology (High School)	64	0.122	- d o
19.	Essay X General Science (High School)	88	-0.144	do
20,	Project X Physics (High School)	220	0.051	do
21.	Project X Chemistry (High School)	220	0.024	dp

Sr. N	lo. Specification	n	r .	Significance Level
22.	Project X Mathematics			
24.	(High School)	218	0.011	do
23.	Project X Biology (High School)	64	0,134	—do—
24.	Project X General Science (High			
	School)	88	-0.162	Not significant at 5 % level
25.	Interview X Physics (High School)	220	-0.105	_do_
26.	Interview X Chemistry (High School)	220	-0.13 2	do
27.	Interview X Mathematics (High	0.10		
••	School)	218	-0.022	—do
28.	Interview X Biology (High School)	64	-0.102	-do
29.	interview X General Science (High School)	88	0.113	do
30.	N.S.T.S, Total X Physics (H.S.)	221	0.002	—do—
31.	-do- X Chemistry (H.S.)	221	0.021	—do
32.	-do- X Mathematics (H S.)	21/	-0.182	co
33.	-do- X Biology (H.S.)	64	0.106	do
34,	-do- X General Science (H.S.)	88	0.000	do
35.	Physics (High School) X Phy. (Hr. Sec.)	225	0.410	Significant at 1% level
36,	Chemistry (H.S.) X Chemistry (Hr. Sec.)	3 26	0.342	do
37.	Mathematics (H.S.) X Mathematics (Hr. Sec.)	215	0,281	Significant at 5% level
38.	Biology (H.S.) X Biology (Hr. Sec.)	56	D. 117	Not Significant at 5% level
39.	Physics (Hr. Sec.) X Chemistry (Hr. Sec.)	234	0,484	Significant at 1% level
40	Physics (Hr. Sec.) X Mathematics			
	(Hr. Sec.)	219	0.559	—do
41.	Physics (Hr. Sec.) X Biology (Hr. Sec.)	83	0.339	do
42.	Physics (Hr. Sec.) X Total (Hr. Sec.)	157	0.623	do
43.	Chemistry (Hr. Sec.) X Mathematics (Hr. Sec.)	220	0.385	Significant at 5% level
44.	Chemistry (Hr. Sec.) X Biology (Hr. Sec.)	84	0.422	Significant at 1% level
45,	Sec.)	157	0.411	do
46.	Mathematics (Hr. Sec.) Biology (Hr. Sec.)	69	0, 154	Not significant at 1% level

Sr.	Specification	n	r	Significance
No	•			Level
47.	Mathematics (Hr. Sec.) X Total			
	(Hr. Sec.)	145	0.827	Significant at 1% level
48.,	Biology (Hr. Sec.) X Total (Hr.			
	Sec.)	64	0.286	Significant at 5% level
49	S.A.T. X Physics (Hr. Sec.)	226	0.296	—do—
50 .	-do- X Chemistry (Hr. Sec.)	226	0.264	do
51.	-do- Mathematics (Hr. Sec.)	212	0.256	do
52.	-do- Biology (Hr. Sec.)	79	0 339	Significant at 1% level
53.	-do- X Total (Hr. Sec.)	156	0.271	Significant at 5% level
54.	Essay X Physics (Hr. Sec.)	226	0.093	Not significant at 5% level
55.	-do- X Chemistry (Hr. Sec.)	226	0 009	do
56.	-do- X Mathematics (Hr. Sec.)	212	0.035	- do—
57.	-do- X Biology (Hr. Sec.)	79	0.015	—do
58.	-do- X Total (Hr. Sec.)	156	0.024	do
59.	Project X Physics (Hr. Sec.)	226	0.019	—do—
60.	-do- X Chemistry (Hr. Sec.)	226	-0 082	- 4o
61.	-do- X Mathematics (Hr. Sec.)	212	0.008	—do
62.	-do- X Biology (Hr. Sec.)	79	-0.016	do
63.	-do- X Total (Hr. Sec.)	156	0,035	do
64.	Interview X Physics (Hr. Sec.)	226	0.05\$	- do
65,	-do- X (Hr. Sec.) Chemistry	226	-0.118	do
66.	-do- X Mathematics (Hr. Sec.)	212	0.075	· do
67.	-do- X Biology (Hr. Sec.)	7 9	-0.120	do
68.	-do- X Total (Hr. Sec.)	156	-0,061	—do
69.	S.T.S. Total X Physics (Hr. Sec.)	227	0.069	do
70.	-do- X Chemistry (Hr.			
	Sec.)	227	0.103	do
71	•			
71.	S.T S. Total X Mathematics (Hr.	213	0 056	
	Sec.)			do
72.	S.T.S. Total X Biology (Hr. Sec.)	79	0.274	Significant at 5% level
73,	-do- X Total (Hr. Sec.)	156	0.188	Not significant at 5% level
74.	General Science (H S) X Physics			
	(Hr. Sec.)	88	0.414	Significant at 1 % level
75.	General Science X Chemistry (Hr.			
	Sec.)	88	0.127	Not significant at 5% level
76.	General Science X Mathematics			2 \Q 14141
	(Hr. Sec)	84	0.540	Clanifianas as 10' (co)
77	•			Significant at 1% level
77.	General Science X Total (Hr. Sec.)	67	0.658	Significant at 1% level
NO	TE:H.SHigh School.			
	Hr. Sec. :—Higher Secondary			

APPENDIX XIV

(A) (i) ITEM-ANALYSIS DATA FOR THE DISCRIMINATIVE AND DIFFICULTY VALUES OF ITEMS OF SCIENCE APTITUDE TEST (COMPULSORY PART) 1967

Sample Size for top group = 164
Sample Size for Bottom group = 164

ltem No.	Correct items (top group)	Correct items (Bottom group)	Difficulty value of each Item	Discrimi- native value of each item	Subject	Remarks
		42	55	48	Physics	Selected
١.	146	19	44.5	48	-do-	-do-
2.	123 124	63	53.5	25	-do-	-do-
3.	124	74	57.5	20	-do-	-do-
4.	84	35	42	20	-do-	-do-
5.		55	58	45	-do-	-do-
6.	148	43	58	54	-do-	-do-
7.	153	98	63	21	Chemistry	-do-
8.	141	83	61	32	-do-	-do-
9.	149	64	52	18	-do-	-do-
10.	110	47	50	28	-do-	~do-
11.	120	80	62	36	-do-	-do-
12.	151	. 38	36	5	-do-	Rejecte
13.	47	. 36 58	52	25	-do-	Selecte
14.	121	5 4	55	36	Biology	-do-
15.	138		60	45	-do-	-do-
16.	153	64	53	46	-do-	-do-
17.	142	40	65	31	-do-	-do-
18.	151	94	52	28	-do-	-do-
19.	124	52	52 52	34	-do-	-d o -
20.	128	45		45	-do-	-do-
21.	62	13	29	10	-do-	Reject
22.	72	48	43	13	-do-	-do-
23.	99	63	49	13 20	Math.	Select
24.	137	95	61	7	-do-	Reject
2 5.	71	53	43	20	-do-	Select
26.	99	46	46	7	-do-	Reject
27.	42	30	33.5	6	-do-	-do-
28.	63	49	42	29	-do-	Select
29.	143	83	61 48	27 29	-do-	-do
30.	112	40		29	Agriculture	-do
31.	124	51	52	45	-do-	-do
32.	161	89	67	15 18	-do-	-do
33.	112	65	52	23	-do-	-do
34.	103	43	46	23	-40-	-40

35.	112	67	52	17	Agriculture	Rejected
36.	153	63	60	45	Geology	Selected
37.	153	72	16	40	-do-	-do-
38.	(40	45	54	42	-do-	-do-
39.	138	7 9	59	26	qo	-do-
40.	154	67	61	45	-do -	-do-
41.	153	78	62	40	Philosophy of	-do-
					Science	
42.	161	65	63	55	do-	-do-
43.	7	31	47	35	-do-	-do-
44.	114	36	48	30	-do-	-do-
45.	122	41	50	32	-do-	-do-
46.	129	39	51	37	Physiology &	do
					Hygiene	
47.	150	35	55	55	-do-	-do-
48.	124	45	31	50	-do-	-do-
49.	31	23	48	48	-do-	-do-
50.	100	42	46	23	-do-	-do-
51.	79	39	42	16	Engineering	Rejected
52,	148	26	52	56	-do	Solected
53.	86	32	42	23	-do-	-do-
54,	122	37	49	35	-do-	-do-
55.	135	62	55	30	- do	-do-
56.	99	25	42	32	Meteorology	-do-
57.	160	41	59	61	-do-	-do-
58.	132	55	54	32	-do-	~do-
59.	1 (5	59	51	20	· do-	∗do
60.	35	48	_	-	-do-	Rejected
61.	122	69	54	20	Blo-Chemistry	Selected
62.	103	83	53	8	-do-	Rejected
63,	151	82	62	35	-do-	Selected
64,	145	60	58	39	-do-	-do-
65.	136	46	55	45	•do~	-do-
66.	138	28	50	49	Astronomy	-dø-
67.	140	39	53	45	-do	-do-
6B.	93	57	48	13	-do	Rejected
69.	35	14	26	16	-do-	-do-
70.	41	30	33	7	•do •	-do-
71,	89	38	43	20	Plo-Physics	Selected
72.	106	26	43	34	do-	-do-
73.	110	37	47	29	-do-	-do-
74	61	33	38.5	13	-do-	Rejected
75.	70	23	38	20	-do-	Selected

Selected Items :--61 (81%) Rejected Items :--14 (19%)

APPENDIX XIV (Contd.)

(II) ITEM ANALYSIS DATA FOR THE DISCRIMINATIVE AND DIFFICULTY VALUES OF ITEMS OF THE OPTIONAL PART (PHYSICS) OF THE SCIENCE APTITUDE TEST, YEAR 1967

Sample size for top Group=50 (27% of the stratified proportional sample of the examinees who attempted Physics as the optional part).

Sample size for Bottom Group=50 (27% of the stratified proportional sample of the examinees who attempted Physics as the optional part)

Item No.	Correct Item (top Group)	Correct item (Bottom Group)	% age T.G.	% age B.G.	Difficulty yalue of each Item	Discrimina- tive value of each Item	Result
			100	60	65	60	Selected
1.	50	30 27	98	54	67	45	-do-
2.	49	28	96	56	66	40	-do-
3.	48	26 25	96	50	64	44	-do-
4.	48	25 25	96	50	64	44	-do-
5.	48	23 23	86	46	59	30	-do-
6.	43	23 13	72	26	50	30	-do-
7.	36	14	46	28	43	12	-do-
8.	23	32	80	64	62	13	-do-
9.	40	32 7	28	14	23	H	, -do-
10.	14	10	78	20	49	40	Selected
11,	39	8	12	16	_	-	Rejected
12.	6	12	60	24	45	23	Selected
13.	30	12	40	38	44	2	Rejected
14.	20	9	66	18	45	33	Selected
15.	33	16	24	32	_	_	Rejected
16.	12	36	94	72	71	25	-do-
17.	47	36 7	48	14	39	25	Selected
18.		12	78	24	50	37	-do-
19.			100	78	80	40	Rejected
20.		39 15	5 2	30	45	14	-do-
21.		6	28	12	32	16	-do-
22		7	48	14	39	25	Selected
23			34	32		2	Rejecte
24	_	16 10	50			20	Selected
25			30			10	Rejecte
26		9	40			21	Selecto
27		7	40		•	23	-do-
28		6	38		-	32	-do-
29		3	90			4 36	-do
30		22			•	45	-do-
3	1. 41	9	82		, 50		

32,	31	7	62	14	42	35	Selected
33.	34	2	68	4	39	54	-do-
34.	34	7	68	14	44	37	-do-
35.	31	8	62	16	43	32	-do-
36,	26	4	52	8	37	35	-do-
37.	25	8	50	16	40	25	-do-
38.	22	14	44	28	43	10	Rejected
39.	18	П	36	22	39	22	Selected
40.	27	23	54	46	50	5	Rojected
41,	26	16	52	32	46	12	-do-
42.	19	18	38	36	43	2	-do-
43.	29	8	58	16	42	30	Selected
44,	27	11	54	22	43	21	-do-
45.	35	19	70	38	52	20	-do-
46.	34	7	68	14	44	39	٠do-
47.	34	16	68	32	50	22	-do-
48,	42	22	84	44	58	28	-do-
49,	34	8	68	16	45	36	-do-
50,	30	11	60	22	44	25	-do-

Item Salected 37 (74%)Item Rejected 13 (26%)

Rejection region (i) Discriminative value less than 18 (ii) Difficulty value greater than 67.

APPENDIX XIV (Contd.)

(III) ITEM ANALYSIS DATA FOR THE DISCRIMINATIVE AND DIFFICULTY VALUES OF ITEMS OF THE OPTIONAL PART (CHEMISTRY) OF THE SCIENCE APTITUDE TEST 1967

Sample size of top group=54 (27% of the stratified proportional sample of the examinees who choose chemistry as the optional part)

Sample size of Bottom Group=54 (27% of stratified proportional sample of the examinees who choose chemistry as the optional part)

R	a 71	ובח	·ks

Result	Discrimina- tive value of each Item	oifficulty value of each Item	%age B.G.	%age T.G.	correct tem Bottom group	correct Items Top group	Item No.
Rejected	45	69	 57.3	98.0			
-do-	_	_	29.6	29.6	31	53	1.
Selected	31	42.0	13.0	29.6 55.5	16	16	2.
Rejected	0	49	46.2		7	30	3.
Selected	34.5	60	44.4	48,0	25	26	4.
Rejected	16.5	46	29.6	82.8	24	48	5.
Selected	40	58	35.1	55.5	16	30	6.
-do-	48	58	29.6	88.8	19	48	7.
-do-	27	64	59.2	90.6	16	49	8.
-do-	33	50	24.0	90.6	32	49	9.
-do-	30	43	16.6	74.0	13	40	10.
-do-	35	61	48.1	61,0	9	33	н.
-do-	50	59	31.4	90.6	26	49	12.
-do-	20.5	40	18.5	92.5	17	50	13.
-do-	27	54	37.0	48. l	10	26	14.
-do-	18.5	36	14.8	77.7	20	42	15.
-do-	36	61		37.0	8	20	16.
-do-	34,5	60	46.2	90.6	25	49	17.
-do-	23	41	44.4	88.B	24	48	18.
-do-	37	59	18.5	51.8	10	28	19
-do-	20	48	38.8	88.8	21	48	20.
-do-	40		29.6	63.0	16	34	21.
-do-	35	54	27.7	85. 1	15	46	22.
Rejecte	35 15	52	27.	79.5	15	43	23.
Selecte	23.5	39	20.	40.7	11	22	24.
Rejecto	10	49	29.0	66.6	16	36	25.
Selecte	10 21	43	31.	46.2	17	25	26.
-do-	20		24.	57.3	13	31	27.
-do-	20 28.6		27.	61.0	15		28.
-do-	28.6 32.5		50.	87.0	27		20. 29.
-40-	31.3	62	51.	90.6	28	49	130.

50 .	27	92,5	50.0	63	36.5	Selected
50	33	92.5	61.0	66	30	-do-
50	28	92.5	51.8	63	35	-do-
23	21	42.5	38.8	45	3	Rejected
44	24	81.4	44.4	57	26	Selected
\$ 1	17	94.3	31.4	59	52	-do-
39	10	72.1	18.5	47	36.5	-do-
40	25	74.0	46,2	55	18	•do-
32	3	59.2	5 5	38	45	-do-
19	14	35.1	25.9	39	7	Rejected
43	П	79.5	20.3	5	39	Selected
47	14	86.9	25,9	55	45	-do-
47	14	86,9	25.9	55	45	-do-
46	7	85.1	12 9	50	53	-do-
49	12	90.6	22.2	55	53	-do-
37	19	68.4	35.i	51	20	-do-
15	14	27.7	25.9	37	2	Rejected
41	34	75,8	62,9	61	10	·do-
49	26	90.6	48.1	61	35	Selected
49	78	90.6	51,8	62	32	-do-
	50 50 23 44 51 39 40 32 19 43 47 46 49 37 15 41	50 33 50 28 23 21 44 24 51 17 39 10 40 25 32 3 19 14 43 11 47 14 47 14 46 7 49 12 37 19 15 14 41 34 49 26	50 33 92.5 50 28 92.5 23 21 42.5 44 24 81.4 51 17 94.3 39 10 72.1 40 25 74.0 32 3 59.2 19 14 35.1 43 11 79.5 47 14 86.9 46 7 85.1 49 12 90.6 37 19 68.4 15 14 75.8 49 26 90.6	50 33 92.5 61.0 50 28 92.5 51.8 23 21 42.5 38.8 44 24 81.4 44.4 51 17 94.3 31.4 39 10 72.1 18.5 40 25 74.0 46.2 32 3 59.2 5 19 14 35.1 25.9 43 11 79.5 20.3 47 14 86.9 25.9 47 14 86.9 25.9 46 7 85.1 12.9 49 12 90.6 22.2 37 19 68.4 35.1 15 14 27.7 25.9 41 34 75.8 62.9 49 26 90.6 48.1	50 33 92.5 61.0 66 50 28 92.5 51.8 63 23 21 42.5 38.8 45 44 24 81.4 44.4 57 51 17 94.3 31.4 59 39 10 72.1 18.5 47 40 25 74.0 46.2 55 32 3 59.2 5 5 38 19 14 35.1 25.9 39 43 11 79.5 20.3 51 47 14 86.9 25.9 55 47 14 86.9 25.9 55 46 7 85.1 12.9 50 49 12 90.6 22.2 55 37 19 68.4 35.1 51 15 14 27.7 25.9 37 41 34 75.8 62.9 61 49 26 90.6 48.1 61 <td>50 33 92.5 61.0 66 30 50 28 92.5 51.8 63 35 23 21 42.5 38.8 45 3 44 24 81.4 44.4 57 26 51 17 94.3 31.4 59 52 39 10 72.1 18.5 47 36.5 40 25 74.0 46.2 55 18 32 3 59.2 5 38 45 19 14 35.1 25.9 39 7 43 11 79.5 20.3 51 39 47 14 86.9 25.9 55 45 47 14 86.9 25.9 55 45 46 7 85.1 12.9 50 53 49 12 90.6 22.2 55 53 37 19 68.4 35.1 51 20 15 14 27.7 <td< td=""></td<></td>	50 33 92.5 61.0 66 30 50 28 92.5 51.8 63 35 23 21 42.5 38.8 45 3 44 24 81.4 44.4 57 26 51 17 94.3 31.4 59 52 39 10 72.1 18.5 47 36.5 40 25 74.0 46.2 55 18 32 3 59.2 5 38 45 19 14 35.1 25.9 39 7 43 11 79.5 20.3 51 39 47 14 86.9 25.9 55 45 47 14 86.9 25.9 55 45 46 7 85.1 12.9 50 53 49 12 90.6 22.2 55 53 37 19 68.4 35.1 51 20 15 14 27.7 <td< td=""></td<>

Items Rejected. 10 (20%)Items Selected.. 40 (80%)

Rejection Region (i) Discriminative value less than 18 (ii) Difficulty value greater than 67

APPENDIX XIV (Contd.)

(iv) ITEM ANALYSIS DATA FOR THE DISCRIMINATIVE AND DIFFICULTY VALUES OF ITEMS OF THE OPTIONAL PART (BIOLOGY) OF THE SCIENCE APTITUDE TEST, YEAR 1967

Sample size of the Top Group = 50 (27% of the stratified proportional sample of the students who choose Biology as the optional part)

Sample size of the Bottom Group=50 (27% of the stratified proportional sample of the students who choose Biology as the optional part)

5. No.	Correct Items Top Group	Correct Items Bottom Group	% age	% age B.G.	Difficulty value of each Itom	Discrimin- ative value of each item	Remarks
		37		74	69	15	Rejected
١.	44	37 39	100	78	79	40	-do-
2.	50	10	86	20	52	48	Selected
3.	43	5	18	10	. 26	10	Rejected
4.	9 32	33	64	66	_	_	Rejected
5.		10	92	20	55	, 56	Selected
6.	. 46	18	58	36	48	14	Rejected
7.	29 46	19	92	38	59	45	Selected
8.	45	16	90	32	58	45	-do -
9.	49	36	98	72	75	35	Rejected
10.	49 49	28	98	56	68	45	-do-
11.		13	88	26	55	47	Selected
12.	44 49	35	98	70	73	35	Rejected
13.		32	98	64	71	40	-do-
14.	49	9	72	18	46	3 7	Selected
15.	36 21	9	42	18		18	-do-
16.		19	7B	36		27	-do-
17.	39 37	2Ò	74	40) 54	22	-do-
18.		31	96	62	69	35	Rejected
19.	48	16	92	32		49	Selected
20.	46	21	96	42		50	-do-
21.	48	21 41	100	8;	_	40	Rejected
22.	50	71 21	96		2 62	50	Selected
23.	48	9	60		8 43	29	-do-
24.	30	9	52		8 42	24	-do-
25.			78		2 50	38	-do-
26.		11	74		0 55	25	-do-
27.		20	76		6 47	43	-do-
28.		8	88		52 65	23	-do-
29.		31	60	='	32 48	- 17	Rejected
30		16	9(•	50 61	32	Selected
31		25		-	34 54	30	·do•
32	. 40	17	8	U	37 YT	••	

33.	48	19	96	38	61	50	-do-
34,	50	29	100	58	71	50	
35.	47	25	94	50	63	40	Rejected Selected
36.	50	34	100	68	75	46	Rejected
37,	50	35	100	70	76	46	-do-
38,	50	38	100	76	77	40	Rejected
39.	50	28	100	56	70	50	-do-
40.	33	22	66	44	52	14	-do-
41.	40	19	80	38	55	28	Selected
12.	21	14	42	28	42	10	Rejected
4 3.	28	18	56	36	48	12	-do-
44.	39	7	78	14	47	47	Selected
45.	40	23	80	46	57	24	-do-
46.	44	19	88	38	58	37	-do-
47.	44	14	88	28	55	45	-do-
48.	37	15	74	30	51	28	-do-
49.	19	7	38	14	36	20	-do-
50.	45	2!	90	42	59	37	-do-

Rejection region (i) Discriminative value less than 18.

(li) Difficulty value greater than 67

Items Selected: 30 (60%)

Items Rejected: 20 (40%)

APPENDIX XIV (Contd.)

(v) ITEM-ANALYSIS DATA FOR THE DISCRIMINATIVE AND DIFFICULTY VALUES OF ITEMS OF THE OPTIONAL PART (MATHEMATICS) OF THE SCIENCE APTITUDE TEST, 1967

Sample Size For the Top Group=100
 Sample Size For the Bottom Group=100

Item No	Correct Items (top Group)	Correct Items (Bottom group)	Discriminative value of each Item	Difficulty value of each Item	Remarks
I,	46	li .	29	37	Selected
2.	34	24	7	39	Rejected
3.	50	16	25	40	Selected
4.	11	16	-	_	Rejected
5.	47	21	18	41	Selected
6.	21	6	20	25	do
7.	5 7	28	18	46	do
8,	50	21	20	42	do
9.	32	15	15	34	Rejected
10.	16	15	0	30	do
11,	60	40	12	50	do
12.	64	21	29	45	Selected
13.	5 9	35	15	49	Rejected
14.	62	21	27	45	Selected
15.	52	24	18	43	do
16.	67	26	26	48	do
17.	72 -	52	14	56	Rejected
18,	37	37	0	43	do
19.	64	38	15.5	50.5	do
20.	21	8	17.5	26	do
21.	88	44	34	59.5	Selected
22,	97	64	37	70	do
23.	30	18	10	35	Rejected
24.	47	9	32.5	36	Selected
25.	62	18	30	43.5	do
26.	59	15	31,5	42	do
27.	73	38	22	53	do
28.	35	12	20	34	do
29.	79	44	24	56.5	do
30.	70	41	18	53	do
31.	53	23	20	43	do
32.	62	12	37.5	41	do
33.	44	J8	19.5	39	do

34,	50	12	30	38.5	Selected
35.	44	15	22.5	38	do
36.	62	38	15	50	Rejected
37.	37	20	13	38	do
38,	56	15	30	41	Selected
39.	67	18	34	45	do
40,	62	26	23	46,5	do
41.	41	15	20.5	37	do
42.	23	3	29,5	24,5	do
43.	29	15	13,5	33,5	Rejected
44.	0	8	-	-	do
45.	35	ļB	13.5	36,5	do
46.	29	15	13.5	33,5	do
47.	10	16	_		do
48.	41	26	10	41	do
49,	65	18	32	45	Selected
50,	50	20	21	42	do

Items Selected :—31 (62%)
Items Rejected :—19 (38%)

(B) AN ANALYSIS OF THE ITEMS SELECTED AND REJECTED ON THE BASIS OF DISCRIMINATIVE AND DIFFICULTY VALUES COMPULSORY PART

Areas	Thought type items					
	Items Rejected		Items Selected			
Physics	0	+	7			
Chemistry	1	+	6			
Biology	2	. +	, 7			
Mathematics	3	+	4			
Agriculture	l	+	4			
Geology	0	+	5			
Philosophy of Science	0	+	5			
Physiology & Hygiene	0	+	5			
Engineering	I	+	4			
Meteorology	ł	4	4			
Blo-chemistry	1	+	4			
Astronomy	3	+	2			
Bio-Physics	1	+	4			

OPTIONAL PART OF THE TEST

61 81%

14

19%

Are	22	Factu iter reject	ms_ `	pe items items selected	Th ite reje	ms	t type Items Items selected	item reject		al Items selected
1.	Physics	9	+	21 = (30)	4	+	16=(20)	13	+	37=(50)
2.	Chemistry	6	+	24=(30)	4	+	16=(20)	10	+	40=(50)
3,	Biology	12	+	l8 ⇔ (30)	8	+	(20 ₎	20	+	30=(50)
	(I) Botany	9	+	6=(15)	6	+	4=(10)	15	+	10=(25)
	(II) Zoology	3	+	12=(15)	2	+	8≈(10)	5	+	20=(25)
4.	Mathematics	- 11	+	19=(30)	8	4-	12=(20)	19	+	31 = (50)
		38	+	82	24		56	62	 -	138
		329	6	68%	309	%	70%	319	6	69%
Τo	tai			(120)			(80)		(2	200)

Items rejected :— 27.6% Items selected :— 72.4%

APPENDIX XV

Sample Size = 600 (10% of population)

(A) DATA FOR THE RELIABILTY OF THE COMPULSORY PART OF THE SCIENCE APTITUDE TEST 1967

SI. No.	No. of students passing at the item	No. of students failing at the item	p - propotion passing at the item	q proportion falling at the item	
1.	305	295	,5083	,4917	
2.	217	383	.3616	. 6384	
3,	331	269	,5516	. 4484	
4.	358	242	,5966	. 4034	
5.	225	375	. 3749	.6251	
6.	394	206	.6566	.3434	
7.	377	223	.6283	.3717	
В,	442	158	· 1367	.2633	
9.	416	184	.6933	.3067	
10.	330	2/0	. 5499	.4501	
11.	299	301	. 4983	.5017	
12.	415	185	.6916	.3084	
13.	141	459	.2349	.7651	
14.	300	300	.5000	.5000	
15.	377	223	.6283	.3 71 7	
16.	409	191	.6816	.3184	
17.	328	272	.5466	. 4534	
18.	463	137	.7717	. 2283	
19.	326	274	. 5433	. 4567	
20.	317	283	. 5282	.4/17	
21.	120	480	. 1999	.8001	
22.	224	376	.3/32	.6268	
23.	287	313	.4783	. 5217	
24.	436	164	.7267	. 2733	
25.	220	380	. 3666	.6334	
26.	244	356	.4066	.5934	
27.	201	495	. 1749	,8251	
28.	190	410	.3166	.6834	
29.	526	74	.8767	.1233	
30.	266	334	.4433	.5567	
31.	316	284	.5266	, 4734	
32.	496	104	.8267	.1733	
33.	332	268	.5533	.4467	
34.	251	349	.4182	.5818	
35.	327	273	.5450	,4550	

36.	404	196	.6733	.3267	
	426	174	.7100	.2900	
37.	357	243	,5 94 9	, 4 051	
38.	470	130	.7833	,2167	
39.	435	165	.7250	. 2750	
4 0.	447	153	.7450	.2550	
41.	448	152	.7467	.2533	
42. 43.	264	336	.439 9	.5601	
	263	337	.4383	.5617	
44.	. 282	318	.4699	.5301	
45.	299	301	.4983	.5017	
46.	321	279	.5349	.4651	
47. 48.	299	301	.4983	.5017	
	253	347	.4216	.5784	
49.	277	323	.4616	.5384	
50.	206	394	.3432	.6568	
51.	318	282	.5299	.4701	
52.	263	337	.4383	.5617	
53.		336	.4399	.5601	
54.	264	237	.6050	.3950	
55.	363	391	.3482	.6518	
56.	209	226	.6233	.3767	
57.	374	249	.5850	.4150	
58.	351 272	227	.6216	.3784	
59.	373	437	.2716	.7284	
60.	163	257	.5716	.4284	
61.	343	128	.7867	.2133	
62.	472		.7383	.2617	
63.	443	157	.6083	.3917	
64.	365	235 216	.6400	.3600	
65.	384		.4749	.5251	
66.	285	315	,5149	.4851	
67.	309	291 247	.5883	.4117	
68.	353	524	,1265	.8735	
69.	76	474	,2099	.7901	
70.	126		.3949	.6051	
71.	237	363 382	.3632	.6368	
72,	218	362 360	.4000	.6000	
73.	240		.2649	,7351	∑ pq = 16.687
74.	159	441	.8242	.1758	
75.	145	455	ATA	****	

 $\Gamma = \frac{n}{n-1} \frac{(Sdt^2 - \sum pq)}{Sdt^2}$

г<u>11</u>=0.92

 $Sdt^2 = 186.077$ n = number of items in the

test.

Class Interval of Test scores

Class Intervals	Frequency
0-4	1
5-9	5
10-14	9

Ì

Class intervals	Frequency
15-19	22
20-24	64
25-29	61
30-34	72
35-39	86
40-44	70
45-49	60
50-54	69
S5- S 9	36
60-64	27
65-69	16
70-74	2
	N - 600

APPENDIX XV (Contd.)

Sample Size == 189

(B) DATA FOR THE RELIABILITY OF THE OPTIONAL PART (PHYSICS) OF THE SCIENCE APTITUDE TEST—1967

, No.	No. of Students passing at the jtem	No. of Students falling at the item.	P=proportion passing at the item	q=prcportion failing at the item
1.	168	21	,8889	.1111
2.	ł 57	32	.8306	, 1693
3.	170	19	.8995	, 1005
4,	148	41	.7831	.2169
5.	149	40	,7884	.2116
6.	126	63	,6667	.3333
7.	67	122	, 3545	.6455
8,	64	125	.3386	.6614
9.	141	48	.7461	. 2539
10.	33	156	. 1746	.8254
П.	90	99	. 4762	. 5238
12.	28	161	. 1482	.8518
13,	80	109	.4233	.5767
14.	67	(13	. 4021	. 5979
15.	72	117	.3810	.6190
16.	49	140	. 2593	.7407
17.	157	32	. 8306	. 1693
18.	44	145	.2328	.7672
19.	97	92	,5132	. 4868
20.	165	24	.8730	. 1270
21.	67	122	.3545	.6 4 55
22.	30	159	, [588	.8412
23.	52	137	.2752	.7248
24.	63	126	.3333	,6667
25.	58	131	,3069	,693
26,	29	160	.1535	. 8465
27.	55	134	,2910	,7090
28,	39	150	.2064	.7936
29.	27	162	. 1429	.8571
30.	138	- 5l	.7302	. 269
31.	95	94	. 5027	.497
32.	66	123	,3492	.650
33.	56	133	.2963	.703
34.	70	119	.3704	.629
35.	60	129	.3175	,682
36.	40	149	.2117	,788

				∑ pq = 9.9702
50.	76	113	.4021	.5979
49,	72	117	.3810	.6190
48.	113	76	.5979	.4021
47.	85	104	.4498	,5502
46.	66	123	.3491	.6508
45.	99	90	.5238	.4762
44.	64	125	. 3387	.6613
43.	63	126	.3333	.6667
42.	69	120	,3651	.6349
41.	76	113	.4021	.5979
40.	80	109	.4233	.5767
39.	48	141	.2540	.7460
38.	61	128	,3228	.6772
37.	51	881	. 2699	.7301

5dt1_61,425

r₁₁....,86
Class intervals of Test Scores

Class Intervals	Frequenc
	هه نصب د. پيهن چيه
0-4	
5-9	5
10-14	21
15-19	61
20-24	52
25-29	24
30-34	13
35-39	5
40-44	5
45-49	3
रकः १०	N ., 189
	14 c 1 44

APPENDIX XV (Contd.)

Sample Size=194

DATA FOR THE RELIABILITY OF THE OPTIONAL PART (CHEMISTRY) OF THE SCIENCE APTITUDE TEST_1967

S. No.	No. of students passing at the Item	No. of students falling at the Item	P=proportion passing at the Item	q=proportion falling at the item
l.	155	39	.7988	,2012
1. 2.	47	147	.2424	.7576
	58	136	. 2990	.7010
3.	100	94	. 5154	. 4846
4.		79	. 5928	.4072
5.	115 76	118	.3918	, 6082
6.		97	,5516	, 4484
7.	107	67	,6546	, 3453
8,	127 149	45	.7681	,2319
9.		94	.5155	. 48 45
10.	100 77	117	.3970	.6030
11.	143	51	.7371	. 2629
12.		76	.6083	.3917
13.	118	142	, 1681	.7319
14.	52	73	,6238	,3762
15.	124	140	.2784	,7216
16.	54	63	,6753	,3247
17.	131	62	.6805	,3195
′ 18.	132	130	.3300	.6700
, 19.	64		,6032	, 3968
20.	117	77 · 110	.4331	, 5669
21.	84	87	.5516	. 448 4
22.	107	83	.5722	.4278
23.	111	131	.3249	,6751
24.	63	116	,4022	.5978
25.	78	121	,3764	.6236
26.	73		.3454	.6546
27.	67	127	,3661	,6339
28.	71	123	.6341	,3659
29.	123	71	.3867	,6133
30.	146	48	.7939	,2061
31.	154	40	.8609	,1391
32.	167	27	.7578	.2422
33.	147	47	.7576 .4382	.5618
34.	85	109	.4362 .6135	.3865
35.	119	75	.6135 ,6444	,3556
36.	1 2 5	69		.5618
37.		109	.4382	, 438 l
38.	109	85	.5619	, ,,,,,,,,

39.	56	138	,2888	.7112
40,	64	130	.3300	.6700
41,	90	104	.4640	. 5360-
42,	##	`83	.5722	.4278
43,	[]]	83	. 5722	.4278
44,	91	103	.4692	.5308
45,	114	80	.5877	.4123
46.	97.	102	.4743	. 5257
47.	. 46	148	.2372	.7628
48.	127	67	.6547	,3453
49,	134	60	, 690B	.3092
50.	137	57	.7062	,2,38

Σpq--11.0986

Sdt* -83.475

r₁₁= .88

Class Intervals of Test Scores

	Class Intervals	Fraquency
	0-4	
	5-9	3
,	10-14	16
	15-1 9	30
	20-24	31
	25-29	37
	30-34	39
	35-39	22
	40.44	H
	45-49	5
		N. 194

APPENDIX XV (Contd.)

Sample Size≈140

DATA FOR THE RELIABILITY OF THE OPTIONAL PART (BIOLOGY)

OF THE SCIENCE APTITUDE TEST—1967

s. No.	No. of students passing at the item	No. of students falling at the stem	p=proportion passing at the item	q=proportion failing at the item
 I.	112	28	.8000	.2000
2.	123	17	.8786	.1214
3.	65	75	.4644	.5356
4.	. 21	119	.1501	.8499
5.	93	47	.6644	′.3356
6,	71	69	,5072	. 4928
7.	80	60	.5715	.4285
8.	84	56	.6000	.4000
9.	74	66	, 5287	.4713
10.	123	17	.8786	.1214
11.	104	36	.7429	,2571
12.	78	62	.5572	4428
13.	-125	· 15	.8929	.1071
14.	105	35	,7500	.2500
15.	60	80	. 4287	.5713
16.	44	96	.3144	.6856
17,	77	63	.5501	. 4499
18.	74	66	. 5287	. 4 713
19.	115	25	.8215	. 1785
20.	84	56	,6000	.4000
21.	86	54	.6144	. 3856
22.	127	13	.9072	.0928
23.	91	49	,6501	.3499
24.	47	93	,3558	, 6642
25.	39	101	.2787	.7213
26.	5\$	85	,3930	.6070
27.	77	63	,5501 ·	. 4499
28.	62	78	.4430	.5570
29.	95	45	,678 7	,3213
30.	64	76	.4572	. 5428
31.	98	42	.7001	.2999
32.	72	68	.5144	.4856
33.	₂ 90	50	.6429	.3571
34.	106	34	.7572	.2428
35,	95	45	.6787	.3213
36.	123	17	.8786	. 1214
37,	J2J	. 19	.8643	. 1357

38.	125	15	. 8929	, 1071
39,	108	32	.7715	,2285
40.	77	63	,5501	.4499
41,	80	60	,5715	. 4285
42.	57	83	.4073	. 5927
43,	65	75	.4644	, 5356
44,	52	88	,3715	.6285
45.	71	69	.5072	. 4928
46.	80	60	.5715	.4285
47.	18	59	,5787	.4213
48.	52	88	,3715	.6285
49.	39	101	.2787	,7213
50•	94	46	.6715	.3285

Σ pq=10.3900

Sdt² - 79.4225

r_{//}=.89

Class intervals of Test Scores

Class Interval	Frequency
0-4	0
5-9	1
10-14	5
15-19	9
20-24	27
25-29	28
30-34	32
35-39	15
40-44	14
45-49	9
	N -140
	4

APPENDIX XV (Contd.)

Sample Size=149

DATA FOR THE RELIABILITY OF THE OPTIONAL PART (MATHEMATICS) OF THE SCIENCE APTITUDE TEST--1967

. No.	No. of students passing at the Items	No. of students falling at the ltem	p=proportion passing at the item	q=proportion falling at the ltem
1,	28	121	. 1880	.8120
2.	101	48	,677 9	, 322 i
3.	32	117	.2148	.7852
4.	38	, 111	.2551	.74 49
5.	21	128	.1410	.8590
6.	59	90	.3960	.6040
7.	38	111	,2551	.7449
8.	29	120	.1947	,8053
9.	40	109	.2085	.7315
10.	16	133	. 1 0 7 5	,8925
11.	57	92	.3826	.6174
12.	4 5	104	.3021	.6979
13.	66	83	, 4430	.5570
14.	49	100	. 3289	.6711
15.	. 86	63	.5772	.4228
16.	16	133	.1075	. 8925
17.	32	117	.2158	.7852
18 ,	49	100	.3289	.6711
19.	28	121	.1880	.8120
20.	54	95	.3625	.6375
21.	54	95	.3625	.6375
22.	90	59	.604)	.3959
23.	14	135 '	.0940	.9060
24.	77	72	.5168	.4832
25.	91	58	.6108	, 3892
26.	68	81	.4564	.5436
27.	33	116	.2216	.7784
28.	51	98	.3423	. 6577
29.	26	123	, 1746	,8254
30.	31	. 118	.2081	.7919
31.	61	88	.4095	.5905
32.	64	85	.4296	.5704
33.	54 .	9 5	.3625	.6375
34.	50	99	,3356	.6644
35.	35	114	,235Q ·	.7650
36.	31	118	,2081	.7919

197

37.	41	108	.2752	.7248	
38.	32	117	.2146	.7852	
39.	35	114	,2350	.7650	
40.	39	110	.2618	.7382	
41.	32	117	.2148	.7852	
42.	19	130	,1276	.8724	
43.	34	115	,2283	.7717	
44.	33	116	.2216	,7784	
45,	39	110	.2618	.7382	
46.	25	124	.1679	,8321	
47.	42	107	.2820	.7180	
48.	27	122	.1813	.8187	
49.	[8]	131	. 1209	.8791	
50.	40	109	.2685	,7315	

∑ pq == 10,6413

Sdt² - 36,4850

rii. .72

Class Intervals of Test Scores

C	lass Interval	Frequency
	0-4	5
	5-9	15
	10-14	56
	15-19	55
	20-24	15
•	25-29	2
	30-34	3
		N . 149

APPENDIX XVI (A)

FIGURES AT A GLANCE

(i) Sample size = (Sample of selected awardees)-

N.S.T.S. Total

Sci	ence Aptitude Test	Essay	Interview	Project Report	N.S.T.S. Total
Science Aptitude Test		-0,160	—0.234∗	-0.041	0.335*
Essay	-0.160	_	0.166	0.088	0.134
Interview	 0 234	-6 166		-0.072	0.084
Project Report	0.041	<u>_0 088</u>	-0.072	_	0.180
N.S.T.S. total	0,335*	0.134	0.084	-0.180	~
(II) Sample size=(app yea	proximately 7 % ar 1967)	of the candid	ates who took 1	the N.S.T.S.	Examination
Science Aptitude Test	_	0.32*	0.20*	0.37*	0.93**
Essay	0.32*	_	0.10	0.17*	0.53**
Interview	0.20*	0.10	_	0.15	0.69**
Project Report	0.37*	0.17*	0.15		0.49**

0.53**

0.69**

0.93*

^{* :--}Significant at 5% level

^{** :—}highly significant.

APPENDIX XVI (B)

Table 1

THE DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED IN S.A.T. & ESSAY PAPER BY THE EXAMINEES
OF THE N.S.T.S. EXAMINATION YEAR 1967.

Marks scored in Essay/Marks scored in S.A.T.	0-5	6-10	11-15	16-20	21-25	26~33	31 35	3640	41-45	Total
6-0		9	4	61	6	5	7		1	46
(0-19	6	ø	7	81	CI	ເບ	m	,- -	i	49
20-29	4	60	σ	01	ឧ	<u>:</u>	m	ئ ىرى	ı	89
30-39	9	w	vo	15	=	Φ	₹'	1	1	23
40-49		4	7	Ξ	œ	ឧ	4			75
50-59	I	ł	0	9	60	91	m	1 .	!	£ ;
69-09		-		•	2	σ	rń ·	પ (l	4. (
70-79	l	m	m	7	4	_		7.	l	7 :
80-89	_		-	1	ın	<u>.</u>				<u>.</u>
66-C6	l	I	4	1	i	m	rr ·	 .	ŀ	<u> </u>
r00-109	l	l	1	-	١	[₹	_	l	۰ ۵
110-119	l	1	I	I	1	7	1	l	I	7
Total	133	88	SS	93	8	101	32	12	-	43.5

(i) Average score scored by the examinee in S. A. T.=39.83 in Essay paper=20.77

(ii) S.D. =25.4 (iv) S.D. =8.56

The value of r is significant at 1 % level.

r = 0.32

Table 2

THE DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED IN S.A.T. & PROJECT REPORT BY THE EXAMINEES OF THE N.S.T.S. EXAMINATION YEAR 1967.

			(ii) S.D. =25.4 (iv) S.D. =4.44	E 2	-		=39.83 = 10.01	by the examinee in S.A.T. =39.83 Project Report=10.01	the examin	e scored by —do—	e score s	(ii) Average score scored
435	9	01	91	37	53	70	98	58	52	25	77	Total
ч	i	ı	-	I	1	1	_	I	ł	l	. }	110-119
9	-	ı	i	7	_	ı	I		_	l	ł	100-109
2	_	_	1		ı	m	7	7	Į	ı	i	66-06
61	I	7	1	4	7	Ŋ	2	J	-	I	ì	80-89
77	7	7	m	m	8	5	7	_	_	J	l	70-79
34	l	l	4	Ŋ	60	Ŋ	4	رى •	-	I	7	69-09
43	_	7	т	9	4	7	Φ	m	9	_	_	50-59
27	_	7	m	9	7	80	Ξ	00	7	4	1	40-49
23	ŀ	1	-	v	ហ	2	6	7	œ	m	2	30-39
89	Į	١	_	_	7	<u>°</u>	20	01	13	m	4	20-29
64	I	-	I	1	œ	6	12	4	, 6	9	Ŋ	61-01
46	1	1	i	m	m	00	=	7	9	6 0	I	6-0
Total	21-22	19-20	17-18	15-16	13-14	11-12	°-10	7-8	5-6	3.4	0-5	Marks scored in Project Report/ S.A.T.

. The value of r is significant at 1 % level.

r = 0.37

APPENDIX XVI (B)

Table 1

THE DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED IN S.A.T. & ESSAY PAPER BY THE EXAMINEES

OF THE N.S.T.S. EXAMINATION YEAR 1967.

Marks scored in Essay/Marks scored in S.A.T.	0-5	6-10	51-11	16-20	21-25	26 -33	31-35	36-40	41-45	Total
0-9 10-19 20-29 30-39 40-49 50-59 60-69 70-79 80-89 90-99 110-119	-640-1-1-11	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	4 r o o r o - w - u	6.802007	& C C = 8 8 5 4 €	2	(400440044	- 40	1111-1111111	2 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Total	23	88	25	83	85	101	32	12	-	435
(i) Average score scored		the examin	by the examinee in S. A. T.=39.83 in Essay paper=20.77	T.=39.83			(i) (i)	(ii) S.D. =25.4 (iv) S.D. =8.56	1.0	

The value of r is significant at 1 % level.

r = 0.321

THE DEGREE OF ASSOCIÁTION BETWEEN THE MARKS SCORED IN S.A.T. & PROJECT REPORT BY THE EXAMINEES OF THE N.S.T.S. EXAMINATION YEAR 1967. Table 2

Marks scored in Project Report/ S.A.T.	0-2	¥.	5-6	7-8	6-10	2 }-11	13-14	15-16	17-18	19-20	21-22	Totai
6-0	1	80	9	7	=	80	, e	m				4
10-19	5	9	. 6	<u>+</u>	12	6	œ	I	!		۱ ا	5 4
20-29	*	m	12	GI	20	으	7	_	-	·	ļ	5 %
30-39	2	m	00	۲	6	<u>°</u>	ĸ	9		I	Į	6 6
40-49	I	⁴-		vo	-	80	7	9	m	7	-	22
50-59	_	-	9	m	6	7	4	9	m	17	-	. 4
69-09	7	l	-	S,	4	5	60	5	4	ı	'	. ¥
70-79	I	1		-	7	ιν	œ	m	m	7	2	77
80-89	ļ	ļ	-	i	ιΛ	'n	7	4	۱ ۱	7	۱ ۱	6
66-06	ı	ł	ł	2	7	m	1	-	ı	_	_	2
100-109	ł	ì		-	I	1	-	7	i	۱ ۱	-	. 40
110–119	٦.	1	ı	ı	-	i	ı	1	-	ı	. 1	8
Total	77	25	52	88	98	70	53	37	16	9	9	435
(i) Avera	ge score	scored by	the examin	(i) Average score scored by the examinee in S.A.T. =39.83 (iii) —do— Project Report=10.01 r =0.37	=39.83 rt=10.01 r =0.37			£ £	(i) S.D. =25.4 (iv) S.D. =4.44			

The value of r is significant at 1 % level.

Table 3

DEGRE	E OF ASS(OCIATION	BETWEEN	THE MAR	Table 3 EEN THE MARKS SCORED-IN S.A.T. & INTERIOR TEAR 1967.	IN S.A.T.	& INTERV	EW TEST	Table 3 DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED-IN S.A.T. & INTERVIEW TEST BY THE EXAMINEES DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED-IN S.A.T. & INTERVIEW TEST BY THE EXAMINATION YEAR 1967.	AMINEES	
			5								•
Marks scored	0-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45 .	46-50	Total
5,A. I. 1est							1	١	1	١	1 1
0-9 10-19 20-29 30-39 40-49 50-59 60-69 70-79 90-99 100-109	11111-4111	11111-000-11		1111-1-1-4-1-4		111111-44-41	11111111	111111-111	11111-1111	111111-11-	24 77 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Total	6	8	82	=	12	80	7	-	-		
(i) Ave	(i) Average score scored		by the examinees in S. A. T.=78.11 by the examinees at Interview=15.85	in S. A. T at Interviev	;=78.1! v=15.85		(ii) S.D. (iv) S.D.	(ii) S.D. =14.19 (iv) S.D. =9.55			

The value of r is significant at 5% Level.

r=0.200

(iii) Average score scored by the examinees at Interview=15.85

DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED IN S.A.T. & THE N.S.T.S. TOTAL OF THE EXAMINEES OF THE N.S.T.S. EXAMINATION, YEAR 1967.

	•	(ii) S.D. =25.42 (iv) S.D. =37.02	(vi)	S	nination =74.	.T. =39.83 N.S.T.S. Exar	linees in S.A. Kamirees in I	by the e×aπ red by the ex	(i) Average score scored by the examinees in S.A.T. =39.83(iii) Aggregate score scored by the examinees in N.S.T.S. Examination =74.55	(i) Avera (iii) Aggre
435	2	11	19	32	21	78	88	108	76	Total
, h	}	72	1	ļ	l	Ī	ı	1	1	110-119
, v	-		2	l	1	I	1	1	!	100-109
ā		w	4.	2	1	ı	l	í	l	90-99
: 5	. 1	ω	9	5	-	_	I	1	1	80-89
; E	٦,	i	2	15	7	w	i	ı	1	70-79
) <u>1</u>	1	l	2	9	10	12	-	1	1	60-69
. 4.	i	۱'	l	l	w	35	UI	1	I	50-59
; ٢	1	•	1	-		26	29	1	_	40-49
1 K	1	1	1	l	i	-	33	24	_	30-39
8 &	ł	1	1	1	I	ŀ	20	4	7	20-29
: \$	i	ſ	1	ļ	l	I	i	35	29	10-19
: *	1,	1	i	1	1	1	I	œ	38	ó-9
Total	180-200	160–180	140-160	129-140	100-120	80-100	60-80	40-60	20-40	N S.T.S. Total/S.A.T. Marks

r=0.936

The value of r is highly significant

Table 5

THE DEGREE OF ASSOCIATION (CORRELATION) BETWEEN THE MARKS SCORED IN ESSAY AND PROJECT REPORT PAPERS BY THE EXAMINEES OF THE N.S.T.S. EXAMINATION YEAR 1967.

Total	- 12 32 53 33 53 53 53 53 53 53 53 53 53 53 53	435	
21-12	111-1-6-1	9	
19-20	11	2	
15-16 17-18		91	35. 4.
15-16	-4	37	(ii) S.D. = 8,56 (iv) S.D. = 4.44
13-14	m r m 4 r m -	53	(ij)
11-12	N4= 55 55 55 10 4 1	70	
61-6	80048541	98	6
7-8	4 1 9 1 9 1 9 1	88	7.0 0.0i
5. 6	-4/2524-1	25	/ paper=20 Report=10
I	9444-11	ð	in the Essa) Project
0-2	4 m - m 4 4	ä	score scored i
Marks scored in Project report,	0-5 6-10 11-15 16-20 21-25 26-30 31-35 36-40	Total	(i) Average score scored in the Essay paper==20.77 (iii) —do— Project Report = 10.01

The value of r is significant at 5% level.

r=0.17

THE DEGREE OF ASSOCIATION (CORRELATION) BETWEEN THE MARKS SCORED BY THE EXAMINEES IN ESSAY PAPER AND THE TOTAL IN N.S.T.S. EXAMINATION, YEAR 1967.

Table 6

(I) Average scon (III) Average in N	Total 7	0-5 6-10 11-15 16-20 21-25 26-30 31-35 36-40 41-45	Total N.S.T.S. score/Marks scored 20-40 in Essay Paper
e scored in Esci	76 108	13 8 20 9 10 16 23 30 7 25 3 12)-40 40-60
(I) Average score scored in Estay paper = 20.77 (III) Average in N.S.T.S TOTAL = 74.55	68	1-482333	60-80
	78	1 - 6 28 7 7 5 4 2	BO-100
	. 21	. 2 - 8 5 2 2 2 1	100-120
(ii) S.D. = (iv) S.D. =	• 32	1 2 2 1 1 2 2 1 1	120-140
= 8.56 = 37.02	,		140-160
	11] - 01 & - 0 - 1	160-180
	2	111114411	180-200 Тоъ
	435	23 38 50 93 101 17 17	Total

r=0.53

The viue of r is significant at 0.01 Leval.

Table 7

. THE DEGREE OF ASSOCIATION (CORRELATION) BETWEEN THE MARKS SCORED IN ESSAY PAPER AND INTERVIEW BY THE EXAMINEES OF THE N.S.T.S. EXAMINATION, YEAR 1967.

Marks scored in Interview/Marks	8-6	01-9	<u>1</u> -12	16-20	21.25	26-30	31 35	36-40	41 -45	46.50 Total	Total
scored in Essay Paper	בּ									١	ł
0-5	1	1	1	1	1 1	1 1	1 1	۱ ۱	١	1	1 "
01-9	1 -	۱ ۹	1	i i	ч	ł	ì	1	ļ		-
11-15	_	٦ ،	٦	ı	7		1	1 -	1 1	1	2
16-20	i	7 '	4 ^				ı	•	-	i	æ
21-25	4	4 (n v		m	m	_	l	-	_	E
26-30	m	φ.	۰ ۱		4	7		l	i	٠ ا	œ
31-35		Ι.	۳ ۳	۱ ۱	_	i	l #	l	1	1	7
36-40	ſ	4	1		_	ł	ì	1	ļ	l	1
41.45	l	l	1					-	-		83
Tetal	6	21	<u></u>	=	13	_	7	-	-		١
							901				
(i) Avera	(i) Average score scored i	red in Essay	in Essay paper = 27.45			0.5 (5) 0.5 (5)	(ii) S.D. = 6.700 (iv) S.D. = 9.500				
(III) Avera	(III) Average score scored	red in Interv	in Interview = (3.37								

r=0.10

The value of r is not significant at 5% level

THE DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED BY THE EXAMINEES IN INTERVIEW AND THEIR N.S.T.S. TOTAL EXAMINATION Table 8

					•					
			=9.61 =21.29	(ii) S.D. (iv) S.D.			7.01 35.85	nterview= score =	e scored in l	(i) Average score scored in Interview=17.01 (iii) Average of Total N.S.T.S. score =135.85
_	2	50	20	28	22	1	1	l	1	Total
	-111-17111	-1 -1 -1 -1 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2	1-11000,0-1	اسمو - ما ا ا ا	11111	111111111	11111111	1 1 1 1 1 1 1 1 1 1 1 1	11111111	0-5 5-10 10-15 15-20 21-25 25-30 31-35 31-35 40-45
70	180-200	160-180	140-160	120-140	100-120	80-100	60-80	40-60	20-40	N S.T.S. Total/ Interview Marks

The value of r is significant at 1% Level

THE DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED BY THE EXAMINEES IN PROJECT REPORT AND THEIR N.S.T.S. TOTAL EXAMINATION 1967.

N.S. T.S. Total/ Marks scored in Project Report	0-20	29-40	40-65	08-09	36-100	139-123	125-143	140-169	160-133	186-239	Total
6-2		7	2	m	_	1	1		1		21
3-4	-	7	۰0	ĸ		i	i	` 	j	J	22
5-6	ı	6	71	13	ĸ	7	ţ	1		ı	15
7-8	1	<u>15</u>	19	Ξ		7;	-	7	_	1	53
9-10	_	91	7;	77	7	7	۰.	7	7	1	13
11-12	ı	2	17	13	E1	1~	τī	•9	i	ı	73
13-14	!	4	çv	12	13	7	7	m	_	1	53
15-16	!	7		7	13	4	24	4	m		35
17-18	ŀ	ĺ	ŀ	7	7	_	(PB	_	***	ı	<u></u>
19-20	ı	1	. .	-	2	_	m	_	_		2
_ 21-22	1	ı	ı	ı	_	1	14	-	_	_	9
Total	2	75	108	88	75	23	; ; 0 8	23		; ; –	434

(ii) Average score scored in Project Report = 10.04 (iii) Average of Total N.S.T.S. score = 74.05

(ii, S.D. = 4.43 (iv) S.D. = 36.87

=0.49

The value of r is significant at 1% level.

THE DEGREE OF ASSOCIATION BETWEEN THE MARKS SCORED BY THE EXAMINEES IN PROJECT REPORT AND IN INTERVIEW OF THE N.S.T.S. EXAMINATION 1987.

Table 10

(i) Avers	Total	21-22	19-20	17-18	15-16	13-14	[1-12	9-10	7-8	5-6	Marks scored in Interview/Marks scored in Project Report
do											ŭ G n
scored ir in	7	1	-	2	1	2]	-	1	-	0-5
 (i) Average score scored in Project Report = 13,47 (iii) —do— in Interview = 16.79 	16	 I	í	2	ω	LL)	v	-	-	1	5-10
ort = $13,47$ = 16.79	18	 	ω	-	-	ω	ω	W	Ŋ	-	10-15
	17	_	I	2	ω	1	4.	(ri	2	ļ	15-20
	=	1	I	Ţ	տ	2	ω	ļ	1	-	20-25
	و	نو	N	1	J	υı	I	I	ļ	1	25-30
(ii) S.D. (iv) S.D.	2	l	l	1	_	I	I	I	.	I	30-35
=4.10 =9.83	J	-	1	1	l	ſ	i	ſ	l	1	35-40
	2	1	I	_	I	I	i	_	ı	1	40-45
	-	-	ł	ı	i	1	1	ì	l	1	45-50
	83	, &	о.	, co	13	15	16	=	6	ω	40-45 45-50 Total

The value of r is not significant at 5% Level

r=0.15

(B) STATEWISE FREQUENCY DISTRIBUTION OF MARKS SCORED BY THE CANDIDATES IN PROJECT REPORT IN N.S.T.S. EXAMINATION YEAR 1967.

S. D.	X Mean	Total	21-25	į	16-20	11-15	6-10	0-5	Scored Marks
3.60	9	232			9	69	124	30	A P.
3.85	7.0	175	_		4	20	85	65	Bihar
3 65	9.4	66		-	_	26	29	10	Assam
4.70	12.3	268	4		69	103	70	22	Delhi
4.10	9.2	72	•	-	2	23	32	14	Gujarat
5.90	10.9	126		•	25	34	31	30	Haryana
3.35	7.1	27		1		_	17	cs	J& K
3.60	10.6	380		2	24	165	167	23	Kerala
4.90	12.8	412		20	Ξ	132	128	2	M. S.
3.70	89. W. 98	453		1	17	8	Ų	97	M P.
4.35	8.9	578		}	38	166		140	Madras
4.70	10.1	434		ω	5	-70		80	Mysore
4.15	8.0	64		1	~		 - t	20	Oríssa
4.30	9.5	92		_	4.			× 2	, Рь.
4.45	10.0			2	a	, !	2	69 52	Raj.
3,90	10.7	258		2		 : i	37	90	U.P.
4.45	9.1	76]		4	5	33	; U.T.
4.85	10.6	5=1		v	. 5	2	55	95	6 W. B.

Note: In state of Delhi & U.P. a systematic sample of interval 3 is adopted.

APPENDIX XVII

(A) STATEWISE FREQUENCY DISTRIBUTION OF MARKS SCORED BY THE CANDIDATES IN ESSAY PAPER

IN N.S T.S. EXAMINATION YEAR 1967.

WB,	284E27E37-1	513	22.3	7.46
.T.U	w.a∞₩¥24₩w-	8	21.5	8,10
.a.u	######################################	305	19.3	9.3
[8]	488824	230	18.0	. 5.1
.dq	1 2 BB B 5 2 2 2	Ξ	21.45	8.0
Orizza	2527753	69	21.1	7.20
.ayM	82 2 8 8 7 5 2 7 5 2 7 5 2 7 5 2 7 5 2 7 5 1 7 5	479	17.5	8.20
.brM	- 8 <u>2 2 2 2 2 2 1 1 2 2 2 2 2 2 2 2 2 2 2 </u>	919	21.2	6.75
.a.M	258837 1 + 11837 1 + 11837	545	16.2	7.5
.s.M	K64%58%541	433	20.28	8.7
Ketala	<u> </u>	385	22.75	9.8
ו מי ג	-454@w-	29	18.0	7.0
Harsana	4~=%%%21	145	22.1	6.80
-lub	<u> </u>	76	8.91	8:11
Intact	22×45×22-1	238	22.7	7.9
. massA	w~ @ 5 & \$ 4 1 1	88	23 6	9.0
1sril 8	82288347-1	205	21.63	9.5
.a.A	&%%4&%=-	272	16.35	9.25
Scored Marks	0-5 6-10 11-15 12-25 21-25 31-35 31-35 41-45	Total	X Mean	(S.D.)

Note :-In States of Delhi & U.P. a systematic sample of Interval 3 is adopted,

(B) STATEWISE FREQUENCY DISTRIBUTION OF MARKS SCORED BY THE CANDIDATES IN PROJECT REPORT IN N.S.T.S. EXAMINATION YEAR 1967.

	×		21	16	=	: ,	•	.	Scored
S. D.	X Mean	Total	21-25	16-20	-15		5 ' 	0-5	Marks
3.60	9	232	1	9	69		124	96	A P.
3.85	7.0	175		4.	20	3 1	œ	65	Bihar
3 65	9.4	66		_	20	,	29	5	Assam
4.70	12,3	268	4	69			70	z	Delhi
4.10	9,2	72		2	-1	23	អូ	14	Gujarat
5.90	10.9	126	6	25	!	34	3	30	Haryana
3.35	7.1	27				<u>-</u>	17	00	J& K
3.60	10.6	380	2	24		165	167	23	Kerala
4.90	12.8	412	20	=	:	132	128	22	M. S
3.70	8.3	453				8	257	97	M P.
4.35	8.9	578	1	 c	۔ م	166	234	140	Madras
4.70	10.1	434	w	, :	<u></u>	146	154	80	Mysore
4.15	8.0	2		1	 2	16	. 26	20	Orissa
4.30	9.5	25	-		*	33	36	- CO	Pb.
4.45	10.0	-60		، د	œ	29	69	52	Raj.
3.90	10.7	258		ن د	5	125	%	25	U,P.
4.45		76	١		7	79	ü	7.7	U.T.
4.85	10.8	511	· .	9	2	155	195	8	W. B.

Note: In state of Delhi & U.P. a systematic sample of interval 3 is adopted.

APPENDIX XVIII

De ist Gar in P. m., had M.S. M.P. Mac. Mys. Crr. Gco. Ponc. Pb Ray, Tri- U.P W.B. 182.	3 35 35 35 35 35 35 35 35 35 37 46	366 131 35 13 326 846 136 224 94 3 59 579 309 19 2398 500	56.2 22.5 26.2 56.8 32.1 20.5 45.9 38 1 32.3 42.9 36.0 23.6 25.6 19.8 32.6	23.5 17.4 13.6 8.0 23 2 17.4 20.5 21.0 19.1 15.5 18.6 15.3 17.7 16.2 21.5	41.8 76.0 52.0 72.2 84.8 44.5 55.1 59.2 31.5 51.5 64.7 69.2 81.7 66.0	2 14 5 12 16 3 6 7 1 4 9 12 15 10
} ;		ָ ֭֭֓֞֞֞֞֞֩֞֞֩֞֩֞	i –	٠	i	
¥.	网络西腊斯兰 ^{加州} []	7.	! -	; ~	}	
N.	-	136	45.9	8	4.	m
φ. φ.	225.88 25.55	846	20.5	17.4	84.8	22
•	2088-1204 v m 1	326	32.1	23 2	72.2	12
rr, hai	111,464-111111	2	56.8	8.0		
	w~5∞w	35	25.2	13.6	52.0	'n
Ğ	NEW 7 0 444 - 14 1 1	131	22.5	17.4	76.0	7
gi b	m = 1232328482544	366	56.2	23.5	41.8	7
Bif :r	2%48554411111	E	24.5	18.0	73.6	2
g. A	885228=20141111	\$	22.5	15.2	67.4	=
Азѕап	74700004WW-	8	34.3	21.9	63.7	œ
Scored	0-9 20-29 30-39 40-49 50-59 60-69 90-99 110-119 130-139	Total	Mean (3)	S.D.	%	Rank of (v)

STATEWISE FREQUENCY DISTRIBUTION OF THE MARKS SCORED BY THE CANDIDATES IN SCIENCE APTITUDE TEST OF THE N.S.T.S EXAMINATION YEAR 1965

Rank of (Y)	٧%	S.D.	(Mean)	Total	10-19 20-29 30-39 40-49 50-59 60-69 70-79 80-89 90-99 100-109 110-119	Scored Marks
ع و 	%	<u>۲</u>	5		11.09 11.09 11.09 11.09	
ر د	48.7	1.3	33	<i>t</i> s	ur00004!	Assam
Ξ	70.9	16.7	23.6	54 3	1142 130 130 130 130 130 130 130 130 130 130	A.P.
0	65.5	17.0	26.0	8	2234433	Bihar
W	47.3	24.1	50.9	586	24 44 53 53 53 53 54 54 54 54 54 54 54 54 54 54 54 54 54	Delhi
13	71.7	17.1	23.9	94	1111524025	୍ରି -
			64.6	6	_1111111	G 02
			22.2	<u>ت</u> ا	امحس[]]]]]	Ŧ,
		17.3	35.3	4		Imphal J. & K. Kerala
00	59.8	12.0	20.4	17	wa4w-	 ×
	71.6	17.7	24.7	6	1 277	Kerala
2	45.5	23.2	50.9	238	-59545254	M.S.
17	81.2	17 5	21.5	975	1 - 1 - 1 - 1 - 1 - 1 - 1 - 3 - 3 - 3 -	<u></u>
7	55.6	17.7	31.7	461	1 - 5	Mad.
6	50.3	20.9	41.4	1 <u>8</u> 4	- 22589234376	Mys.
_	42.6	17.	41.5	8	-4000044-	Orissa Pond.
4	48.0	18.00	37.7	59	G®44 <u>™</u> =1	Pond.
9	60.5	17.1	28.2	452	11112255884	공.
. 15	76.0	15.0	19.8	313	11111477538688	Raj.
4	72.7	20.0	27.5	28	111112-5002	Tri- pura
, <u>e</u>	89.4	15.3	17.1	1670	509 273 117 60 15 15 15 16 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	U.P.
<u>-</u>	79.5	26.3	33.	394	1 - 5 5 5 5 5 5 5 5 8	N. p.

STATEWISE FREQUENCY DISTRIBUTION OF THE MARKS SCORED BY THE CANDIDATES IN SCIENCE APTITUDE TEST OF THE N.S.T.S. EXAMINATION YEAR 1966

Stored Marks	Assam	A.P.	Bihar	Z Z	Gej.	, X	Kerala	M.S.	Σ. Ψ.	Madras	Mysore	Orissa	Punjab	Raj.	4.U	U.T.	. δ.
10-19 20-19 20-19 30-19 40-49 50-59 10-79 10-109	50E47441111	82342358 4	1-12-2222	284228822422	04W4442-1-1	m-m+	-1 8=222273	23 25 25 25 25 26 26 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	248 190 11 28 11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	248225044	25.877.97.82.44 		=826448an-	0.988.40-74 -	-2 6 7 7 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	*********	1 455223848m
TotalNo.of	31	203	103	564	55	=	1	294	638	243	8	8	216	961	828	6	239
Mean (£)	24.5	24.5	28.2	55.2	24.5	21.8	48.2	23.3	17.2	31.3	43.4	41.5	34.5	18.2	18.5	37.0	47.4
S.D.	18.2	16.4	17.2	19.8	22.2	11.9	19.5	22.3	15.1	17.1	23.2	17.3	16.3	14.5	17.3	18.5	21.6
% age of Co-efficient of Variation (v)	7.1	1.79	6.09	8.9	90.5	4.	40.3	78.7	87.8	<u>γ</u>	4.8	41.7	47.1	0.0	93.5	20.0	45.5
Rank of (v)	12	=	9	-	91	ω	7	E .	22	•	_	m	20	4	12	9	4

STATEWISE FREQUENCY DISTRIBUTION OF MARKS SCORED BY THE CANDIDATES IN SCIENCE APTITUDE TEST ON N.S.T.S. EXAMINATION YEAR 1967

		_		
S. D.	X Mean	Total	0-9 10-19 20-29 30-39 40-49 50-59 60-69 70-79 100-109	Scored Marks
21.7	34.4	285	1 -57	A. P.
8.81	38.4	8	111	Assam
24.8	33.2	208	-285798222	Blhar
22.4	59.5	289	2=52493355	Deihi
25.0	33.3	79	こるでのよってとしょしー	Gujarat
20.0	45.3	146	1 - 4 4 8 772 23 77	Haryana
12.8	22 8	28	บเมิดอนไไไไไ	J&K
18.0	55.9	376	. 4845554164	Kerala
24.1	44.3	440	55 55 55 55 55 55 55 55 55 55 55 55 55	M. S.
18.1	21.3	564	160 170 107 172 173 174 177 177	М. Р.
(9,9	39.2	622	1 2 8 7 8 8 8 3 3 5 4 3	Mad.
19.9	45.9	482	6 5 3 5 5 5 5 7 5 5 7 5 7 5 7 5 7 5 7 5 7	Mys.
19.3	\$	70		Orissa
20.3	38.7	115	11-867724275	Pb.
17.5	24.1	242	73 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	l Raj.
19.5	24.5	317	154=1326678	U. P.
20.0	42.6	8	111=00017	U. T.
26.9	53.0	516	- £2325355555 - £23253555555	W. B.

Note :—In States of Delhi & U.P. a systematic sample of interval 3 is adopted.


STATEWISE FREQUENCY DISTRIBUTION OF THE MARKS SCORED BY THE CANDIDATES IN SCIENCE APTITUDE TEST OF THE N.S.T.S. EXAMINATION YEAR 1966


																_	
Marks	Assam A.P.	A.P.	Bihar	Delhi	G.	<u> </u>	Kerala	Μ.S.	M P.	Madras	Mysore	Oriss	Punjab	Raj.	a. D	U.T.	γ, Β.
	:	۶	-	-	2	"		8	246	23	7	2	=	9	788	4	m
٠ -	٥,	? :	- 0	4 5	3	۰	1	4	8	4	<u></u>	7	82	38	25	m	<u>co</u>
↑ 1-0	<u>ا</u> م	יִּג	<u>.</u>	ą :	<u>.</u>	- 0	· <u>r</u>	; ;	2 2	C,	×		i C	00	126	- -	36
- 30-2 ₉	<u> </u>	2	9	₹	.	 	7 :	ī 6	3 9	77	2 -	, r	3	2	2		44
30-39	7	17	9	5	4	4	1	ŝ	¥ ;	4.7	2.0	n (⊋ ;	<u> </u>	2 %	2 4	F 7
40-49	~	<u>9</u>	건	<u> </u>	4	ł	53	8	2:	T :	> د	٠,	. ?	2-	2	n =	8 7
50-59	4	9	-	82	4	I	2	7:	='	<u>~</u> (ויב	- 4 c	3	- c	3:	- 4	5 F
69-09	m	ထ		25	ın.	ı	2:			~ (~ 6	۷,	×> -	٠,	•		77.
70-79	l	I	7	ا		1	= '	φ,	Ó r	~	20 L	4	ი -	·- ·	<u>-</u> 4	 •	77
80-89	1	7	1	84	1	ı	90	۰ ب	Y) -	•	n r	.,	-	[-	- -		2 1-
90-99 100-109	11		- 1	52.	- 1	11	ı —	۲	- 1	1 1	77	-	11	- 1	1-		- 1
TotalNo.of candidates	125	503	103	564	55	=	5	794	638	243	001	23	216	1961	828	ç	239
Mean (王)	24.5	24.5	23.2	55.2	24.5	21.8	48.2	23.3	17.2	31.3	43.4	41.5	34.5	18.2	18.5	37.0	47.4
S.D.	18.2	16.4	17.2	8.61	27.7	=.9	19.5	22.3	15.1	17.1	23.2	17.3	16,3	14.5	17.3	18.5	21.6
9, 55, 76	7.7	10	9	25. 9	8	4 42	40.3	78.7	87.8	54.8	53.4	41.7	47.1	80	93.5	50.0	45.5
% age of Co-efficient of Variation	Ę		. .		2												
Σ												~ j		اً ا	Ī		
Rank of (v)	[2]		9	-	91	80	7	<u>-</u>	5	6	_	m	N	4	2	9	4


STATEWISE FREQUENCY DISTRIBUTION OF MARKS SCORED BY THE CANDIDATES IN SCIENCE APTITUDE TEST ON N.S.T.S. EXAMINATION YEAR 1967

			_	
S. D.	X Mean	Total	0-9 10-19 20-29 30-39 40-49 50-59 60-69 70-79 90-99 110-119	Scored Marks
21.7	34.4	285	555 555 555 555 555 555 555 555 555 55	A. P.
18.8	38.4	82	ພທທັດຊັ້ວທ່ວ	Assam
24.8	33.2	208	-28579533422 -285795575	Bihar
22.4	59.5	289	2 - 6 26 49 37 22 5 1	Dalhi
25.0	33.3	79	1 W-W-W-W	Gujarat
20.0	45.3	146	1 - 4 4 8 7 2 2 2 2 3 1 1	Haryana
12.8	22 8	28	जळलक्यो । । । ।	J& K
18.0	55.9	376	. 4845544554	Kerala
24.1	44.3	440	488257426642	M. S.
18.1	21.3	564	160 170 197 12 12 12 12 12	М. Р.
19.9	39.2	622	1 2 8 7 8 3 5 5 3 3 3 4 3 2	Mad.
19.9	45.9	482	6538578281 6538578281	Mys.
19.3	46.1	70		Orlss 1
20.3	38.7	115		Pb.
17.5	24.1	242	668888888888888888888888888888888888888	Raj.
19.5	24.5	317	8588454542	U. P.
20.0	42.6	<u>&</u>	1 - 5554277	υ, τ .
26.9	53.0	516	£\$	W. B


Note :—In States of Delhi & U.P. a systematic sample of interval 3 is adopted.


























A. P.






YEAR 1965






A. P.




BIHAR


YEAR 1964




YEAR 1965



YEAR 1966




BIHAR




BIHAR


YEAR 1964




YEAR 1965



YEAR 1966









DELHI


YEAR 1964



YEAR 1965




YEAR 1966












DELHI



YEAR 1965




YEAR 1966




DELHI







GUJARAT



YEAR 1965




YEAR 1966



GUJARAT







KERALA

YEAR 1964 NO STUDENT






YFAR 1966





KERALA




M. S.








YEAR 1966





M. S.







M. P.






YEAR 1966






MADRAS


YEAR 1964




YEAR 1965



YEAR 1966





1




MYSORE


YEAR 1964





YEAR 1966






34.5

4.5


94·5

75.5


PUNJAB




YEAR 1965




YEAR 1965









RAJASTHAN YEAR 1964




YEAR 1965



YEAR 1966










U. P.









YEAR 1966









W. BENGAL







YEAR 1986




W. BENGAL









APPENDIX XIX

TABLE A

PREDICTIVE AND FOLLOW-UP (COMPARATIVE) DATA OF A RANDOM SAMPLE OF STUDENTS WHO SECURED FIRST CLASS AT THE HIGHER SECONDARY EXAMINATION 1967 AND WHO SECURED A PLACE IN THE MERIT LIST OF THE SCIENCE TALENT SEARCH EXAMINATION AS AGAINST THOSE WHO COULD NOT SECURE A POSITION

	Unselected	Group	1			Sel	ected Gro	up	#? .
1	2	3 (Sam sız	ple 4 (Mea e)	in) 5 (S.D	.) 6 (Sa ple si		8 (S.D.)	9 (C.R.) Value	Sign!- ficance Level
1.	Scienco Aptitude Test Score	60	73.153	9 153	50	88,10	12.319	7.216	1%
2,	Essay Score	60	25,583	4.831	50	28.50	7.316	2.525	[0]
3.	Project Score	60	11.516	4 653	50	15.06	3.941	4,212	
4.	Interview Score	58	13.706	5.869	50	25,54	6.670	9 694	
S.	Total N.S.T.S. Scor	o 58	121.120	9.645	50	157.46	13,373	15,390	
6.	Mathematics score in ""age (Hr. Secondary)	54	78.84	[1.143	49	82.247	13,259	1.587	
7.	Physics score in "fage (Hr. Secondary)	60	70.856	9.674	50	74.208	9.643	1.792	5%
8.	Chemistry score in "lage (Hr. Secondary)	60	69,670	9.231	50	73.658	8.611	2,299	5%
9.	Biology score in "Jage (Hr. Secondary)	36	63,374	7.623	23	65.265	7.090	0,927	Not Signi- ficant
10.	Total Score in "Jage (Hr. Secondary)	60	71.498	8.020	50	75,\$36	7,123	2.735	1%

TABLE B

PREDICTIVE AND FOLLOW-UP (COMPARATIVE) DATA OF A RANDOM SAMPLE OF STUDENTS WITH REGARD TO THEIR POSITION IN Ist YEAR OF THE B.Sc. (PASS/HONS) COURSES AND WHO SECURED FIRST CLASS AT THE HIGHER SECONDARY EXAMINATION 1966 AND WHO SECURED A PLACE IN THE MERIT LIST OF THE SCIENCE TALENT SEARCH EXAMINATION YEAR 1966 AS AGAINST THOSE WHO COULD NOT SECURE A POSITION.

	Unselected G	iroup				Select	ed Group	gnificance
		N	Mean	\$.D.	Ŋ	Mean	S.D.	Level (C.R)
I.	Science Aptitude Test Score	58	52.758	10.624	55	74.436	14.225	highly significant
2.	Essay Paper Score	58	23.741	7.359	55	27.381	6.924	5%
3.	Project Report Score	57	10.157	4,258	55	13,054	3,782	5%
4.	Interview Score	51	11.588	8,059	55	20.318	7,525	1%
5.	Total N.S.T.S.	51	98.00	9.752	55	134.890	15,462	highļy
								significant
6.	Mathematics Score in %age (B.Sc. 1st year	46	69.493	18.632	27	72.077	17,168	5%
7.	Pass/Hons)	58	67,106	14.265	34	64,206	14.069	not significant
8.	Biology Score in %age (B.Sc. 1st yeas Pass/Hons)	11	60.872	10.794	12	65.825	5.449	5%
9.	Physics Score in %age (B,Sc. 1st year Pass/Hons)	57	64.970	10.00	51	65,057	10.638	not significant
10.		60	66,418	11,138	60	65.178	10.602	not significant

TABLE C

PREDICTIVE AND FOLLOW-UP (COMPARATIVE) DATA OF STUDENTS WITH REGARD TO THEIR POSITION IN THE FINAL YEAR OF THE B,Sc, (PASS/HONS) COURSE AND WHO SECURED FIRST CLASS AT THE HIGHER SECONDARY EXAMINATION 1964 AND WHO SECURED A PLACE IN THE MERIT LIST OF THE SCIENCE TALENT SEARCH EXAMINATION YEAR 1964 AGAINST THOSE WHO COULD NOT SECURE A POSITION

			· · · · · · · · · · · · · · · · · · ·					
	Unsel	ected	Group			Sele	cted Gro	ib
ariola i	and the second	N	Mean	S.D.	N	Mean	S.D.	Significance Level (C R)
1.	Science Aptitude Test score	49	53.693	9.467	40	73,425	21.092	highly Significan
2.	Essay paper score	49	24.785	7 .45	40	30,625	6,366	5%
3.	Project Report Score	41	8.439	3.012	39	0,205	3,306	not Significant
4.	Interview score	38	16,052	6.801	40	39.60	11.655	highly significant
5.	Total N.S.T.S. Score	36	102,750	10.995	40	157.225	24.277	-do-
6.	Mathematics Score Mage (B.Sc. IIIrd year Pass/Hons)	25	70.224	13.455	18	74.105	16.695	5%
7.	Physics score in ",,,age (B.Sc. Ilird year Pass; Hons)	28	62.60	11,417	21	64.662	8.317	not significant
8.	Chemistry score in "oage (B.Sc. Ilird year Pass) Hons)	36	61.44	7,954	28	63,089	10.176	-do-
9.	Biology score in Wago (B.Sc. Hird year Pass) Hons)	14	59.730	7.165	22	60.754	7.049	-do-
10.	Total aggregate in %age (B.Sc. ilird year Pass/ Hons)	49	63,342	8.685	36	67.44	10.564	5%

STUDY-1

A STUDY OF THE DIFFERENT CORRELATES CONTRIBUTING TO THE ACADEMIC SUCCESS OR FAILURE OF N.S.T.S. SCHOLARS

PART—A

Patterns of difficulties of National Science Talent Search scholars who could not continue the scholarship during their M.Sc. courses

Dr. K.N. Saxena Sri Ved Ratna

The Problem:

For sometime, recently, the authors and their Colleagues in the Department of Science Education, N. C. E. R. T. have been worrying about the reasons why so few of the N. S. T. S. awardees in B.Sc. III Yr. have continued their scholarship for their studies in M.Sc. Out of the awardees of 1964 there were 143 in B.Sc. III Yr. (excluding those in the Honours School at Chandigarh who complete B.Sc. after drawing scholarship for 4 years and then complete M.Sc. in one year) during the session 1966-67 but only 76 (i.e. 53%) continued the scholarship during the session 1967-68. Out of the awardees of 1965 there were 151 in B. Sc. III Yr. during the session 1967-68 but during the month of Sept., 1968, only 52 have sent their claims of scholarship and certificates of regular attendence for the months of July & Aug., 1968.

There is a strict condition for the continuance of the N.S.T.S. scholarship in M. Sc., that one must obtain a first class in B. Sc. However, this condition is not a legitimate explanation for about 47% drop-outs. On one hand, money spent on these drop-outs is alarming, on the other hand such a large percentage of drop-outs, if all have failed to obtain a first class in their B. Sc., reflects on the capabilities of students selected through the N.S.T.S. examination. Because the brightest students are selected all over the country by the examination, one will naturally expect that a much higher percentage of these should obtain a first class at the university examinations, although the two examinations are of quite different nature.

An attempt has been made in the present paper to study the reasons for discontinuance of scholarships by so many students.

What is to be Investigated?

There can be three aspects of this problem in which ivestigation may seem necessary:

- (i) The efficiency of tools of selection of N.S.T.S. scholars may be doubted and it may be investigated as to how these tools Can be improved so as to select such scholars as may have greater probability of obtaining a first division in university examinations.
- (ii) The N.S.T.S. scholars (and the community of brilliant students in general) may be facing certain problems in our country, to which sufficient attention has not yet been paid by educationists.
- (iii) If the percentage of N.S.T.S. scholars who get first division is much more than 53%, than what is it?

The authors feel that the first issue raised above need not really be investigated. According to the aims of the N.S.T.S. scheme, the selection tools (viz., science aptitude test, etc.) select a different kind of talent than that selected by a first division in the university examination. Therefore, the efficiency of these tools should be judged against the aims of the scheme and not against the number of first division in university examinations.

However, since the existing examination in the universities of our country and the over-whelming importance attached by society to a first division at these examinations cannot be changed over-night, we can ill-affored to let N S.T S, scholars lose first division in university examinations. After their selection, these students have to be so trained that they develop their creative abilities as well as do well at the examinations. Thus the second and third issues raised above need immediate attention and have been investigated in this paper.

Manner of Investigation:

Early in July, 1968 the questionnaire at appendix (A) was sent to 67 awardees of 1964 who could not continue their scholarship in M. Sc. (Prev.) during the session 1967-68. Out of these 17 responded.

At the same time the questionnaire was sent to all the 151 awardees of 1965-batch, who were in their B. Sc. III Yr. during the session 1967-68. Replies were sent by 87 students of which 52 obtained first class and showed willingness to continue the scholarship, 10 studying at Calcutta University were waiting for their results and apparently desired to continue the scholarship and the rest 25 fell in the category of those who could not or did not propose to continue the scholarship.

Table (1) represents the patterns of replies of these 25 respondents of the 1965-batch, and also of the 17 respondents of this category of the 1964-batch.

It may appear in the first instance that since the response to the questionnaire was poor this study is completely unreliable. But there are reasons to believe that neither could a batter response be expected (except by issuing repeated and strong reminders) nor could a better response give substantially more information than has been obtained now.

The 17 respondents of 1964-batch seem to be those acute cases who are dis-satisfied with their fortune even after they completed their B. Sc. In fact, many of the replies contain specific requests that the circumstances under which they were compelled to give up the N.S.T.S. scholarship be considered and the scholarship may be renewed. The situations with 25 respondents of 1965-batch tabulated in table (1) also seem to be similar. Perhaps those students, who having lost the N.S.T.S. scholarship either found a suitable occupation or obtained admission in a course of study in which they found satisfaction and also had enough money of their own to pursue the studies, did not respond.

Obviously this study should elicit the reactions only from such acute cases. Had an attempt been made that all students give replies, it is likely that many of them would have written imaginary reasons or difficulties which were not really their personal experience. However, the difficulties of students revealed in table (1) are probably true to some extent for the 50 students from the 1964-batch who did not respond and an approximately the some number from the 1965-batch.

Interpretation of Results.

It is not possible to draw precise results from this study due to poor response. But still an educationist, by supplementing the tables (1) and (2) with his experience, can draw some valuable conclusions.

In table (1), ranks of the awardees in each category of reasons have been tabulated. We have pooled the corresponding frequencies for 1964 and 1965 in different bands of ranks in order to have a better sample.

The table (2) gives the distribution of students, who discoutinued the scholarship and replied to the questionnaire among various bands of ranks in the N.S.T.S. examination. It also covers those who lost first division.

This table shows that students of all ranks in the N.S.T.S. examination are almost equally likely to lose first division in the university examinations, excepting those in the top category of ranks (viz., 0-50). In the lowest category the lack of response; perhaps, may be due to their failure at the scholastic examination.

(i) First Divisioner Drop-outs:

First of all it may be observed in tabe (1) that those awadees who continued scholarship in their M. Sc. are not the only awardees who obtained first division in their B. Sc. There are 3 first-divisioners among the 17 of 1964-

batch. Extrapolating this number for 67 awardees of this batch who could not continue the scholarship in their M. Sc., it can be estimated that there must be atleast a dozen first divisioners among these. In fact the first divisioners were less likely to respond to the questionnaire than those who could not obtain a first division. Thus the number of first divisioners among 1964-awardees can be safely placed at about 100 out of a total of 143 and only one-third of them lost the first division. Those first divisioners who gave up the scholarship did so either in preference to a professional career, or due to not being able to get admission in M. Sc. in an institution recognized by the N.C.E.R.T.

(ii) Cases of Hiness:

Among 37 who did not get first division, 19, i.e., about half (or extending the calculation, to all the students, about one-sixth of all the awardees studying in B. Sc. III Yr.) have lost first division due to illness, either of their own or of som- one in their family. This reflects the poor state of health among bright and studious students in our country. Many of these students have subsequently joined M. Sc. courses in one of the pure sciences. Obviously these were very genuine cases for continuance of the scholarship provided they could maintain their health and consequently obtain a first division. There seems to be an urgent necessity that health services in school and colleges be strengthened and the brighter students be subjected to more detailed and more frequent examination than is done at present.

Personal Guides of the N.S.T.S. awardees should keep in close touch with their study habits. It seems desirable that if an awardee has not been able to take the whole or an substantial part of his examination due to ill-health, the N.C.E.R.T. may, after necessary scrutiny, allow him to study at his own cost in the class which he repeats, and then renew the scholarship when he goes to the next class after attaining the required standard of achievement in the examination. It also seems desirable that if an awardee has missed first division by a narrow margin on account of his illness immediately before the examination, he may be allowed to get the scholarship, provided he proves his worth otherwise. In fact, a decision in this respect has already been taken.

At this point a caution about the accuracy of the number of cases in this category must be mentioned. Among the 19 cases who have reported their illness or death of some one in their family to be the cause of losing a first division, there may be a few false statements. Thus a student, who had actually been neglecting studies, may pretend illness to be the cause of his poor performance in the examination. In fact, among these 19 cases.

the authors could identify 3 whose descriptions appeared vague. On the other hand, there where 10 cases who made clear and categorical statements which appeared to be true.

An argument can also be made that a student, who has taken only a part or the whole of the examination, cannot be considered ill or physically or mentally unfit for taking the examination. However, the authors are not inclined to accept this argument. We know from experience that it often happens with a sincere and bright student that he maintains weak health due to studying too much, or develops excessive worry by ordinary stresses and strains of life.

Thus the correct number of cases in the category under discussion should be at least ten in number, if not nineteen. These ten cases also are sufficient in number to justify the observations and suggestions made above for them.

(iii) The highly Emotional idealists:

There is a significant number of awardees (3 out of 17 respondents from 1964-batch and 3 out of 25 respondents from 1965-batch) who claim to have been a victim of the anomaly between the ideal and the practical. Whereas, on one hand we encourage students to try to understand their subject instead of cramming the information and to do some scientific activity outside the class.room beyond the curriculum; on the other hand the existing exminations give little credit for these activities. No doubt, efforts for improvement of the examination system are being made now-a-days on a National scale in our country. But neither is it possible to bring about this improvement within a day, nor can it be said that the existing system of examination has only demerits.

These students seem to be the highly emotional idealist type, who on being encouraged to do some good work can completely absorb themseleves in that work and forget the hard facts of life which vitally affect them. Thus they spend much of their time in reading deeply about a few topics which interest them and perhaps do some creative work in those topics. They very easily forget the fact that they should study for the examination too (whether it is good or bad at present) a fact which is glaringly brought to their notice everyday by the teaching of the topics of the curriculum in the class-room. Near the examination they find themselves unable to revise their course properly within the time at their disposal.

Semester system is a very significant improvement which has started finding place in our universities and which can help such students, but this too is not the complete answer to their problems. If within one semester, too, such a student will not study the entire course prescribed for this semester, he

cannot avoid the tragedy of showing a poor reverse, thoug he will have opportunities to improve his result later. If we look at the life of an adult too, we find that a sentimental and idealist behaviour to the extent of neglecting routine duties of life makes a slightly unbalanced personality.

The only possible help for such a student is a personal guide who may be in close touch with his progress. The guide can inspire him to work in the right direction according to the need of the time and to do some creative original work and to study a few topics to as much depth as his curiosity and interest demand. It may be realized that such type of students, if they have a high intelligence and are properly guided, can become good scientists.

At this point, again, a caution about the accuracy of the number of cases in this cetegory must be mentioned. There may be some false cases. A student may get a poor university result on account of his own bad habits negligence towards studies and pride over a good rank in the N.S.T.S. examination. When he shows poor result at the final examination, he tries to throw the blame on the society by posing himself as an emotional idealist as described above. However, from the circumstances in which this study has been made, the authors feel that only a small minority among the six cases reported in this category are false. It is not possible to identify the false cases precisely from the replies given. Their identification is possible only by the personal guides of the students who can be in close contact with their academic progress and leisure-time activities.

(iv) Marginal cases:

Seven students who lost first division by a narrow margin, have claimed certain university regulations and practices to be responsible for their failure. The regulations/practices referred to by these students do appear to be controvertial. But once a student knows about the requirements for a first division in his university, even if they are hard compared to a neighbouring university, he must work to fulfil those requirements. If he fails to fulfil them, he should not throw the blame on those regulations.

However, these students deserve attention just on account of their numbers among the drop-outs. They certainly evidence a frustration existing among students against certain university regulations and rigid rules of the N.C.E.R.T. to continue scholarship only if one gets a first division.

These cases seems to overlap with those placed in the category of "Emotional Idealists". In that category, there are some students who lost first division by a narrow margin and seems to be modest enough to find fault with themselves and frankly admit their failure.

In making the above observations the authors do not mean that some relaxations in the rules for continuance of N.S.T.S. scholarship after B.Sc. and

M.Sc. are necessary, But they do mean that if these students could be properly guided and made to work a little harder, there could be quite a substantial addition to the number of first divisioners among the N.S.T.S. awardees. As pointed out earlier, we can ill-afford to let N.S.T.S. scholars lose first division in university examinations. Loss of first division by a N.S.T.S. scholar will mean a much poorer future career for him in spite of about thirty thousand rupees of public funds spent on his education. However, the matter needs detailed examination.

Scope of further Investigation:

This study, having been made with only one source of information (viz. the replies of the students), is necessarily incomplete. The information obtained had to be supplemented by plausible guess to build up a coherent picture at every stage. Thus there is much scope for a deeper probe into this problem by pooling information from other sources, e.g., guides of students, their parents and the detailed record of their marks in class-tests, half-yearly examinations and annual examinations, etc.

However, this study highlights the chief reason (without assessing their relative importance) due to which the N.S.T.S. scholars do not continue the scholarship, and due to which some bright students fail to show good results at university examinations. It also raises several other issues which need investigation and are closely allied to this problem, some of which are as follows:

- (i) Does a highly emotional idealist usually get proper marks in his school and university examinations? Is so, why? How does his performance at the N.S.T.S. examination compare with that at the university examinations?
- (ii) What are the career opportunities for a Ph. D. in pure sciences in India for pursuing a career as a research worker in his Subject?
- (iii) How do the seats available in India in Post-graduate courses, which can lead to a research career in pure sciences, compare with the number of first class science graduates aspiring for this career?
- (iv) How the opportunities for a research career in India compare with careers available to a first class science graduate abroad, and careers in other fields available in India?
- (v) How far are the students in our universities enlightened about opportunities for a research career in India and are encouraged to take up this career?
- (vi) Is the general stand of health of those students who obtain top positions in the examinations usually poorer then that of those students who obtain second division or third division? If so,

what factors contribute to it? If the reverse is true, then what factors are responsible for it?

(vii) If someone in a family is ill, then every member of the family has naturally to give some attention to the patient in the form of calling the doctor, bringing medicine, caring about routine necessities of the patient and giving medicine at the proper time, keeping watch of the patient and encouraging, entertaining him whenever necessary, etc. If there is a student of about 19 in that family, how much and in what form has he to attend on the patient; can this attention be so much as to interfere with his studies, and does a wiser and more intelligent student usually give much attention to the patient?

The authors invite the views of the educationists on these issues. Acknowledgment:—

The authors are extremely grateful to Dr. R.N.Rai, Department of Physics and Astro-Physics, University of Delhi for his valuable guidance in writing this paper.

TABLE: (1)

Categories of replies received as reasons of discontinuing the N.S.T.S, scholarship after B.Sc. III Vr.

			1964	-Batch	1965- Batch
(a)	Number of awardeess in B.S.c. III Yr.	***	***	143	151
(b)	Number of awardees who continued their scholarship in M.Sc. (Pr.) (uptill the 30th Sept., 1968	•••		76	. 52
(c)	Number of awardees to whom				4 41
	questionnaire was sent			67	151
			(dro	p-outs))
(d)	Number of awardees who filled in the questionnaire and submitted an explanation for the non-continuance of the award		***	17	25
(e)	Number of awardees who replied that they propose to continue the scholarship (in response to question-				
	naire sent in July, 68)		***	76	62
			Ċ	lready onti- uing)	("Result awaited" are in- cluded)

S.I	No. Category of 1	Rank No. of awardeer in the NSTS examinate 1964-Batchh 1965-Batch	tion
1.	No reasons mentioned	Nil . 32	
2,	First Divisioners :		
	(a) I am a first divisioner I appropriate for admission in one of selected Universities recognition by the N.C.E.R.T. but could get admission/got_admission in University which is too far fromy parental town and being girl student I cannot study the I am continuing in an unapprint of the student of the stu	the dized not in a rom ang a sere. 56 27	7
	ved institution which deser approval by N.C.E.R.T./I compelled to drop stud this year.	rves (No, of stu- am dents: 2)	
,	(b) I am a first divisioner. career in Pure-Science pan upper limit to my ambie	outs tion	
	as I can, at the most, become a teacher in a university. have joined course in the 1	. I 137	10
	(3-year) which I think necessary in atomic research.	is (No. of stude	nts
3.	Cases of Illness: I was ill during/immedia before examinations. Due illness my attempt at B. Part-I was a poor II-divis and I made up a lot in	to Sc. sion	•
	Part-II but missed I-divised by a narrow margin of about I There was a death in my family	sion 199 16 1%: 159 (9	66 94 I 89
	night before examinations commed and I had attended to illustrate of the deceased for quite a lettime before death. For the 1	me- 283 224 ness 164 24 ong 199 12	

1	2	3	4
	two years my eyes were defective. I had nervous tension during the exams. Due to bad health I spoiled first few papers and then dropped/still continued for the fear of losing scholarship inspite of a desire to drop out.	•	277 216 140 287 (D) 89 of Stu-
4.]	Emotional Idealists :	يره المراجع ال	41m 4e4 - 4 .
	I am not accustomed to cramming and the examinations demand it giving no scope for originality. The courses are dry. I concentrated on the study of topics that interested me and there was lack of guidance. Studies in the college were wrongly oriented. I was interested in the study of modern books and gave non-routine answers in the exams. I was encouraged to study in an unconventional manner, I did so and I have received much appland for my science outside the class-room. I could not properly plan the revision of the course in the limited time available for this purpose before the examinations.		81 (C) (111) 157 20 lents : 6
5.	Distraction: There is a workshop near my house, which disturbed me constantly during my study hours. I had some family-difficulties and had to study in an atmosphere	343	264
	where concentration was not possible.	(No. of stud	lents : 2)
6.	Marginal Cases:	na cuman (1886 pinto) del reconstituim (1887 - a cumpinguamentum A	
	Marking in life-sciences is usually low and scholarship should be continued in M.Sc. if	. 213 77	277 123

1	2	3 4
	I have missed first division by	89
	a few marks. No student in the	106
	Zoology department has obtained first division and stand first in the University. I had first	264
	class in the honours subject, but why does my university awards division on the total of honours and subsidiary subjects when another university awards it on the honours subject only.	(Number student 7)

7. Doubt of Unfair Marking

The examiner in practicals at my centre was unduly hard and all candidates got very low marks in practicals here. I doubt unfair marking of my auswerscripts—my attempt at the examinations was much better.

239 (III) 166 (Number of students: 2)

- NOTE: (1) Following abbreviations have been used in the above table for indicating the results of the students in the University examinations. This indication is given against their ranks. Where no indication has been given the concerned student has obtained I or II division which is obvious from the context.
 - (i) III means third division.
 - (ii) C means compartment.
 - (iii) D means dropped from the examination.
 - (2) Description under a particular category of response in the above table has been compiled from the replies of all the students in that category. Thus any particular student owns only a part of that description.

TABLE (2)

DISTRIBUTION OF AWARDEES AMONG VARIOUS RANKS IN THE NATIONAL SCIENCE TALENT SEARCH EXAMINATION

Ranks	No, of	awardees III Year	In B.Sc.	No. of drop- outs in diffe- rent ranks of	No. of drop-outs who replied the	who lost first
•	1964-	1965-	Total	1964-Batch only	questionnaires	division out of 42 drop-outs who replied
2-50	25	23	48	10	2	
51-100	14	26	40	\$	9	8
101-150	17	20	37	8	6	5
151-200	24	24	48	12	8	. 8
200-250	17	19	36	11	7	6
251-300	22	25	47	12	В	7
300.	24	14	38	9	2	2
Total	143) 5	294	67	42	37

Note: Information regarding drop-outs of 1965 batch can be finalised only at the end of the year 1968-69.

APPENDIX: (A)

NATIONAL INSTITUTE OF EDUCATION National Council Of Educational Research & Training NIE Bidgs, Mehraull Road, NEW DELHI-16.

PROFORMA

NAME Division in B.Sc. (Final exam.) Please attatch a copy of the Mark-sheet. Durse of study/Employment you are persuing at present: Institution where you are studying/working:	
Please attatch a copy of the Mark-sheet. ourse of study/Employment you are persuing at present:	
Institution where you are studying/working:	——
Under what circumstances you were compelled to give up the l Scholarship:	N.S.T.S.
In case you were compelled to give up N.S.T.S. Scholar account of not having obtained a first division, do you have explanation to give regarding why you could not get first if so, please state it:	ve some

A STUDY OF FACILITIES POSSESSED BY OR DIFFICULTIES FACED BY N.S.T.S. AWARDEES

QUESTIONNAIRE

Note : (i)	However if the space is n	in the space provided in the ot enough, attach a spare on it referring to the con	sheet of paper
(ii)	the future programmes in to you. The information	ankly to enable this Depsuch a way that they are provided by you will be lill not be used for any puar study.	more beneficial
1. N	IAME		an which
2. (i) Year of Selection:	1964/1965.	
(i	ii) School/College where yo	ou studied in the year of so	election
3, 1,	nstitution where you are st		y ye yeu na year (4 the yearphasenesserings painfelainte
3. C	lass and major subject of s	ludy	
5. V	Whether residing at home of	or in a hostel	color was an analysis of the Market
¥	Percentage of mark in your were tested only for the sul n the column of aggregate	oject that you have in M	Sc., mark "X"
e e e e e e e e e e e e e e e	Examination	% in the particular subject that you have in M.Sc.	Aggregate %
(1)	P.U.C./Intermediate/	- Parishing To Perrominger & Phys. A SPELIGE T-POSITION FOR EXPENSE AND	T of A Tel. (See p.)-50 -40 Miles See See Miles See Miles See See See See See See See See See S
	Hr. Sec./I. Sc./etc.	s, se y	PROTESTICAL TRANSPORT OF THE PARTY OF THE PA
	B.Sc. I-year	· · · · · ·	e comprised
- •	B.Sc. II-Year	ph-6200/ - 48 fatter-out Errory foldstallstowed Injustration	Contraction to the same
, ,	B.Sc. III-Year	the free company or the contract of the contra	
	M.Sc. (Prev.)		
(vi)	M.Sc. (Final)		

() At your home
(i	i) At your school
(i	i) At your college/university
(i) In the Hostel where you resided for studies towards a B.Sc./M.Sc. degree:
8. T	ry to list some of yous important difficulties which were/are real bstacles in your way for improving your academic performance: (i) At your home (ii) At your school
e	(ii) At your school
c	(i) At your school

	A CONTRACTOR OF THE PROPERTY O
-	the transfer of the same of th
	ومن و المراجعة المراج
your o	olist efforts made by you/are being made by you to impoverall academic performance:
(i) I	or further improving your results in the examination
	- and an analysis of the state
	THE PROPERTY OF THE PROPERTY O
(11) i	for further improving your overall competance as a reservorker:
,	vorker:
solved scient the pe	practical problems of an investigatory nature that you I during your college carrier. Also state some spific projects and writings you might have undertaking deriod:
solved scient	during your college carrier. Also state some spific projects and writings you might have undertaking deriod:
solved scient the pe	during your college carrier. Also state some spific projects and writings you might have undertaking deriod:
solved scient the pe	during your college carrier. Also state some spific projects and writings you might have undertaking deriod:
solved scient the pe	during your college carrier. Also state some spific projects and writings you might have undertaking deriod:
solved scient the pe (i)	during your college carrier. Also state some spific projects and writings you might have undertaking deriod:
solved scient the po (i)	during your college carrier. Also state some spific projects and writings you might have undertaking deriod:
solved scient the po (i)	during your college carrier. Also state some spific projects and writings you might have undertaking deriod:
solved scient the po (i)	I during your college carrier. Also state some spific projects and writings you might have undertaking deriod: Name of your father/Guardian
solved scient the po (i) (ii)	I during your college carrier. Also state some spific projects and writings you might have undertaking deriod: Name of your father/Guardian Occupation
solved scient the po (i) (ii) (ii) (iii)	Name of your father/Guardian Occupation Permanent Address
solved scient the po (i) (ii) (iii) (iii) (iv)	Name of your father/Guardian Occupation Permanent Address No. of your brothers and sisters
solved scient the po (i) (ii) (iii) (iii) (iv) (v)	Name of your father/Guardian Occupation Permanent Address No. of your brothers and sisters Total No. of other members in the family
solved scient the po (i) (ii) (iii) (iii) (iv) (v) (vi)	Name of your father/Guardian Occupation Permanent Address No. of your brothers and sisters

	(ix)	Describe if there is/was any noisy activity in your locality which disturbed/disturbs your studies:
		(a) At School level
		(b) At college/university level
		Name, relation and & qualifications of the person, if any in your family who has obtained B.Sc./M.Sc./Ph.D. degree in Science before you obtained the B.Sc. Degree:
-		Did he help you in your studies in B.Sc.?
14.	purc have were	and the number of books on scientific topics that you have hased during your B.Sc./M.Sc. You can include the books you yourself purchased from your book-grant, but not those which first purchased by the Department of Science Education and sent to you during previous years:
	(i) 1	Books directly related to your studies:
		Cost Rs Number of Books
	(ii) I	Books not directly related to your studies: Cost RsNumber of Books
15.	like	was/is your teacher during school/university career whom you best?
	(ii)	Name Class (es) in which he/she taught
	(iii)	Subject he/she taught you
	(iv)	Try to list out the merit, as objectively as possible, due to which you like him/her
16.	you	e the following particulars in respect in your class-fellow whom consider as the overall best student in your class. Name
		Name His percentage of marks in B.Sc
		Is he/she a N.S.T.S. awardee

	studies?
	(v) Try to list out his merits due to which you consider him to be so:
17.	Give the following particulars in respect of your fast friend in your class:
	(i) Name
	(ii) His/her percentage of marks in B.Sc.
	(iii) Do you occasionally get some help from him/her or you give help in your, his or her studies?
	(iv) Try to list out his/her merit due to which you have close friendship with him/her:
	The state of the s
	The second secon
	The state of the s
18.	devoting over academic studies, extramural activities, sports, reading scientific periodicals and books etc.: 1. At school stage
	A SALE SALE SALE SALE SALE SALE SALE SAL
	2. At college stage
	An and a supply of the control of th
19.	What are your specific leisure time activities?
	The second of th
	31
20.	What is your vocational goals, in order of preserence?
۷٠,	1.
	2.

),	o you intend to go abroad for studies? If so, at what age?
),	hat are are the expectation of your parents from you regard our future vocational career?

STUDY-2

A CORRELATIVE STUDY BETWEEN THE SCORES OBTAINED ON THE SCIENCE APTITUDE TEST (1967) AND THE PROGRESSIVE MATRICES TEST (J.C. RAVEN)

Dr. K. N. Saxena and Sri Pushpendra Kumar

The Seience Aptitude Test is one of the most important tools for the identification of talented students under the National Science Talent Scheme. The test contains objective type items on 14 different branches of science, viz,. Physics, Chemistry, Biology, Mathematics, Agriculture, Geology, Philosophy of Science, Physiology and Hygiene, Engineering, Meteorology, Bio-Chemistry, Astronomy and Bio-Physics. This test has been so designed as to measure the powers of comprehension, reasoning, critical thinking and analysis-synthesis rather than mere factual knowledge.

In order to observe upto what extent the Science Aptitude Test assesses a person's capacity for observations and clear thinking, and the power to perform comparisons and the development of reason by analogy (which are measured by Progressive Matrices Test was administered (J. C. Raven) alongwith the Science Aptitude Test to 185 students selected from two Higher Secondary schools of Delhi via, Lady Irwin Higher Secondary school and M.E.A. Higher Secondary School.

The product-moment correlation, based on raw scores, has been found to be 0.39 which is significant at 1% level of significance. It means that the Science Aptitude Test also measures the abilities and powers of clear perception to some extent. The obtained correlation is not as high as 0.7 or 0.8 because the Aptitude Test also measures specific and analytical knowledge of the students in different branches of basic sciences alogwith abilities related to general mental capacity.

The hivariate frequency distribution of scores on both the tests is given below which will be useful to the research workers engaged in the problems of mental measurement and science education. It may be observed that the distribution of scores on the Science Aptitude Test is approximately normal and of the scores on the Progressive Matrices is moderately normal.

Test	Class Interval	010	1120	21-30	31-40	4150	5160	Total	
			Pre	agressive	Matrices				
Aptitude	2035	-	1	<u> </u>	B	5	1	7	_
#	3650	1	6		1	4	2	14	
9	5165	1	2	5	11	22	8	49	,
- 1	66-80	-			2	32	12	46 55	
g	8195	~~			6	27	22	55	
Science	96-110					10	4	14	_
- N	Total	2	9	5	20	100	49	185	_

STUDY—3

A STUDY REGARDING THE INITIAL CUT-OFF POINT, USED AT THE PRECED-ING YEAR OF ELIGIBILITY, AS AN INITIAL SCREENING DEVICE FOR THE NATIONAL SCIENCE TALENT SEARCH EXAMINATION

Dr. K. N. Saxena and Sri Pushpendra Kumar

A representative sample of 319 scholars, studying in XIth class, was selected from the following five Higher Secondary Schools of Delhi:

- 1. M.E.A Hr. Sec. School, Lodi Estate, New Delhi.
- 2. Lady Irwin Higher Secondary School, Canning Road, New Delhi.
- 3. Government Girls Higher Secondary School, Kalkaji, New Delhi.
- 4. Government Boys Higher Secondary School, Kidwai Nagar, N. Delhi
- 5. D.A.V. Higher Secondary School, Daryaganj, Delhi.

The Science Aptitude Test (S.A.T.) of 1967 was administered to these students and the Xth class examination marks of science subjects of these scholars were collected from the school records and these were then converted into percentages. S.A.T. booklets were scored by making the correction for guessing factor. The students on the basis of their examination marks on science subjects secured in Xth class, have been classified into seven groups and accordingly the S.A.T. scores of students of each group have been given in table 1.

It has been observed from the experience of the previous years that the selection ratio in the final award of scholarship has remained approximately as 1:20, i.e. one student is selected for the final award of scholarship amongst the 20 who appear at the N.S.T.S. examination. According to this selection ratio, we ought to select 16 students, in order of merit, on the basis of the scores obtained on S.A.T., from this sample, irrespective of the science subject marks secured in class X. It can be seen from table 2 that there are 17 students whose test scores are more than 88 (out of 125) and all of these 17 students belong to the group whose examination marks are above 55%. This means that no student whose scholastic marks in science subjects is less than 55% could secure more than 88 marks in the Science Aptitude Test. Hence the probability of the selection of a student whose examination marks are less than 55% is quite low for the final award of scholarship.

In table 2 the mean, variance of the S.A.T. scores for the seven groups of students have been given. The average group performance of students have been tested against the control group which constitutes of students having their examination marks between 55% to 60%. The differences between the average performance of the control group and any other group are highly significant except in case of group comprising of students having the examination marks between 50 to 55%. To be on the safe side, we may lower down the initial

cut-off point from 55% to 50% in the succeeding years though, as shown above the probability of being selected a student for the final award of scholarship from group of students whose examination marks are less than 55% is quite negligible. The lowering down of the initial cut-off point may be necessary if our selection ratio is very low e.g. if we select one student out of the 9 who appear in the N.S.T.S. Examination then we ought to select 35 students in order of merit at the S.A.T. from the sample irrespective of science subject marks secured in class X. The lowest score on S.A.T. of a student amongst these 35 selected ones is 83. It can be seen from Table 2 that out of these 35 students, 33 belong to the group whose obtained marks on science subjects in Xth class are more than 55% and the remaining two students belong to the group comprising of students having the marks between 50 to 55%.

It may be added that this is an extreme hypothetical situation and on the other hand the probable number of students, appearing at the annual tests is increasing progressively every year. Hence, even if we maintain the current cut-off point of 55%, the probability of losing a genuine talent is negligible.

Table 1

10th Class Exam. marks In percentages	Sco	ores (correc			ance) 1967		ience	Aptit	ude	
Less than 40	42,	57,	70,	30,	29,	48,	27,	49,	48,	0,	58,
	47,	76,	61,	7,	10,	26,	0,	20,	26,	29,	42,
	11,	60,	39,	0,	8,	42,	34,	11,	18,	8,	14,
	34,	57,	56,	62,	50,	48,	41,	46,	52,	50,	62,
	14,	16,	20,	4,	54,	53,	0,	5,	15,	32,	40,
	12,	24,		-/					- Av1		
40—45	69,	43,	41,	10,	27,	42,	42,	68,	43,	31,	58,
	62,	52,	29,	68,	62,	27,	13,	55,	74,	59、	49,
	50,	64,	46,	53,	34,	21,	82,	38,	11,	32,	49,
	58,	58,	61,	57.	58,	60,	0,	0,	19,	22,	22,
	36,	6,	17,	8,	22,	27,		•			
4550	58,	29,	18,	35,	19,	36,	43,	31,	54,	53,	64,
4550	78,`	82,	68,	75,	13,	٠8,	48,	17,	45,	54,	24,
•	65,	61,	61,	45,	39,	26,	70,	69,	53,	24,	30,
	42,	21,	40,	42,	62,	48,	60,	61,	66,	72,	61,
	5B,	62,	58,	5,	13.	26,	39,	22,	16,		
5055	· 65,	64,	31,	38,	72,	64,	30,	48,	73,	87,	83,
2023	56.		46,	19,	65,	14,	53,	77,	82,	8Ż,	69,
	68	77,		64,	38,	68,	76,	56,	71,	81,	10,
	37				2,	9,	12,	•	16,	31,	•
	26,	·	·			·	ŕ		;		- •
5560	53,	50,	37,	86,	56,	90,	64,	41.	65,	73.	85,
3300	42,	22,	43,	83,	66,	_	42,	49,	49,	46,	33,
	54.	46,	61,	63,	77,				62,		
	19.		33,	39,	30,	•	•	•	•	,	,
6065	8,	47,	61,	45,	53.	100,	68.	78.	85.	61.	42,
- Co Vo	81,			101,					77,		
	· 58,				29,			,	, . ,		,
above 65	58,	54,	90,	98,	82,	83,	51.	67.	83,	79,	86,
NaAia an	91,	90,	82,	92.	48,		75,				_
	78,	70,	90,	95,	86,	_	73,			109	-
	49,	89.	76,	77,	94,	-		35,		50,	
	84,	78,	-	79,	76.		,	٠-,	۰٠,	٠,	,

TABLE 2
(SHOWING GROUPWISE AVERAGE PERFORMANCE OF STUDENTS)
SCIENCE APTITUDE TEST--1967

10th Class Examination Marks in 7%	سيند ب	ß die Merandroj de 🔧 pas augebiere. d		_	erm a	· W Yor · ddawing-Windy	
70	N	Number of students whose scores on SAT are more than 88	whose scores	Mean	Variance	S.E. of the mean difference betweed control group, 55-60, and the group Tested	Z
Less than 40	57	0	0	33.37	430.02	4.20	4,91**
4045	50	0	0	40.58	423.76	4.31	3.11**
45—50	53	0	0	44,70	403,40	4.21	2.21*
5055	44	0	2	52.41	606.19	4.88	0.33
5560	38	1	5	54.00	382.74		-
6065	28	. 2	5	64, 11	496,09	5.27	1.92*
Above 65	49	14	23	77.00	275.96	3.96	5.81**
Total	319	17	35		•		

^{*}Significant at 5% level on one tailed test.

^{**}Significant 1% level on one tailed test.

STUDY-4

A RESEARCH STUDY OF THE DIFFICULTY LEVEL OF THE DIFFERENT PARTS OF THE TEST

Dr. K.N. Saxena Shri S.K. Batra

Problem:

To study whether the four optional parts (viz Physics, Chemistry, Mathematics, Biology) of the Science Aptitude Test are equally difficult in respect of Test (i.e. are they parallel portions of the tests?)

Definition:

Two or more tests are said to be statistically parallel when the average scores, dispersion of scores and their lengths are equal.

A Brief Description about S. A. T.

The Science Aptitude Test consists of two parts, Part A & Part B. Part A of the test consists of 75 multiple choice questions of thought type on 14 branches of Sciences and applied sciences (Physics, Chemistry, Mathematics, Botony, Zoology, History and Philosophy of Science, Bio-Chemistry, Bio-Physics Physiology and Hygiene, Astronomy, Geology, Meteorology, Agriculture and Engineering).

Part B of the test consists of four optional parts, out of which the examinee can take up any one e.g. Physics, Chemistry, mathematics and Biology. Each consists of 50 multiple choice questions, out of which 20 are of thought type and 30 of factual type. The entire test is of 125 marks.

To study the problem under consideration satistically, a sample of 563 examinees was selected out of the total 6159 examinees. The sampling technique followed is stratified simple random sampling with proportional allocation amongst different stratas of the population. The score scale on S.A.T. was divided i.e. 0 (min.) to 125 (Max.) into suitable class-intervals of size 10 and the number of examinees in each class-interval of the population were recorded for forming the different stratas and a sample of size 10% was drawn from each strata.

Thus out of the sample of size 563 drawn in the fashion described above, it was found that 186 students have attempted physics, 193 students have attempted chemistry 51 students have attempted Mathematics and 133 students, the Biology as their optional part of the S.A.T. The part A of the Test is compulsory for every one. For every examinee, the uncorrected scores were recorded on the compulsory part as well as on the optional part which he/she

had attempted. Thereby, in all, we had 563 pairs of value represented in Table (A). The correlational figures for each of the respective optional part of the test is also given in table A. One of these values is designated as a supplementary measure, X, which is not itself of experimental interest (i.e. uncorrected score on the compulsory part of the Test) and to the other by the Y (i.e. uncorrected score on the optional part of the test) which is of experimental interest. It is the significance of the difference between the average score for the various opitional part of the test that is of interest. The statistical tool suggested for the study is "ANALYSIS OF COVARIANCE FOR A RANDO-MIZED GROUP DESIGN". A summary of the covariance—analysis of the data of the Table (A) is represented in Table (B).

A perusal of colum 9 of the table (B), giving the correlational figures representing the degree of association between the uncorrected scores on the compulsory as well as on each of the optional part of the test, gives a general impossion that a student scoring high in the compulsory part is likely to do well in the optional parts too. But the degrees of his achievement in each of the optional part will of course be different, which is least in case of mathematics. F=66.0 at (1 & 559) d. f. which is highly significant, shows that there is a significant positive correlation between uncorrected scores in the compulsory and optional part of the test apart from the factors of classification (i.e. these are different optional parts of the test).

Column 13 of the table (B) indicates F 61.69 which is highly significant, meaning thereby that there is a strong evidence against our nul hypothesis that the four optional parts of the test are satisfically parallel. The group means differ significantly after being adjusted for the X values or in other words the average uncorrected score on different optional parts of the test differ significantly after they have been corrected for the difference in the uncorrected scores on the compulsory part of the test. Hence we conclude that the score on the optional part of the test, after corrected for the score on the compulsory part of the test, vary significantly i.e. they are not parallel portion of the tests.

TABLE A

FOR PHYSICS ATTEMPTED AS THE OPTIONAL PART AT THE TEST

x:—Uncorrected score in the compulsory part of the test.

y:--Uncorrected score in the optional part of the test.

x	y	SI. No.		
	,	31, 140,	×	y
56	32	28.	52 ·	29
58	32 .	29.	54	26
55	34	30.	53	25
53	35	31.	49	30
61	29	32.	51	28
61	33	33.	54	22
63	31	34.	42	28
64	33	35.	48	27
64	34	36.	48	29
53	36	37.	54	23
63	40	38.	54	21
69	36	39.	40	24
64	40	40.	53	20
65	40	41.	52	22
63	42	42.	48	21
70	38	43.	49	26
69	45	44.	. 49	27
6B	47	45.	51	23
72	47	46.	43	26
51	36	47.	49	22
56	31	48.	54	17
53	31	49.	38 ·	27
52	31	50.	47 -	22
52	31	51.	42	21
51	28	52.	52	13
, 60	23	53.	48	23
51	30	54.	- 50	21
	58 55 53 61 61 63 64 64 65 63 70 69 68 72 51 56 53 52 52 51 60	58 32 55 34 53 35 61 29 61 33 63 31 64 33 64 34 53 36 63 40 69 36 64 40 65 40 63 42 70 38 69 45 68 47 72 47 51 36 56 31 53 31 52 31 51 28 60 23	58 32 29. 55 34 30. 53 35 31. 61 29 32. 61 33 33. 63 31 34. 64 33 35. 64 34 36. 53 36 37. 63 40 38. 69 36 39. 64 40 40. 65 40 41. 63 42 42. 70 38 43. 69 45 44. 68 47 45. 72 47 46. 51 36 47. 56 31 48. 53 31 49. 52 31 50. 52 31 50. 51 28 52. 60 23 53.	58 32 29. 54 55 34 30. 53 53 35 31. 49 61 29 32. 51 61 33 33. 54 63 31 34. 42 64 33 35. 48 64 34 36. 48 53 36 37. 54 63 40 38. 54 69 36 39. 40 64 40 40. 53 65 40 41. 52 63 42 42. 48 70 38 43. 49 69 45 44. 49 68 47 45. 51 72 47 46. 43 51 36 47. 49 56 31 48. 54 53 31 49. 38. 52 31 50. 47

SI. No.	×	y	SI, No.	×	у
55.	53	11	89.	41	19
56.	50	23	90.	48 .	16
57.	58	14	91.	31	26
58.	50	22	92.	39	18
59.	41	29	93.	42	23
60.	45	25	94.	29	25
61.	53	11	95.	24	29
62.	28	17	96.	49	16
63, `	39	20	97.	47	18
64.	37	22	98.	31	28
65.	35	26	99.	41	24
66,	36	24	100.	44	23
67.	40	19	101,	48	20
68.	34	19	102.	44	24
69.	40	19	103.	18	12
70.	42	18	104.	15	15
71.	41	18	105.	20	. 13
72.	41	18	106.	26	9
73,	35	21	107.	23	13
74,	55	40	108.	13	15
75.	42	19	109.	22	13
76.	46	17	110-	8	6
77.	42	21	111.	28	[0
78.	43	8	112.	23	15
79.	41	20	113.	20	18
80.	35	27	114.	24	15
81,	38	23	115.	24	11
82 ,	40	23	116.	13	17
83,	41	21	117.	23	15
84.	44	21	118.	31	11
85,	45	20	119.	22	12
86.	37	26	120.	31	11
87.	48	22	121.	23	16
88.	42	24	122.	21	10

277

SI.No.	×	у	` SI.No.	×	у
123.	25	18	157.	34	, 17
124.	7	11	158.	25	19
125.	25	17	159.	36	16
126.	27	15	160.	28	IS '
127	23	21	161.	['] 13	20
128.	29	15	162.	38	5
129.	16	11	163.	37 .	18
130.	17	12	164.	35	18
131.	22	17	165.	37	18
132.	23	16	166.	37	17
133.	23	20	167.	41	15
134,	25	16	168.	36	19
135.	29	16	169.	37	19
136.	21	21	170.	37	23
137.	32	15	171•	21	19
138.	30	6	172.	34	22
139.	31	17	173.	36	21
140.	31	16	174.	29	16
141.	27	19	175,	29	23
142.	26	24	176.	38	19
143.	36	13	. 177.	33	19
144.	23	. 19	178.	42	15
145.	35	15	179.	41	25
146.	37	13	180.	28	15
147.	22	23	181.	36	20
148.	21՝	15	182.	37	21
149.	30	19	183. °	41	18
150	29	21	184.	35	22 ′
151.	33	21	185.	32	16
152.	34	17	186.	38	20 '
[53.	40	13	,	186=N ₁	186⇔N ₁
154.	36	_ 16	Total Sum	7329	3980
155.	32	21	Sum of Squar	res 322567	96196
156.	35	19 r0.71		∑ XY=17	0494

r=0.71 Highly significant at 5% level.

278

TABLE (A)

FOR BIOLOGY ATTEMPTED AS THE OPTIONAL PART OF THE TEST

\$. No.	×	у	S. No.	×	y
1.	19	15	33.	32	31
2.	23	14	34.	39	25
3.	21	13	35.	31	25
4.	29	13	36.	39	26
5.	16	10	37.	38	28
6.	20	23	33.	34	30
7.	23	19	39.	41	25
8.	24	21	40.	38	22
9.	36	8	41.	38	25
10.	24	20	42.	35	26
11.	30	18	43.	40	25
12.	27	20	44.	36	31
13.	30	18	45.	44	21
14.	30	19	46.	42	20
15.	19	21	47.	49	22
16.	32	19	48.	45	26
17.	28	25	49.	35	23
18.	31	22	50.	43	23
19.	39	14	51.	45	26
20.	34	18	52.	42	31
21.	32	24	53.	43	31
22.	35	21	54.	48	28
23.	22	21	55.	43	32
24.	30	26	56.	48	29
25.	31	24	57.	51	27
26.	34	21	58.	45	34
27.	35	24	59.	47	30
28.	33	26	60,	50	30
29.	37	33	61.	49	27
30.	32	29	62.	50	32
31.	37	26	63.	50	28
32.	39	26	64.	50 ·	31

S.No.	×	у	S.No.	x	у
65.	15	23	99.	55	40
66.	53	33	100.	61	39
67.	54	37	101,	65	40
68.	51	40	102.	53	41
69.	58	34	103.	59	37
70.	57	37	104.	59	39
71.	57	35	105.	54	39
72.	5 6	41	106.	58	35
73.	57	39	107.	54	35
74.	58	37	108.	57	43
75.	56	40	-109.	54	38
76.	61	41	110.	55	40
77.	64	40 ,	111.	56	41
78.	65	40	112.	54	41
79.	66 ,	4I ,	113.	59	43
80.	. 65	42	114.	55	29
81.	66	42	115.	45	33
82,	67	44	116.	39	10
83.	69	45	117.	35	28
84.	66	48	118.	37	19
£5.	52	30	119,	25	21
86.	49	34	120.	19	17
87.	50	33	121.	54	40
88.	53	34	122.	52	44
89.	52	33	123.	59	38
90,	5 6	34	124.	61	38
91.	49	37	125.	60	. 37
92.	56	30	126,	58	43
93.	64	40	127.	60	45
94.	64	44	128.	64	41
95.	62	44 .	129,	58	47
96.	62	31	130.	, 61	45
97.	59	44	131.	67	46
98.	58	, 30	132,	66	46

133. 69 46

133. N₄ 133.-N₄

Total Sum 6181 4147

Sum of Squares 312119 139977

X XY - 206758.

Highly significant at 5% leve

r 086

FOR	CHEMISTRY	ATTEMPTED	AS OPTIONAL	PART OF TH	E TEST
S. No.	×	у	S. No.	×	у
1.	62	. 31	35.	20	. 17
2.	60	35	36.	19	18
З.	49	43	37.	26	13
4.	61	34	38.	25	14
5.	63	35	39.	19	16
6.	62	35	40.	27	14
7,	59	39	41.	20	18
8.	57	42	42.	24	17
9.	58	40	43.	33	18
10.	64	37	44.	27	15
11.	59	41	45.	10	18
12.	63	40	46.	26	16
13.	64	39	4 7.	30	14
14.	62	45	48.	25	20
15.	64	43	49-	29	14
16.	64	, 45	50.	. 14	23
17.	55	33	51.	29	14
18.	67	45	52.	22	20
19.	67	45	53.	27	17
20.	67	48	. 54,	30	15
21.	22 .	11	55.	30	15
22.	11	13	56.	27	18
23.	24	12	57.	28 、	19
24.	19	18	58.	27	17
25.	21	15	59.	13	22
26.	15	12	60.	30	15
27.	12	15	61.	32	12
28,	18	18	62.	23	20
29.	20	15	63.	23	23
30.	21	13	64.	23	24
31.	19	. 17	65.	23	25
32.	19	18	66.	28	20
33.	18	18 •	67.	21	21
34,)7	21	, 68,	32	17

\$.No.	×	у	S.No	, x	у
69.	30	19	103.	22	22
70.	29	6	104.	41	20
71.	29	20	105.	45	9
72.	29	21	106.	39	25
73.	25	20	107.	39	25
74.	22	20	108.	35	29
75.	35	15	109.	41	23
76.	31	21	110.	37	27
77.	21	22	111.	39	25
78.	20	22	112.	41	25
79.	35	9	113.	36	30
80.	20	20	114.	36	37
81.	9	28	115.	41	25
82.	31	19	116.	40	26
83.	33	20	117.	45	26
84,	28	18	118.	32	34
85.	23	23	119.	37	27
86.	28	21	120.	35	32
87.	26	22	121.	35	28
88.	37	2 (122.	41	25
89.	32	26	• 123.	40	28
90.	27	26	124.	36	32
91.	37	21	125.	41	27
92.	34	24	126.	38	30
93.	33	25	127.	39	29
94.	48	14	128.	33	30
95.	43	14	129.	33	35
96.	33	26	130.	29	30
97.	31	28	131.	43	28
98.	28	26	132.	48	. 24
99.	16	29	133.	46	23
100.	35	25	134.	47	27
101.	40	19	135.	28	23
102.	32	28	136. *	39	35

	∑ X ² =323	13 é 9	MY2=150714		
	Σ	X≔7435	∑Y=5i l4		
1		93=N ₂	193≔N ₂		
165,	45	37	• • • • • • • • • • • • • • • • • • • •		
163. 164.	46	31	193.	53	40
162.	52 49	33	192.	55	39
161.	43 52	30	191.	55	40
160.	51 43	30 34	197.	53	36
159.	51	30	189.	55 .	35
158.	46		188.	55	37
157.	46	`32	187.	54	35
156.	46	32 33	186.	57	33
155.		`32	185.	53	40
154.	45 47	34 33	184.	53	35
153.			183.	51	38
152,	42 49	32 31	182.	55	34
151.	35 42		181.	42	44
150.	5 <u>2</u>	28 40	180.	59	28
149.	52 52	24	179.	52	36
148.	45 53	33	177.	52	36
147.	49 45	29	176.	55	33
146.	48		176.	46	38
145.	5 4	24 30	. 174. 175.	49	38
144.	37	32	. 174.	51	34
143.	39 37	36	172. 173.	54	32
[42.	56	12	171.	50	34
141.	49	26	170.	53	32
140.	47	28	167.	49	3 <u>2</u> 31
139.			169.	56	32
j38.	45 49	26	168.	50	30
137.		25 25	167.	42	34
S.No-	× 43	у 29	166.	43	, 34
S No	v	v	S.No.	×	у

∑XY=214494. r=0.74

Highly significant at 5 % level.

FOR S.No.	MATHEMATICS X	ATTEMPTED Y	AS THE OPTION S.No.	AL PART O	F THE TEST
1.	15	10	27.	31	15
2.	22	14	28.	38	9
3,	4	14	29.	28	
4,	21	15	30.	28	20
5.	21	8	31.	24	18 16
6,	25	11	32.	23	
7.	6	9	33.	35	14
8.	20 ·	16	34.	35	15 15
9, `		13	35.	34,	18
10.	16	1	36.	31, 30	3
11.	24	- 14	37.	31	13
12.	22	. 13	38.	32	19
13.	21	18	39.	14	17
14.	23	15	40.	41	17
15.	25	14	41.	40	15
16.	16	12	42.	34	23
17.	27	10	43,	30	16
18.	28	13	44.	40	9
19.		7	45.	* 44	10
20.		18	46.	50	3
21.		12	47.	56	
22.		14	48.	54	16 19
23.		11	49.	52	
24,		22	50.	66	32
25,		6	50. 51.	64	21
26.		24 51 === N		97	30

∑ XY == 23229

r=0,32

Significant at 5% level.

TABLE (B)

SUMMARY OF THE COVARIANCE ANALYSIS OF THE DATA

							6		S.S.	.ř.	M.S.	μ.	
S.No.	S.No. Source of variation Size	Size	Sum of Squares	Squares	Product-Sum Ave. score X X on compul-	or compul-	Coef.	•					
•			XX Y	2 72		sory part					} ;	؛	•
-	2	m	4	ısı	•	7	60	6	<u>و</u> .	=	2	2	_
				1	71 697 51	39.40	0.40	0.708					
-	Physics Group	<u>98</u> 1	33,780.76	11,026.30				i					
، :		5	38,444.55	15,905.00	18,501.20	29.98	9.0	0.748					
	Chemistry Group	<u> </u>	8 421.00	1.760.16	1,223.40	38,32	0.45	0.317					
mi	Mathematics Group	ā	5		14 031 64	46 47	0.56	0.861					
4;	Biology Group	<u>8</u>	24, 865. 16	10,671,67					2974 67	m	3 1991.6 61.69	69.1	
Ľ	Retween Groups	:	11,291.42	13,563.91	10,680.53				5 - 1	, [6		
i	Within Groups (Error)	_	1,05,511.47	39,363.39	47,425.41			0.735	0.735 1,8046.5/	i i			
i r	Total	. 263	1, 16,802.89	52,927.30	58,105.04			• •	2,4021.34	262	562 42./4		
:				N 100	() - N N/L8	s							
			:	$F = \sum_{\mathbf{x}} \mathbf{x} \mathbf{x} \mathbf{w}^{1/2} \mathbf{x} \mathbf{w}^{2/2} \mathbf{x}^{2w}$	W2/X X2W	' 1, 8x559==660 highly significant.	o icant.			_			
			1 N N N N N N N N N N N N N N N N N N N	N-K-1) - The beer estimate of the population regression coefficient bw=0.449	e population reg	ression coeffic	ient bw	=0.449	7		2700	,,,	

regression coefficient based upon the total product sum and total sum of squares on the X variable is bt=0.946

PROJECT-5

Problem.

Dr. K. N. Saxena Sri S. K. Batra

To study the effect on the reliability of the Science Aptitude Test (year 1967) by discarding the items of low discriminative power.

Solution:—For the aforesaid study five Higher Secondary schools listed below were selected at random:

- (i) Lady Irwin Higher Secondary School for Girls, New Delhi.
- (ii) M.E.A. Higher Secondary School, Lodhi Estate, New Delhi.
- (iii) D.A.V. Higher Secondary School, Darya Ganj, New Delhi.
- (iv) Government Girls Higher Secondary School, 2nd Shift, Sarojini Nagar, New Delhi.
 - (v) Government Boys Higher Secondary School, Kalkaji, New Delhi.

The test was administered (discarding the items of low discriminating power based on the item analysis of the items set in the science Aptitude Test administered to the examinees in year 1967), to three hundred students studying in the final year of the Higher Secondary Courses and scoring more than 55% of the marks in Physis, Chemistry, Biology and Mathematics in aggregate at class X or equivalent. No time limit was put on the test i.e. the test was a Power test, and not partially speeded rest as before. It was that the maximum time taken by the students was 180 minutes.

Following items of the S.A.T, were selected for the restest proced- ure: - Compulsory Part

Items No:—1 to 12, 14 to 21, 24, 26, 29 to 34, 36 to 50, 52 to 59, 61, 63 to 67 71 to 73 and 75.

Optional Parts

Physics

Items No :-1 to 11, 13, 15, 18, 19, 23, 25, 27 to 37, 39, 43 to 50

Chemistry

Items Nos:-3, 5, 7, to 23, 25, 27 to 39, 41 to 46, 49 and 50

Biology

Items No:-3, 6, 8, 9, 12, 15 to 18, 20, 21, 23, to 29, 31 to 33, 35, 41, 44 to 50.

The reliability of the Science Aptitude Test has been worked out by Kuder Richardson formula (KR-20) which gives the internal consistency of the test

items and thus the dependability of the test scores. In a way, it is the self correlation of a test, that is, the correlation of a test with itself. It provides indirectly an estimate of the error of measurement of the test Scores. Since all the conditions for K-R formula are not fulfilled in our case, the estimates obtained may be on the high side or low side, therefore no much weightage is to be given to the estimates. For the compulsory part of the test (after discarding the items of low discriminative power) the figure comes out to be $r_{11} = 0.89$.

For the optional parts of the Test, (after discarding the items of low discriminating power) the reliability coefficients are

- (i) Physics $r_{11}=0.83$)
- (ii) Chemistry $r_{l1}=0.83$) (A)
- (iii) Biology $r_{11}=0.72$)

In case of mathematics, the figure has not been worked out due to lake of data. Because very few students have attempted this optional part of the test and that too with little attention.

It has has been observed from the examination of the previous years that the % age of examinees going in for mathematics as the optional part of the test is very small in comparison to the preferences for the other parts. The same is true is case of opting the Hons. course in Mathematics by the finally selected awardees.

This year the figures have been worked out as:

Optional Part	%age of students
(1) Physics	35%
(2) Chemistry	31%
(3) Biology	26%
(4) Mathematics	8%

Mathematical Olympiads have been stated since 1968 to encourage student to opt for studies mathematics.

Moreover, it has been observed from the examinations of previous years that the reliability coefficient for mathematics is throughout very low in comparison to the reliability coefficient for the other parts of the test. A perusal of the following table will revead the validity of the aforesaid statements.

Reliability coefficients of the Science Aptitude Test set in various years.

TICHACHUI P CO	دره ازام وبيناها بالإزاعاء	0 10 0 10 10 0 x - p - 1 - 1 - 1 - 1	, ,,,,,,,,,,,,,,,,,,,,,,,,,,	,
•	Year 1964	Year 1965	Year 1966	Year 1967
Compulsory Part	$r_{11} = 0.90$	$r_{11} = 0.91$	$r_{11} = 0.89$	$r_{11}=0.92$
Optional Part				
(i) Physics—	$r_{11}=0.85$	$r_{11}=0.83$		$r_{11} = 0.86$
(ii) Chemistry*-	$r_{11}=0.85$	$r_{11}=0.86$		$r_{11} = 0.88$
(iii) Biology		$r_{11}=0.83$	$r_{11}=0.82$	$r_{11}=0.89$
(iv) Mathematics	*	$r_{11} = 074$	$r_{11}=0.72$	$r_{11}=0.72$

*-No. optional part was given in year 1964.

A perusal at the figures at (A) reveals that the reliability figures havegone down in comparison to that of year 1967, when no items were discarded. The this decreases in the length of the test may be one of the important reosons for decrease, further non-seriousness of the students while take the test may be another reason.

Since some of the assumptions involved in carrying out of the item analysis are not fulfilled it may be possible that the item analysis contained in the S.A.T, may not be perfect, which may be considered as the third plausible reason.

A different result may be expected if the spearman-Brown formula for determining the reliability of the test may be applied to the shortened test.

RAW DATA OF THE COMPULSORY PART OF THE TEST

(SAMPLE SIZE-200)

S. No.	No. of students	No. of students	p=proportion	q=proportion
	passing at the	falling at the	passing at the	failing at the
	item	ltem	ltem	ltem
1.	140	60	0.07	0.30
2.	112	88	0.55	0.44
3,	120	80	0.60	0.40
4.	119	81	0.595	0.405
5.	55	145	0.275	0.725
6.	155	45	0.775	0.225
7.	148	52	0.7 4	0.26
8.	147	53	0.735	0.265
9.	138	62	0.69	0.31
10.	117	83	0,585	0.415
11.	93	107	0.465	0.535
12.	128	72	0.64	0.36
14,	107	93	0,535	0.465
15.	136	64	0,68	0.32
16.	148	52	0.74	0.26
17.	133	67	0.665	0.335
18.	154	46	0.77	0.23
19.	133	67	0.665	0.335
20.	135	65	0.675	0.325
21.	67	133	0 335	0.665
24.	141	59	0.705	0.295
26.	85	115	0.425	0.575
29.	106	94	0.53	0.470
30.	63	137	0,315	0.685
31,	110	90	0.55	0.45
32.	182	18	0.91 .	0.09
33.	126	74	0.63	0.37
34.	89	Ш	0.445	0 555
36.	154	46	0.77	0.23
37,	169	31	0.845	0.155
38,	128	· 7 2	0.64	0.36
39.	150	50 _.	0.75	0.25
40.	154	46	0.77	0.23
41.	168	32	0.84	0.16
42.	172	28	0.86	0,14
43.	103	97 	0.515	0.485 0.385
44.	123	77	0.616	0.36
45.	128	72	0.64	0.36 0.275
46.	145	55	0.725	
47.	138	62	0.69	0.31
48.	[3]	69	0.655	0.345

_		86	0.57	0.43
49.	114		0.68	0.32
50.	136	64	0.65	0 35
52.	130	70		0.44
53.	112	88	0.56	0.535
54.	93	107	0.465	A 7/F
55.	147	53	0.735	-
	69	131	0.345	0.655
56.		47	0.765	0.235
57.	153	67	0.665	0.335
58.	133	57	0.715	0.285
59.	143		0.57	0.43
61.	114	86	0.745	0. 2 25
63 .	149	51	0.74	0,26
6 4 .	1 4 8	62	0.685	0.315
65.	137	63	0.61	0.39
66.	122	78	0.72	0.28
67.	144	56	0,375	0.625
71.	75	125	0.40	0,60
72.	80	120		0.565
73.	87	113	0.435	0.66
	68	132	0.34	
75.			∑ pq=¬13	.04

 $r = \frac{n}{n-1} - \times \frac{SDt^2 - \sum pq}{SDt_2} = 0.89$

SDt2 (variance of the test scores) = 106.25

Class intervals	Frequency	
10-15	5	
15-20	4	
20-25	11	
	20	
25-30	31	
30-35	35	
35-40	_	
40-45	37	
45-50	28	
50-55	. 2 2	
55-60	7	
	200	Mean

Mean == 33.21

RAW DATA OF THE PHYSICS (OPTIONAL) PART OF THE TEST

110.11	DAIA OF THE !			
Item No.	No. of students	No. of students	Proportion of	Proportion of
	passing at the	failing at the	students passing	studants failing
	ltem	ltem	at the Item	at the Item
ı.	54	11	.8305	. 1691
2.	53	12	.8151	.1845
3.	56	9	.8612	.1384
4.	52	13	. 799 7	.1994
5.	4 5	20	, 6921	.3076
6.	38	27	.5844	.41526
7.	40	25	.6152	.3145
8.	18	47	, 2768	.72286
9.	44	21	.6767	.3229
10.	13	52	. 1999	,7997
11.	34	31	.5229	.4767
13.	33	32	. 5075	. 4 92 l
15.	22	43	,3383	.6613
18.	11	54	. 1691	.8305
19.	36	29	.5536	. 44 60
23.	16	49	.2460	.7536
25.	30	35	.4614	. 5383
27.	21	44	,3229	. 6767
28.	17	48	.2614	.7382
29.	15	50	.2307	.7690
30.	57	8	.8766	. 1230
31.	37	28	.5690	,4309
32.	29	36	.4460	•5536
33.	19	46	.2922	.7074
34.	26	39	.3998	.5998
35.	27	38	.4152	.5844
36.	13	52	.1990	.7997
37.	23	42	.3537	.6459
39.	14	51	.2153	.7843
43.	30	55	.4614	.5383
44.	26	39	.3998	.5998
45.	34	32	.5075	.4921
46.	34	31	.5229	,4767
47.	30	35	.4614	.5383
48.	34	31	.5229	.4767
49.	31	34	.4767	.5229
50.	27	38	.4152	5844
au. *	2 , r			∑ PQ=7·7382
				SDt ² =40·05

r=0.83

RELIABILITY FOR OPTIONAL PART (BIOLOGY) OF THE TEST

RELIABILITY FOR OFFICIAL TAX (5					
S. No.	No. of students	No. of students	% age passing at	% age falling at	
of Item	passing at the	failing at the	the Item	the Item	
Of Irem	ltem	Item	(P)	(Q)	
3	54	30 .	0.6426	0.3570	
	61	23	0.7259	0.2737	
6	71	13	0.8449	0.1547	
8	64	20	0.7616	0.2380	
9	63	21	0.7497	0.2499	
12	58	26	0.6902	0.3094	
15	40	44	0.4760	0,5236	
16	83	ï	0.9877	0.0119	
17	42	42	0,5000	0.5000	
18		3í	0.6307	0,3689	
20	53	18	0.7854	0.2142	
21	66	7	0.9163	0.0833	
23	17	16	0.8092	0.1904	
24	6B	48	0,4284	0,5712	
25	36	41	0.5117	0.4879	
26	43	24	0.7140	0.2856	
27	60		0.5355	0.4641	
28	45	39	0.7140	0.2858	
29	60	24	0,8092	0.1904	
31	68	16	0,5831	0.4165	
32	49	3 5	0.7140	0.2856	
33	60	24	0.7140	0.2856	
35	60	24	0,5355	0.4641	
41	45	39	0,6069	0.3927	
44	51	33	0,5000	0,5000	
45	42	42		0.3094	
46	58	26	0.6902	0.2499	
47	63	21	0.7497	0.3213	
48	/ 57	27	0.6783	0,7497	
49	21	63	0.2499	0.5712	
50	36	48	0.4284	0,5/12	
		∑ PQ=6.			
		_ ^'	714		

r=0.716

Frequency distribution of scores on Biology Optional Part

LLadabir Anterinance as person	
Score	Frequency
8	ı
10	2
12	2
13	2
14	4
(5	4
· 16	5
17	7

293

18	7
19	6
20	2
21	9
22	9
23	8
24	4
25	′ 5
26	3
27	3
30	1
	N ≔84

Mean=19,69

 $Sdt^2 = 19.59$

RAW DATA OF THE CHEMISTRY (OPTIONAL) PART OF THE TEST

Item No.	No. of students passing at the Item	No. of students falling at the Item	P-proportion passing at the item	Q=proportion failing at the ltem
	45	15	.7497	.2499
3	47	13	.7830	,2165
5	34	26	.5664	.4331
7	34	26	, 5664	,4331
8	49	11	.8163	.1832
9	40	20	,6664	.3332
10	33	27	.5497	.449B
11	44	16	,7330	,2665
12	34	26	.5664	,4331
13	23	37	.3831	.6164
14	37	23	.6164	.3331
15	18	41	.3165	.6830
16	2 9	31	·483 l	.5164
17	45	15	.74 97	.2499
18	25	35	.4165	.5831
19	49	11	,8163	,1832
20	23	37	.3831	.6164
21	25 37	23	,6164	.383 J
22	37 41	19	.6830	.3165
23	11	49	.1832	.8163
25	33	27	.5 4 97	.4498
27		36	,3998	.5997
28	24	13	.7830	.2105
29	47	8	.8663	.1332
30	52	7	,8829	,1166
31	53	5	.9163	.0833
32	55	6	,8996	.1000
33	54		,6164	,3831
35	37	23	,8496	.1500
36	51	9	,5000	.5000
37	30	30	,6330	.3670
3,8	38	22	.2500	,7500
- 39	15	45	,5664	4336
41	34	26	.5497	.4498
42	33	27		,2998
43	42	18	.6997	.3665
44	38	22	.6330	.2332
45	. 46	17	.7663 493 l	.2352 .5164
46	29	31	.4831	,3665
49	38	22	.6330	.1832
50	49	11	.8163	, 1032
JV		r=0.83	∑	PQ=8.0886

∑ PQ=8.0886 SDt²=43.45

PROJECT-6

Dr. K. N. Saxena Shri S. K. Batra

Problem:

Role of correction for guessing on the students score belonging to different ability groups.

Design of study:

In order to observe the degree of element of guessing in the low group, top group and the group of selected awardees, a detailed study has been performed on the candidates belonging to the aforesaid groups regarding their corrected scores, uncorrected scores, omissions and wrong responses.

The top group of size 127 consists of 26% from top of the stratified proportional random sample drawn from the entire population of examinees. Thereby the top group covers all these candidates who have a corrected score of 58 and above in the Science Aptitude Test. The bottom group of size 136 consists of all those candidates whose corrected score is upto 30. This comprises the 27% from the bottom of the aforesaid sample. The third group of size 229 consists of all those candidates who were finally selected for the award.

A glance at the statistical figures (i.e. Mean & S.D.) worked out for each group reveals that there is a significant difference between the average number of omissions and average number of wrong responses of the bottom and the top groups. For the top and the selected groups, there is no significant difference between the two groups while taking into consideration the average number of wrong responses.

A perusal of the correlational figures, worked out between the corrected and uncorrected scores for the three aforesaid groups, (which are as follows):—

(i) Top group r = 0.98

(ii) Bottom group r = 0.78

(iii) Selected group r = 0.97

reveals the general impression that in case of top group, the element of guessing plays an insignificant role, There by suggesting the application of the formula:—

$$S = R - \frac{W}{n-1}$$

S=Corrected score

R=The number of right answers

(uncorrected score)

W=The number of wrong answers

n=total number of alternatives provided to each item.

does not play any vital role. But this does not mean that the element of guessing is completely eliminated. From the detailed study of the enclosed tables, which have been drawn up to observe the attractiveness of various distractors of the multiple choice items of the Science Aptitude Test of year 1967 for the different groups of students classified by the total test score, it is clear that for the high achievers (scoring more than 80 out of 125) the distractors are not equally attractive. Very often, it has been observe that if at all the candidates belonging to the top group face any difficulty in choosing the correct response, his confusion mostly lies only between the two alternatives which is a clearout case of right and wrong response. Keeping in view the above fact, the formula for scoring should be $S \approx R - \frac{W}{2}$. (where the symbols stand as usual), which will show a significant decrease in corrected scores. For example a candidate whose uncorrected score is 105 and the number of his wrong answers are 20 than the correct score should be 95 not 98.

If we take into consideration only the uncorrected score, or in other words the scores not taking into consideration the guessing factor, then most of the high and low achievers will indulge in blind guessing where they will feel some difficulty in choosing the correct response.

From the correlational figure (r = 0.78) worked out for the low group, it is clear that these students indulge in guessing work more than the high achievers. The raw scores reveal that most of the students are scoring more than 50 while the number of their wrong attempts in most of the cases is even much more than that of their raw score. Moreover, in case of multiple choice questions the raw score does not represent the true ability of the candidate but actually it represent to some extent the true ability of guessing in case of low group and approximately true ability in case of top group because of the fact that there is no marked difference between the corrected and uncorrected scores in the top group.

The over all picture is that there is an element of guessing among the students belonging to different groups. While excluding the guessing factor perhaps it will not be possible to make a clear distinction among the students in the following fields:—

- (i) his/her aptitude for science,
- (ii) his/her interest in pursuing science beyond the routine curriculum,
- (iii) his/her powers of scientific reasoning,
- (iv) his/her ability to understand scientific concepts precisely,
- (v) his/her ability to use the scientific approach in checking hypotheses, in interpreting data and in applying principles, and
- (vi) his/her capacity to judge assumptions underlying conclusions.

THE COEFFICIENT OF CORRELATION BETWEEN THE CORRECTED AND UNCORRECTED SCORES OF THE EXAMINEES SCORING TOTAL SCORE 58 AND ABOVE IN SCIENCE APTITUDE TEST (TOP GROUP:—26% OF THE STRATIFIED PROPORTIONAL SAMPLE DRAWN FROM THE TOTAL POPULATION) SAMPLE SIZE—127

THE TOTAL TOTAL					
S. No.	Corrected Score	Uncorrected Score	Omitted	Wrong response	
_	98	105	oʻ	20	
Į.	76 01	107	0	18	
2.	108	112	1	12	
3.		114	0	12	
4.	11,0	93	0	27	
5.	89	78	17	30	
6.	68	82	ſ	42	
7.	68	85	4	36	
8.	73 -77	89	0	36	
9.	77	89	9	- 27	
10.	82	103	0	22	
11.	95	109	1	15	
12.	104	89	' 3	33	
13.	78 20	97	ı	27	
14.	88	105	0	20	
15.	96	114	0	14	
16.	108	119	0	6	
17.		83	O	42	
18.		92	0	33	
19.		103	0	22	
20		77	21	27	
21		82	4	39	
22		84	8	33	
23		94	0	31 .	
24		90	0	35	
25	•	92	9	24	
26		107	0	18	
27		99	8	18	
21		90	8 '	27	
2		85	ī	` 39	
3		83	0	42 21	
	• •	76	28	39	
		86	Q		
	••	95	. 3	27	
	••	81	5	39	
	5. 68	13	13	33	
	6, 68	, 81	2	42	
	17· 67	83	0	42	
	18. 69	94	Ō	31	
;	39. 84		17	18	
	40. 84	90	••		

41.	97	104	0		21
42.	67	81	2		42
43.	71	92	0		33
44.	86	101	0		24
45.	90	106	0		19
46.	83	86	30		9
47.	89	97	4		24
48.	74	90	0		35
49.	79	86	18		21 30
50.	67	77 92	18 1		42
51.	68	· 72	7		39
52.	66 68	82	í		42
53. 54.	66	81	Ö		44
55.	66	78	11		36
56.	61	75	8		42
57.	62	76	7		41
58.	62	78	0		47
59.	61	77	0		48
60.	66	76	19		30
61.	65	79	4		42
62.	63	78	2		45
63.	62	70	31		24
64.	64	76	13		36
65.	66	78	11		36
66.	61	77	0		48
67.	63	78	2		45
68.	64	80	0		45
69.	66	81	0		44
70.	65	79	4		42
71.	62	79	0		46
72.	59	75	2		48
73.	59	75	2		48
74.	59	77	0		48
75.	59	73	10		42
76.	59	64	16		45
77.	60	69	29	*	27
78.	59	68 75	30	•	27 45
79.	60	75 80	10		43
80.	67	82	0		42
B1.	69	83 87	0 0		38
82.	72 77	91	0 -		34
83,	7 7 77	89	ŏ		36
84.	82	93	Ö		32
85. 86.	89	98	Ŏ		27
87.	91	98	6		21
88.	108	112	ĭ		12
. 89 .	71	83	. 6		36
90.	76	89	ō		36
91.	74	86	3		36
711	<i>7</i> ¬		_		40

	_	00	5	30
92	80	90	I	24
93.	92	100	0	10
94.	112	115	Ī	36
95.	76	88		27
96.	71	80	18	39
9 7.	72	85	l E	36
98.	72	84	5	38
99.	74	87	0	30
100.	74	84	11	38
101.	74	84	0	36
102.	76	88	l •	30
103.	76	86	9	
104.	76 ,	88	l a	36 30
105.	77	87	8	33
106.	77	88	4	
107.	77	86	12	27
108.	79	. 88	10	27
109.	79	90	2	33
110.	81	91	4	30
111.	85	94	4	27
112.	86	94	7	24
113.	86	87	0	28 24
114.	87	95	, 6	18
115.	9 2	98	9	21
116.	97	104	0 0	20
117.	98	105	- 0	18
118.	99 -	105	0	18
119.	101	107		18
120.	101	107	0 2	15
121.	103	108	0	11
122.	110	114	1	9
123.	112	115	0	38
12 4 .	74	87		21
125.	8 5	92	12	24
126.	92	100	1	
127.	86	96	0	29
			0	E
			I == 4.79	₩ =30.844
			<u> </u>	
			S.D.=7,2	S,D10.0

The co-efficient of correlation $F\!\!=\!0.98$ Highly Significant at 0.01 level.

41.	97	104	0		21
42.	67	81	2		42
43,	71	92	Õ		33
44.	86	101	0		24
45.	90	106	0		19
46.	83	86	30		9
47.	89	97	4		24
48.	74	90	ó		35
49.	79	86	18		21
50.	67	77	18		30
51.	68	92	1		42
52.	66	. 7 9	7		39
53.	68	82	4		42
54.	66	81	0		44
55,	66	78	11		36
56,	61	75	8		42
57.	62	76	7		41
50,	62	78	0		47
59.	61	77	0		48
60.	66 ⁻	76	19		30
61.	65	79	4		42
62.	63	78	2		45
63.	62	70	31		24
64.	64	76	13		36
65.	66	78	11		36
66.	61	77	0		48
67.	63	78	2		45
68.	64	80	0		45
69.	66	81	ō		44
70.	65	79	4		42
71.	62	79	Ó		46
72.	59	75	2		48
73.	59	75	2		48
74.	59	77	ō		48
75.	59	73	10		
76.	59	64	16		42
77.	60	69	29		45
78.	59	68	30	•	27 27
79.	60	75	10		45
80.	67	82	0		43
81.	69	83	ō		
62.	72	87	ő		42 38
83,	7 7	91	Ö		34
84.	77	89	Ö		
85.	82	93	Ö		36 32
86.	89	98	0		32
87.	91	98	6		27
88.	108	112	1		21
. 89.	71	83			12
90.	76	89	Ö		36
91.	74	86	3		. 36
	÷ •	•	3		36

	00	90	5	30
92.	80	100	ı	24
93.	92	115	0	10
94.	112	88	1	36
95.	76	80	18	27
96.	71	85	Ī	39
97.	72	84	5	36
98.	72	87	0	38
99.	74	84	ii	30
100.	74		0	38
101.	74	84	Ĭ	36
102.	76	88	9	30
103.	76	86	1	36
104.	76 ,	88	8	30
105.	77	87	4	33
106.	77	88		27
107.	77	86	12	27
108.	79	88	10	33
109.	79 .	90	1	30 '
110.	81	91	4	30 27
	85	94	4	24
112.	B6	94	7	2 4 28
113.	86	87	0	26 24
114.	87	95	6	18
115.	92	98	9	21
116.	97	104	0	20
117.	98	105	0	18
118.	99 -	105	0	18
119.	101	107	0	18
120.	101	107	0	15
121.	103	108	2	11
122.	110	114	0	9
123.	112	115	1	38
124.	74 ·	87	0	21
125.	85	92	12	
126.	92	100	1	24
127.	86	96	0	29
147.	70		0	_
			 4.79	₩ -3 0.844
			0	

S.D. = 10.0

S.D.=7.2

The co-efficient of correlation F=0.98

. .

Highly Significant at 0.01 level.

THE COEFFICIENT OF CORRELATION BETWEEN THE CORRECTED AND UNCORRECTED SCORES OF THE EXAMINEES SCORING TOTAL SCORE UP TO 30 IN SCIENCE APTITUDE TEST (i.e. LOW GROUP 27% OF THE STRATIFIED PROPORTIONAL SAMPLE DRAW FROM THE TOTAL POPULATION OF EXAMINEES)

S. No.	Corrected Score	Uncorrected Score	Omitted	Wrong response
١.	29	52	4	69
2.	25	42	32	51
3,	19	44	6	75
4.	16	41	9	75
5.	[5	28	58	39
6.	13	30	8	78
7.	13	41	. 0	84
8.	10	38	. 3	84
9.	9	38	6	81
10.	9	36	14	75
11.	8	36	5	84
12.	12	38	9	78
13.	19	· 44	6	75
14.	19	44	` 6	75
15.	23	, 48	` 2	75
16.	26	50	3	72
17.	29	51	8	* 66
18,	12	39	5	81
19.	15	31	46	48
20.	22	47	3	75
21.	22	45	11	69
22.	23	33	62	30
23.	27	44	30	51
24.	28	33	77	15
25.	29	52	4	69
26.	27	52	0	73
27.	27	50	6	69
28.	29	53	0	72
29.	11	35	18	72
30.	15 22	34	34	57
31. 32.	22 28	48	0	77
		40	49	36
33,	2	, 33	0	92
34. 35.	6	36	0	89
	7	36	38	\$7
_36.	16	42	5	78
37. 39	18	45	0	80
38,	18	44	3	78
39.	18	43	7	75

40.	19	45	2	78
41.	20	46	1	78
4 2.	21	42	20	63
43.	22	46	7	72
44.	23	42	26	57
45.	25	37	52	36
46.	25	50	0	75
47.	25	49	4	72
48.	28	42	41	42
49,	29	53	0	72
50.	29	31	88	6
51.	29	53	0	72
52.	27	50	6	69
53.	27	49	10	66
54.	29	49	16	60
55.	22	47	3	75
56.	29	44	26	45
57.	19	- 41	18	66
58.	18	• 43	7	75
59.	14	41	3	81
60.	14	41	3	81
61.	19	35	. 42	48 9 7
62.	9	38	0	84
63.	9	37	4	24
64.	9	17	84	81
65.	8	35	9	33
66.	24	35	57	63
67.	29	50	12	75
68.	24	50	0	75 75
69,	24	49	" 0	75
70.	25	50	ō	75
7 l.	25	50	10	66
72.	27	49	5	69
73.	28	51	, o	71
74.	30	54	114	3
75.	8	9	0	81
76. ,	17	44	3	78
77.	18	44 40	22	63
78.	19	36	47	42
79.	22	48	2	75
80.	23	49	ī	75
81.	24 26	50	3	72
82.	23	47	6	72
83. 84.	8	 36	5	84
	17	43	4	78
8 5. 86.	17	44	0	81
	18	39	23	63
87. 88.	29	53	0	72
89.	29	. 56	- 0	69
	29 '	52	4	69
90.	۷7			

302

٥١.	27	36	62	27
92.	26	45	68	57
93.	2 5	45	20	60
94.	24	49	1	75
95.	24	46	13	66
96.	22	48	0	77
97.	21	40	28	57
98.	17	29	60	36
99.	 17	27	68	30
100.	17	42	8	75
101.	16	44	ō	75 75
102.	16	42	5	78
103.	16	35	33	57
104.	16	46	ō	79
105.	15	26	66	33
106.	14	42	0	83
107.	14	42	0	83
108.	11	39	2	84
109.	11	42	0	83
110.	11	35	18	72
111.	11	39	2	84
112.	7	34	10	81
113.	3	32	6	87
114.	2	33	42	93
115.	1	30	8	87
116.	0	30	23	72
117.	1	25	28	72
118.	6	18	71	, 36
119.	6	36	0	89
120.	6	30	0	89
121.	6	36	0	89
122.	6	22	27	69
123.	6	28	31	66
124.	6	25	43	57
125.	7	36	2	87
126.	7	35	6	84
127.	9	37	4	84
128.	9	39	0	87
129.	9	36	8	81
130,	9	36	0	87
131.	10	39	0	86
132.	13	38	12	75
133.	14	28	5 5	42
134.	15	42	2	81
135.	16	43	1	81
136.	16	, IB	121	66
		•	$\vec{0}' = 17.0$	$\sqrt{8}$ =68,389
			o ² w =581.30	^{∞2} w =342,981
			S.D. = 24.1	
TLI	E COEFFICIENT OF	CORRELATION		-101-10,0

THE COEFFICIENT OF CORRELATION $\omega=0.78$ Significant at 0.01 level,

CORRELATION BETWEEN CORRECTED AND UNCORRECTED SCORES OF THE SELECTED AWARDEES ON THE SCIENCE APTITUDE TEST, YEAR 1967

S.No.	Corrected Score	Uncorrected Score	Omitted	Wrong response
ι.	86	96	0	29
2.	97	104	0	. 21
3.	88	97	1	27
4,	81	91	, 4	30
5.	115	118	0	7
6,	102	108	2	15
7.	` 110	114	0	П
8,	112	115	0	10
9.	71	84	2	39
10,	76	88	13	24
Н.	89	98	1	26
12.	84	94	1	30 .
13.	88	97	0	29
14.	98	105	0	20
15.	97	104	0	21
16.	96	103	2	20
17,	84	102	28	23
18.		82	0	15
. 19.		115	0	10
20.		117	0	
21,		· III	O	14
22.		110	l	14 17
23.		108	0	17
24.		73	34 0	22
25.		. 100	0	34
26.		91	I	41
27.		89 104	4	17
28		100	0	25
29.		88	3	34
30		100	Ō	2 5
31		102	0	23
32		95	8	23
33 34	-	96	Ō	29
35		101	1	25
36	-	91	13	21
37		89	0	36
38		92	0	33
39		95	0	30 ,
40		90	0	35
41		96	0	29
42		, 92	5 0	28
43		97		28
44		94	0	31
	1			

45.	92	100	9	26
46.	100	106	0	9
47.	95	103	0	22
48.	69 .	74	36	15
49.	91	100	0	25
50.	100	106	2	17
51.	91	99	2	24
52.	92	100	0	25
55.	77	89	0	36
54.	76	38	0	37
55.	74	87	0	38
5 6 .	64	78	6	41
57 .	77	89	0	36
58,	102	108	0	17
59.	99	105	3	17
60.	107	111	2	12
61.	88	97	0	28
62.	97	103	0	21
63.	86	36	0	29
64.	88	96	6	23
65,	72	85	0	40
66.	92	100	0	25
67.	DI	107	9	18
68.	88	9 7	0	28
69.	97	104	9	21
70.	94	101	2	22
71.	110	114	0	11
72.	100	106	1	18
73. 74.	87 97	96 103	0 0	27 22
75.	103	108	2	15
76.	100	106	0	19
77.	94	100	6	19
78.	102	108	0	17
79.	68	81	6	38
80.	115	117	i	7
81.	98	105	0	20
82.	65	79	- 0	41
83.	86	96 ,	0	29
84.	89	98	2	26
85.	88	9 7	8	28
86.	84	04	0	31
87.	87	96	3	26
88.	91	9 7	11	17
89.	87	96	2	27
90.	92	100	0	26
91.	98	105	0	22
92.	98	104	3	18
93.	102	108	0	17
94.	95	101	6	18
95.	74	86	3	´ 36

96.	112	115	0	10
97.	109	112	3	12
98.	109	113	1	11
99.	100	106	0	19
100.	99	105	2	18
101.	99	105	3	17
102.	98	105	0	20
103.	80	89	10	26
194.	72	77	33	15
105.	110	4	C o	11
106.	67	73	35	12
107.	90	99	0	26
108	69	83	I	41
109.	81	92	0	33
110.	80	91	1	33
111.	89	96	7	22
112.	84	94	ı	50
113.	70	84	0	41
114.	95	102		22
115.	100	106	l ••	18 17
116.	81	87	21	17
117.	98	105	0	20 10
118.	112	115	0	20
119.	98	105	0 0	20 37
120.	76	88	0	23
121.	94	102 99	2	24
122,	91	108	5	12
123.	104	101	0	24
124.	93	92	-1	22
125.	81 ' 100	106	0	19
126.		90	0	35
127.	78	100	ĭ	24
128,	92 93	. 100	4	21
. 129. 130.	78	90	0	35
130.	79	87	14	24
132.	93	99	7	19
133.	92	100	0	. 25
134.	67	81	3	41
135.	75	86	7	29
136.	70	84	0	41
137.	95	101	5	19
138 .	89	96	7	22
139.	104	109	0	16
140.	82	92	2	31
141.	84	94	, 0	31
142.	8 0	89	8 . 2	28 45
143.	63	78		24
144.	85	93	8	24
145.	82	90	. 11	25
146.	75	87	3	23

45.	92	100	9	26
46.	100	106	0	9
47.	95	103	0	22
48.	69 •	74	′ 36	15
49.	91	100	0	25
50.	100	106	2	17
51.	91	99	2	24
52 .	92	100	0	25
55.	77	89	0	36
54.	76	38	0	37
55.	74	87	0	38
56.	64	78	6	41
57.	77	89	0	36
58.	102	108	0	17
59.	99	105	3	17
60.	107	111	2	12
61.	88	97	0 0	28
62.	97	103		21
63. 64.	86	36 96	0 6	29
65.	88 72	85	, 0	23 40
		100		
66,	92		0	25
67.	171	107	9	18
68.	88	97	0	28
69.	97 94	104 101	9 2	21 , 22
70.		114	0	11
71. 72.	110 100	106	i	18
73.	87	96	O	27
74.	97	103	ő	22
75.	103	108	2	15
76.	100	106	0	19
77 .	94	100	6	19
78.	102	108	0	17
79.	68	81	6	38
80.	115	117	ı	7
81.	98	105	0	20
82.	65	79	. 0	41
83.	96	96,	0	29
84.	89	98	2	26
85.	88	97	8	28
86.	84	04	0	31
87.	87	96	3	26
88.	91	97	Ш	17
89.	87	96	2	27
90.	92	100	0	26
91.	98	105	. 0	22
92.	98	104	3	18
93.	102	108	0	17
94.	95 7 4	101 86	6 3	18 36
9 5.	/4	80	3	30

96.	112	115	0	10
97.	109	112	3	12
98.	109	113	1	11
99.	100	106	0	19
100.	99	105	2	18
101.	99	105	3	17
102.	98	105	0	20
103.	80	89	10	26
104.	72	77	33	15
105.	110	4	E o	11
106.	67	73	35	12
107.	90	99	0	26
108.	69	83	1	41
109.	81	92	O	33
110.	80	91	l	33
111.	89	96	7	22
112.	84	94	1	50
113.	70	84	0	41
114.	9 5	102	i	22
115.	100	106	1	18
116.	81	87	21	17
117.	98	105	0	20
118.	112	115	0	10 2 0
119.	98	105	0	37
120.	76	88	0	23
121.	94	102	0 2	24
122,	91	99	5	12
123.	104	108	0	24
124.	93	101 92	- I	22
125.	81	106	Ö	19
126.	100		0	35
127.	78	90 100	i	24
128.	92	_ 100	4	21
. 129.	93 78	90	Ö	35
130.	7 8 79	87	14	24
131.	93	99	7	19
132. 133.	92	100	0	. 25
134.	67	81	3	41
135.	75	86	7	29
136.	70	84	0	41
137.	95	101	5	19
138.	89	96	7	22
139.	104	109	0	16
140.	82	· 92	2	31
141.	84	94	, 0	31
142.	´ 80	89	8 2	28
143.	63	78	2	45
144.	85	93	8	24
145,	82	90	. 11	24 25
146.	75	67	3	25

147.	82	93	0	32 ⁻
148.	89	98	0	27
149,	88	97	0	28
150.	85	94	5	26
151.	96	103	l	21
152.	102	108	0	17
163.	92	100	0	25
154.	94	102	0	23
155.	106	111	0	14
156.	94	102	0	23
157.	93	101	0	24
158.	102	107	3	. 15
159.	109	113	1	11
160.	98	105	0	20
161.	80	91	0	34
162.	85	95	1	29
163.	89	97	0	28
164.	95	101	5	19
165.	89	98	Ī	26
166.	80	83	32	10
167,	90	97	7	21
168.	79	89	7	29
169.	95	102	i	22
170.	102	106	6	13
171.	97	104	ĭ.	2,0
172,	83	84	38	3
173.	92	100	0	25
174.	85	95	, 0	30
175.	81	89	13	23
176.	89	92	21	12
177.	75	86	5	34
178.	82	91	8	26
 79.	69	83	Ö	
180,	82	93	. 0	4 2
181.	92	100	, , ,	22
182.	84	93	. 4	25 28
183.	92	100		28
184.	84	90	[14	24
185.	89	98	16	19
186.	76	88	1	36
187.	93	101	0	37
188.	76	85	0	24
189,	83	93	12 3	28
190.	98	93	18 2	29
191.	100	104	9	14
192.	102	108	Ŏ	12
193.	81	92 *	0	15 53
1 94.	83	93-	ĺ	31
195.	65	80	Ö	45
196.	72	85	2	38
197,	78	85	18	22

198.	79	90	ı	34
199.	8)	92	Ò	33
200.	83	88	21	16
201.	85	95	 0	30
202.	88	97	Ĭ	27
203.	64	79	o O	46
204.	74	86	3	34
205.	83	93	3	29
206.	84	94	l	30
207.	100	100	5	14
208.	86	96	14	19
209.	80	91	0	34
210.	72	83	8	34
211.	92	96	17	12
212.	101	106	5	14
213.	97	103	3	19
214.	87	96	3	· 26
215.	90	99	0	26
216.	88	97	2	26
217.	89	98	0	27
218.	86	94	7	24
219.	80	91	0	24
220.	92	100	0	25
221.	82	. 93	0	32
222.	79	,90	2	33
223.	89	96	8	21
224.	87	95	6	24
225.	86	96	٥.	29
226.	84	94	I '	30
227.	7 4	86	4	25
228.	105	110	0	15
229.	, 110	114	0	11
230.	103	112	0	13
23 i.	98	105	0	20
232.	84	- 94	2	29
233.	97	104	0	21
234.	98	105	Ο.	20
235,	93	100	5	20
236.	85	95	0	30
237.	101	107	0	18
238.	92	100	0	25
239,	93	99	8	18
240.	72	84	6	35
241.	80	86	21	18
242.	94	101	2	22
243.	76	88	2	35
244.	99	· 105	l .	19
245.	109	l 13	, 1	11
246.	9 2	100	. 0	25
247.	.92	, 93	, 0	32
248.	82	ໍ 92	. 0	` 32

147.	82	93	0	32-
148.	89	98	0	27
149,	88	97	0	28
150.	85	94	5	26
151.	96	103	l	21
152.	102	108	0	17
163.	92	100	0	25
154.	94	102	0	23
155.	106	Ш	0	14
156.	94	102	0	23
157.	93	101	0	24
158.	102	107	3	. 15
l5 9 .	109	113	1	11
160.	98	105	0	20
161.	80	91	0	34
162.	85	95	1	29
163.	89	97	0	28
164.	95	101	5	19
165.	89	98	ĺ	26
166.	80	83	32	10
167.	90	97	7	
168,	79	89	7	21
169.	95	102	1	29
170.	102	106		22
171.	97	104	6	13
172,	83	84	!. 38	20 3
173.	92	100		
174,	85	95	0	25
175.	81	89	0	30
176.	89	92	13	23
177.	75	86	21	12
178,	82		5	34
179.	69	91	8	26
180.	82	83	0	42
181.	92	93	, 0	22
182.	84	100	, 0`	25
183.	92	93	4	28
184,	84	100	1	24
185.	89	90	16	19
186.		98	I	36
187.	· 76 93	88	0	37
188.	73 76	101	0	24
189,	83	85	12	28
190.	98	93	3	29
191.	100 -	93	18	14
192.	100	104	9	12
193.	81	108	0	15
194.	83	92 *	0	53
195,	65	9 3 80	1	31
196.	72	85	0	45
197.	78	85	2	38
		43	18	22

198.	79	90	I	34
199.	18	92	ò	33
200.	83	88	21	16
201.	85	95	0	30
202.	88	97	Ì	27
203.	64	79	0	46
204.	74	86	3	34
205.	83	93	3	29
206.	84	94	l	30,
207.	100	100	5	14
208.	86	96	14	19
209.	80	91	0	34
210.	72	83	8	34
211.	92	96	17	12
212.	101	106	5	14
213,	97	103	3	19
214.	87	96	3	· 2 6
215,	90	99	0	26
216,	88	97	2	26
217.	89	98	0	27
2 8,	86	94	7	24
2 9, 220.	80 92	91 100	0 '	24 25
221.	. 82	. 93	Ö	32
222.	79	, 90	2	33
223,	89	96	8	21
224,	87	95	6	24
225.	86	96	Ō	29
226.	84	94	i ,	80
227.	74	86	4	25
228,	105	110	0	15
229.	110	,114	0	П
230.	103	112	0	13
231.	98	105	0	20
232.	84	94	2	29
233.	97	104	0	21
234.	98	105	0.	20
235.	93	100	5	20
236.	85	95	0	30
237.	101	107	0	18
238,	92	100	0	25
239.	93	99	8	18
240.	72	84	6	35
241.	80	B6	21	[8
242,	94	101	2	22
243,	76	88	2	35
244.	99	105	. i	19 `
245.	109	1 13	, I	.11
246.	92	100	0	25
247.	92	93	0	32
248.	82	. 92	, O	32

	03	90	12	23
249.	82	84	23	18
250.	78	80	8	31
251.	76	96	lo	29
252.	86	97	0	28
253.	88	100	0	25
254.	92 93	100	i -	24
255.	92	109	1	15
250.	104 94	102	0	23
257.		88	0	3 7
258.	76 75	86	5	34
259.	75 78	90	0	• 35
260.	72	85	1	39
261. 262.	95	102	ı	22
263.	90	98	2	25
264.	73	86	0	39
	66	80	2	43
265.	98	105	0	20
266.		90	9	26
267.	81	76	0	49
268.	60	108	3	14
269.	103 72	85	0 -	40
270.	101	107	Ī	17
271.	101	107	0	18
272. 273.	111	114	l	10
274.	112	115	0	10
275.	109	112	0	13
276.	110	114	0	11
277.	108	112	1	12
278.	105	110	1	14
270. 279.	103	108	2	15
280,	101	107	0	18
	106	110	4	11
281. 282.	100	104	9	12
	62	67	44	14
283.	101	107	0	18
28 4 .	101	107	ĭ	17
285.	101	107	8	10
286.	92	100	ī	24
287.	92	100	ò	25
288.	92 81	88	16	21
289.	84	94	ő	31
290.		100	ŏ	25
291.	92	89	ò	36
292.	77	100	2.	23
293.	92	93	0	32
294.	82 24		Ö	22
295-	96	103	· 6	. 25
296.	82	.91 104	7	14
297.	99	104	` 0	4
298.	, 6B	82	U	74

299.	82	91	6	28
300.	98	105	0	20
	92	100	0	25
301. 302.	98	105	į 0	20
303.	79	ى 90 ₋	2	33
304.	89	94	16	15
305.	86	93	10	52
306.	92	99	5	21
307.	82	93	0	32
308.	105	110	0	15
309.	78	90	0	35
310.	73	93	13	29
311.	78	88	6	31
312.	92	90	10	25
313.	86	82	14	19
314.	89	99	1	26
315.	84	94	ĭ	30
316.	70	78	22	25
317,	68	82	0	43 33
318.	80	21	1	31
319.	58	68	26	
320,	101	107	0	18
321.	97	104	<u>l</u>	20 !5
322.	103	108	2	27
323.	89	98	0	22
324.	90	(03	0	37
325.	76	88	0	21
326.	22	99	5	12
327.	102	106	6	29
328.	85	95	1	12
329.	109	113	0	16
330,	104	109	0 2	27
331.	87	96	43	15
332.	62	67	19	11
333.	91	95	ő	19
334 <i>.</i>	100	106	ıĭ	28
335.	77	86	4	24
336.	89	97	0	24
337.	93	101 95	21	ş
338.	92	95 82	3	40
339.	69	94	<u>-</u>	

The coefficient of correlation

- 15	82	90	12	23
249.	78	84	23	18
250.		80	8	31
251.	76 86	96	10	29
252.	88	97	0	28
253.	92	100	0	25
254.	92	100	1	24
255.	104	109	1	15
250. 257.	94	102	0	23
257. 258.	76	88	0	37
259.	75	86	5 _	34
260.	78	90	0 •	35
261.	72	85	1	39
262.	95	102	ı	22
263.	90	98	2	25
264.	73	86	0	39
265.	66	80	2	43
266.	98	105	0	20
267.	81	90	9	26
268.	60	76	0	49
269.	103	108	3	14
270.	72	85	0 -	40
271.	101	107	l l	17
272.	101	107	0	18
273.	111	114	1	10
274.	112	115	0	10
275.	109	112	0	13
276.	110	114	0	11
277.	108	112	1	12
278.	105	110	ı	14
279.	103	108	2	15
280.	101	107	0	18
281,	106	110	. 4	11
282.	100	104	9	12
283.	62	67	44	14
284.	101	107	0	18
285,	101	107	1	17
286.	104	107	8	10
287.	92	100	1	24
288.	92	100	0	25
289.	81	88	16	21
290.	84	94	0	31
291.	['] 92	100	0	25
292.	77	89	0	36
293.	92	100	2.	23
294.	82	93	0	32
295-	96	103	0	22
296.	82	.91	6	28
297.	99	104	7	14
298.	₄ 68	82	. 0	43

299.	82	91	6	28
300.	98	105	0	20
301.	92	100	0	25
302.	98	105	10	20
303,	79	90 🐱	2	33
304.	89	94	16	15
305.	86	93	10	52
306.	92	99	5	21
307.	82	93	0	32
308.	105	110	0	15
309.	78	90	0	35
310.	73	93	13	29
311.	78	88	6	31
312.	92	90	10	25
313.	86	82	14	19
314.	89	99	Į.	26
315.	84	94	1	30
316.	70	78	22	25 43
317,	68	82	0	33
318.	80	21	1	31
319.	58	68	26	
320,	101	107	0	18
321.	97	104	1	20
322.	103	108	2	15 27
323.	89	98	0	22
324.	90	103	0	37
32 5.	76	88	0	3/ 21
326.	22	99	5	
327.	102	106	6	12
328.	85	9 5	l -	29 12
329.	109	113	0	16
330.	104	109	0	27
331.	87	96	2	15
332.	62	67	4 3	11
333.	91	95	19 0	19
334.	100	106		28
335.	77	86	11 4	24
336.	89	97	0	24
337.	93	101		
338.	92	95	21 3	9 40
339.	69	82	•	,

The coefficient of correlation

TABLE
7
-
7
Ξ
0
=
-
~
7
置
4
Œ
0
×
U

23 8	1.					10 00	20, 10	100 105	105.110	110.115	115-120	Total	
23 8 7 44 9 44 13 41 23 16 16 1 39 61 57 66 53 21 9 44 13 41 14 16 16 1 17 16 18 1 19 1 20 23 21 9	70-75 75-80	<u> </u> 		80-85	85-90	90-95	91-66	601-001	211-501		-	_	
23 8 7 44 9 44 13 41 23 16 13 41 23 16 16 1 24 16 25 8 39 61 57 66 53 21 9		+										7	
23 8 7 44 9 44 13 41 23 16 16 1 23 16 39 61 57 66 53 21 9	- 8	-	<u> </u>	0								4	
23 8 7 44 9 44 13 41 23 16 23 16 23 16 39 61 39 61 57 66 53 21 9	2	2	<u> </u>	9	6							17	
7 44 9 44 13 41 23 16 16 16 17 16 18 1 39 61 57 66 53 21 9			<u> </u>	7	ล	80						33	
9 44 13 41 16 23 16 16 16 17 16 16 17 16 17 16 17 16 17 16 17 16 17 18 1				2	7	4						53	
13 41 16 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 16 17 17			<u> </u>			6	1					53	
2 37 16 1 16 1 1 16 1 1 1 1 1 1 1 1 1 1 1 1			<u> </u>				13	7				54	
								R	91			39	
39 61 57 66 53 21 9			<u> </u>					7	37			39	
39 61 57 66 53 21 9			<u> </u>	,						91	_	11	
39 61 57 66 53 21 9										in	80	E	
	6 7	<u> </u>]	20	39	19	57	99	53	21	6	339=N	

r=0.37 Significant at 0.0! level.

PROJECT-7

A RESEARCH STUDY BASED ON DISTRACTOR ANALYSIS ' OF THE S.A.T. ITEMS

Dr. K. N. Saxena S. K. Batra

Problem:

Is it justifiable to apply the guessing factor formula $S=R-\frac{KW}{n-k}$ to correct for guessing and chance factor in scoring of objective type test (i.e. S.A.T.), consisting of multiple choice questions where :—

S = Corrected Score

R = the number of right responses

W = the number of wrong responses

n = the number of suggested responses for a single item

k = the number of responses to be selected or marked for each item.

The basic assumption involved in the application of the aforesaid formula for scoring is that all the wrong responses are equally attractive or equally likely to be selected. In order to observe the attractiveness of various distractors and the difficulty level of each item (set in the compulsory as well as in the optional parts of the test, except mathematics) for low achievers, for mediocres and for high achievers, a detailed study has been reported in Appendix XX. Due to lackness of sufficient data, the aforesaid study has not been carried out in case of mathematics, the optional part of the test.

The students were classified into groups of interval 20 marks each with respect to their scores obtained in the S.A.T. The groups have been formed on a six point scale ranging from 0—120. The middle class comprises the marks range 41 to 80. It is suggested to find the expected score of the student attempting the Science Aptitude Test purely on random basis at 99% level of confidence.

Let X be a variable representing score on one item of the test. Therefore X takes the values 1 and $-\frac{1}{3}$ with probabilities $\frac{1}{4}$ and $\frac{3}{4}$. Since the student gets 1 mark if he succeeds at the item and gets $-\frac{1}{3}$ if he fails in an attempted item.

Therefore, the expected score at one item is zero. Since the test is composed of 275 homogeneous questions and a students who has attempted 125 questions, his expected score is $E(S) = E(X_1 + \dots + X_{125})$ where

 $X_1, \dots, X_{l_{25}}$ represent the scores on 1st, 2nd.....and 125th item of the test.

$$E(X_1X_2)=0$$

$$V(X_1)=\frac{1}{3}$$

$$V(S)=\frac{125}{3}=42 \text{ (approximately)}$$

Since 125 is a large number of items, by Central Limit Theorem.

$$\frac{\frac{S}{125}-0}{\frac{\sqrt{42}}{125}}$$
 (is a normal variate with mean zero and S,D,=1)

Therefore S = 6.5X2.58 = 17

But in our present study we have taken the first group of those students who are scoring less than 20 marks.

For the compulsory part of the test, it has been observed that in most of the questions the distractors are not equally attractive for the lowest group. In case of the next lowest group (i.e. the 2nd group), the position is slightly better. But for the highest and next highest groups the tendency of the students is not to go in for guessing but omission. In most of the items of the compulsory part of the test e.g. item No. 3, 5, 56, 58, 59, 60, 61, 64, 65, 67, 68, 69, 70, 71, 73, 74, and 75, the distractors are not equally attractive for the highest and next highest groups. The aforesaid set of items consists of all the rejected items based on the discriminative and difficulty levels. In some of the items only three out of the four choices are equally attractive, meaning thereby that one distractor is not functioning properly. It seems reasonable to expect that students possessing high calibre can easily spot out the correct response, while less able students mark the wrong answer, thinking it, to be predominently attractive.

There is a marked variation in the % age of students choosing the right responses and the omissions committed for an item in the lowest, next lowest and the middle groups in both parts of the test. In the next highest and highest groups there is no marked variation in the % age of choosing right response and omissions committed except in very few items.

From the present study, it appears that an effort should be made to make the test more homogenous from the point of view of difficulty level of each item and by bringing up the gulf between the various distractors within an item.

A STUDY TO OBSERVE THE ATTRACTIVENESS OF VARIOUS DISTRACTORS OF THE MULTIPLE CHOICE ITEMS OF THE COMPULSORY PART OF THE SCIENCE APTITUDE TEST, YEAR 1967 STUDENTS CLASSIFIED BY THE TOTAL TEST SCORE

Item	Responses	Lowest	Next	Mid	ldle	Next	Highest	Total
No, I	Kesponses	0-20	lowest 21-40	41-60	61-80	highest Bi-100	101-120	
		4	4		0	0	0	10
	Omit		17	30	48	49	49	202
	*A	9		13	1	ı	5	48
	В	18	15	i	1	0	١	18
	С	H	4		0	0 '	0	22
	D	8	10	4	50	50	50	
•	Total	50	50	50				68%
	Percent o	f total gro	up of 300 s	tudents ans	wering cor	rectly 3		15
em N	o.2 Omit	5	5	2	v		50	158
	. *A	5	4	16	39	44	0	68
	В	21	20	19	7	•1		12
	c	7	3	2	0	0	0	47
	D	12	18	11	4	2	0	71
			50	50	50	50	50	` 53%
	Percent	of total gro	oup of 300	students ar	nswering co	rrectly	0	19
item i	No.3 Omit	6	6	2	_	9	4	57
	A	14	П	12	7		0	13
	В	7	4	2	0	0	0	23
	c c	7	, 6	1 4	6	0		188
	*D	16,	23	30	35	38	46	,
			50	50	50	50 	50	630
	Percen	t of Total	group of 3	00 students	answering 2	COLLECTI)	0	17
ltam	No.4 Omit		6	3	_	ا. 0		17
12011	A	6	6	3	2			216
	фB	21	30	27	42	46	_	43
	°,5	16	8	3 13				-
		2	_) 4				
	D 			o 5	0 50) 50	50	, , 2
	Tota	nt of Total	eroup of	300 student	o oc s answering	COLLECTIA		

Item No.5 Omit	3	3	i	1	2	0	10
Α	12	21	20	22	25	15	115
*B	5	!4	10	18	21	34	102
С	13	8	12	3		J.	
D	17	4	7	6	1	•	3.3
Total	50	50	50	50	50	0	35
						50	
. 5, 25, 10	l Total grou	ib oi 200 sc	uuents ansv	vering corr	ectly	••••••	34%
Item No.6 Omit	3	5	0	0	0	0	8
Α	11	9	11	7	2	2	42
В	10	5	ı	0	0	0	16
x/C	2 i	29	34	43	47	48	222
D	5	2	4	0	1	0	
Total	50	50	50	50	50	50	12
Percent of	total group						=
					seciy		74%
Item No.7 Omit	·3	2	0	2	0	0	7
A	10	7	6	I	0	0	24
*8	11	23	34	45	50	50	213
C	13	П	6	2	0	0	32
ם	13	7	4	0	0	0	24
Total	50	50	50	50	50	50	_,
Percent of	total group	of 300 stud	dents answa	ering corre	tly		71%
Item No.8 Omit	3	4	0	ı	0	0	
A	5	4	3	7	2	0	8
В	4	1	3	0	0	0	21 8
*C	27	40	44	42	48	50	251
D	[]	1	0	0	0	0	- 12
Total	50	50	50	50	50	50	'-
Percent of	total group	of 300 stud	ents scorin	g correctly		********	84%
item No.9 Omit	0	1	0				
Α '	4	4	5	3	0 2	0	1
₩В	24	25	34	41	47	0 49	18
С	17	13	8	4	0	77 	220
D	5	7	3	2	1	0	43
Total	50	50	50 `.	50	50	50	18
Percent of t	otal group	of 300 stud	ents scorin				73 %

	3	2	1	0	0	. 0	6
Item No,10 Omit	3	5	4	5	6	3	25
. A	2	8	7	5	2	0	32
В	10 21	23	34	37	42	47	203
*C		12	4	3	1	0	34
D	14	50	50	50	50	SO	
[*] Total	50						68%
Percent of to	otal group o	f 303 stude	nts scoring	corrasuy			
	_		1	i	0	0	7
Item No.11 Omit	3	2 5	9	ì	2 `	0	18
A	i 	11	5	7	7	0	45
В	15		8	5	1	0	38
С	10	14		36	40	50	192
*D	21	18	27		50	50	
Total	50	50	50	50			4404
Percent of	totai group	of 300 stud	lents scorir	ng correctly	y		64%
		_	٥	0	0	0	6.
tem No.12 Omit	3	3	0	48	50	49	224
. *A	21	32	34		0	0	24
В	6	4	12	2 0	0	6	10
C	8	3	0	0	0	Ĭ	26
D	12	9	0	50	50	50	
Total	50	50	50				700/
Percent o	of total grou	p of 300 sti	idents scor	ing correct	tly		78%
							, 8
Item No.13 Omlt	ı	4	0	2	1	0	
*A	15	. 7	10	8	9	24	73
`B	17	13	17	16	30	22 '	115
C	8	16	12	12	6	3	57
D	٠ 9	10	11	12	4	l	47
→ 1	50	50	50	50	50	50	
Percent	of total gro	up of 300 s	tudents an	swering co	rrectly	(** }*** ******	24%
,							
Item No.14 Omit	5	7	2	2	0	0	15 4B
A,	8	13	12	11	3		25
В.	8	5	5	4	2	I Q	10
С	6	i	2	0	1	48	202
*D	22	3S	29	35	44	50	202
Total	50	50	50	50	50		497.01
Percent	t of total gr	oup of 300	students ar	nswering co	rrectly		67%

Item No. 15 Omit	5	6	0	0	9	0	Π,
A	16	Ц	В	В	3	2	48
В	2	1	1	0	C	4	4
*c	11	23	41	38	56	48	207
D	16	9	0	4	l	0	30
Total	50	50	50	50	50	50	
Percent of	total group	of 300 stud	ients answe	oring correc	:tly		69%
Item No.16 Omit	5	5	0	0	1	0	П
*A	13	34	37	47	48	50	229
В	9	4	7	2	1	0	23
С	9	5	6	1	0	0	21
D	14	2	0	0	0	0	16
Total	50	50	50	50	50	50	
Percent of	total group	of 300 stu	dents answ	ering corre	ctly		76%
Item No. 17 Omlt	9	6	1	0	0	0	16
A	8	16	7	2	1 .	0	34 -
В	14	8	4	6	4	0	36
• C	15	17	35	42	45	50	204
D	4	3	3	0	0	0	10
Total	50	50	50	50	50	50	
Percent of	f total group (of 300 stu	dents ahswi	ering corre	ctly		68%
Item No.18 Omit	6	5	5	0	0	0	н
A	3	4	3	0	0	0	10
В	7	0	7	0	0	1	15
C	7	4	0	1	0	0	12
*D	27	37	40	49	50	49	252
Total	50	50	50	50	50	50	
Percent o	of total group	of 300 stu	dents answe	ering corre	ctly		84%
Item No.19 Omit	6	5	0	0	1	0	12
*A	. 20	23	21	37	44	49	194
В	4	3	0	0	ı	1	9
C	15	17	27	13	4	0	76
D	5	2	2	0	0	0	9
Total	50 [\]	50	50	50	50	50	
Percent o	of total group	of 300 stu	dents answ	ering corre	ctly		65%

			317				
		5	0	0	0	0	11
item No.20 Omit	6	6	7	5	5	I	30
A	6		10	5	0	0.	49
В	23	11	3	P	0	0	12
С	8	0	30	39	45	49	98
*D	7	28	50	50	50	50	
Total Percent of tot	50	50 200 ceuden	so es answerir		/		60%
		5	0	3	1	0	14
Item No.21 Omlt	5	3 7	8	[]	18	33	77
*A	0	2	8	3	3	3	23
В	4		32	32	28	l 4	176
С	37	33 3	2	1	0	0	10
D '	4		50	50	50	50	
Total	50	50			• Iv		26%
Total Percent of to	otal group o	1 300 stude	ents answer	Ing correc	2	0	13
Item No.22 Omit	5	6	0	U	21	31	134,
*A	12	22	23	25	25	19	191
В	17	15	25	20	2	0	22
С	8	5	2	5	0	0	10 .
D	8	2	. 0	0	50	50	
Total	50	50	50	50			.,45%
Percent of	total group	of 300 stu	dents ansy	vering corr	ectly	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	24
	5	7	4	2	·	-	27 37
Item No.23 Omit	13	5	5	7	4	3	
. В	, 6	7	2	4	١	4	24
+С	15	18	31	24	34	37	159
D	11	13	8	13	5	6	56
		50	50	50	50	50	
	-facel gro	in of 300 st	udents ans	wering co	rrectly		53% 7
		6	0	0	_0	1	
Item No.24 Omlo	23	32	43	44	42 _¢		
*A	11	7	4	4	5	. 2	
В	5		_	1	3	•	3
c _	` 10	_	_	. 2	, 0		p 16
D		EO.	50	50			
Total	50 R total a to	roup of 30	0 students	answering	correctly		77%
		-					

Item No.25 Omit	3	4	4	4	3	0	18
A	9	9	17	16	16	4	71
*B	19	23	17	21	19	29	128
C ·	9	4	5	2	5	4	
D	10	10	7	7	7	13	29 54
Total	50	50	50	50	50	50	37
Percent	of total gr	oup of 300.	Studente an	swazi	orrectly		
	. 0		- additta Eji	awei ilig co	orrectly	***********	43%
Item No.26 Omlt	0	2	2	1	0	•	
A	31	16	18	13		0	5
В	7	7	В	2	14 3	2	101
С	5	5	4	0		4	31
*D	7	20	18	34	1	0	15
Total	50	50	50		32	37	148
				50	50	50	
rercent	or total gro	oup of 300 s	students an	swering co	rrectly		. 49%
Item No.27 Omit	3	,					
· A		6	4	3	2	0	18
В	8	13	9	4	4	2	40
	22	14	20	26	18	17	117
*C	7	8	5	6	П	21	58
D	10	9	12	H	. 15	10	67
Total	50	50	50	50	50	50	
Percent o	of total gro	up of 300 g	students ar	swering co	orrectly		19%
item No.28 Omit	0						
A	4	2	0	4	ı	0	7
, *B	18	l k	2	7	7 ′	-3	24
C	5	16	11	9	20	29	ì03 ·
D	23	3	1	5	1	1	16
Total		28	36	25	21	17	150
	50	50	50	50-	50	50	
rercent of	total grou	p of 300 sti	udents ansv	vering corr	ectly	•••••	. 34%
Item No. 29 Omit	1	4					
*A -	20	30	J	1	4	0	11
В	2	3 .	38	44	45	49	226
C	22	3 12	3 .	!	1	0	10
D	5		8	3	0	1	46
. Total	50	1 50	0	1	0	0	7 ·
•			50	50	10	50	50
rescent of	total gro	up of 300 :	students ar	nswering	correctly	***********	75%

	4	5	3	3	3	0	18
Item No. 30 Omit	4 31	26	16	8	4	2	87
Α			24	32	41	46 `	170
*B	13	14	3	3	1	1	12
c	2	2 3	4	4	i	1	13
D	0			50	50	50	١
Total	50	50	50				e=0/
Percent c	of total gro	oup of 300	students an	swering c	orrectly	••••••	5/% .
Item No. 31 Omit	1	2	1	0	0	0	4
A	13	16	11	7	6	0	53
₽B	14	21	27	30 ,	39	48	185
c	12	5	7	4	4	2	34
D	10	6	4	3	1	0	24
Total	50	50	40	50	50	50	
70.00			O students a	inswering	correctly		52%
Percent	or total g	100P 01 20		•			
Item No. 32 Omit	ı	1	0	0	0	0	2
Item 140, 32 Office	8	0	1	3	0	2	14
В	10	5	0	0	2	0	17
c	5		0	Q	0	0	6
*D	26	43	42	47	48	48	261
Total	50	50	50	50	50	50	
TOLE:	-6 4-401 0)O students	answering	correctly	/	97%
Percent	OI LOLAL E	10up 01 01					
Item No. 33 Omit	4	3	ı	0	2	0	10
*A	10	19	23	31	36	35	154
В	15	10	8	10	1	1	45
c	13	15	15	, 9	6	4	62
D	9	3	3	0	5	10	29
Total	. 5Q	50	50	50	50	50	
Percen	t of total	group of 3	100 students	answerin	g correct	:ly.,	,51%
	1						
Item No. 34 Omit	3	4	0	2	0	0	9
A	6	2	2	2	2	2,	16
В	15	6	8	5	1	0	35
Č	17	19	25	9	9	1	80
*D	9	89	15	32	38	47	160
Total	50	50	50	50	50	50	
Perce	ent of tota	group of	3(0 student	s answerir	ng correc	tly	53%
						•	

A 8 5 3 0 2 0 18 *B 14 18 29 36 38 49 184 C 12 20 13 10 13 1 69 D 11 4 4 1 1 0 0 0 20 Total 50 50 50 50 50 50 Percent of total group of 300 students answering correctly	Item No. 35 Omit	5	3	1	0	0	0	9
*B 14 18 29 36 38 49 184 C 12 20 13 10 13 1 69 69 D 11 4 4 4 1 0 0 0 20 Total 50 50 50 50 50 50 50 Fercent of total group of 300 students answering correctly		8	5	3	0			-
C 12 20 13 10 13 1 69 D 11 4 4 1 0 0 20 Total 50 50 50 50 50 50 Percent of total group of 300 students answering correctly	*B	14	18	29				
D 11 4 4 1 0 0 20 Total 50 50 50 50 50 50 50 Percent of total group of 300 students answering correctly	С	12	20	13	10			
Total 50 50 50 50 50 50 50 50 Percent of total group of 300 students answering correctly	D	11	4	4			·	
Percent of total group of 300 students answering correctly	Total	50	50	50	50	50		
Item No, 36 Om t	Parcent of	total a	roup of 300	etudante	******		-	4104
*A 13 29 40 46 47 50 225 B 4 6 2 0 0 0 12	reitait of	total 8	10up 01 300	acadelics	answering	correctly	***********	61%
*A 13 29 40 46 47 50 225 B 4 6 2 0 0 0 12								
B 4 6 2 0 0 0 12						0		8
- 1	-					47	50	225
							0	12
C 19 9 5 4 2 0 39	С	19	9	5	4	2	0	39
D 10 2 3 0 1 0 16	Ď	10	2	3	0	ı	0	16
Total 50 50 50 50 50								
Percent of the total group of 300 students answering correctly75%	Percent of	the to	al group of	300 stud	ents answer	ing corr	ectly,	75%
Item No. 37 Omlt 5 4 1 0 0 0 10	Item No. 37 Omit	5	4	1	0	0	0	10
A 14 3 4 0 2 0 23	A	14	3	4	0	2	0	23
*B 3 3 37 47 47 49 224	*B	13	31	37	47	47	49	224
C 10 3 5 0 0 0 18	С	10	3	5	ο.	0	0	
D 8 9 3 3 1 1 25	D	8 .	9	3	3	1	ı	
Total 50 50 50 50 50 50		50	50	50	50	50	•	
Percent of the total group of 300 students answering correctly								75%
7,			- ,			•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	76
Item No. 38 Omit 7 9 3 1 0 0 20	item No. 38 Omit	7	9	3	1	0	0	20
A 11 5 5 2 0 0 23								
*B 8 19 32 42 49 50 200			19	32	42	49	50	200
C 18 13 5 5 1 0 42	С	18	13			1	0	42
D 6 4 5 0 0 15	D	6	4	5	0	0	0	15
Total 50 50 50 50 50	Total	50	50	50	50	50	50	
Percent of the total group of 300 students answering correctly67%	Percent of	the to	al group of	300 stud	ents answer	ing corre	ectly	67%
1			9 - 1 "			'	,	70
Item No. 39 Omlt 6 5 1 2 0 0 14	item No. 39 Omit	6	5	1	2	0	0	14
A 8 2 1 0 0 2 13								
*B 20 38 42 47 46 48 241				-				
C 10 3 3 0 4 0 20								
D 6 2 3 1 0 0 12				3	,	0		
Total 50 50 50 40 50 50							•	
Percent of the total group of 300 students answering correctly								1 000/
, the total Block of 200 aforence answering contectivities	Leicent O	the to	rei Stoup of	ado afadi	elira atlanici	mg correc	· · · · · · · · · · · · · · · · · · ·	%

Item No. 40 Omlt	8	7	ı	2	0	0	18
Α	4	2	ı	2	0	0	19
, В	9	2	2	1	2	0	16
С	14	4	4	1	0	ı	24
*D	15	35	42	44	48	49	233
Total	50	50	50	50	50	50	
Percent o	f the total	group of	300 studen	ets answer	ing correc	tly	79%
item No. 41 Omit	3	3	0	0	0	0	6
A	11	5	3	0	1	1	21
*B	19	33	41	50	49	49	240
С	7	4	2	0	ł	0	14
D	10	5	4	0	0	0	19
Total	50	50	50	50	50	50	
Percent	of the tota	l group of	300 stude	nts answe	ring corre	ectly	80%
Item No. 42 Omit	3	4	1	0	0	1	П
A	9	2	0	0	0	0	Н
*B	15	33	42	48	49	49	236
т <u>ь</u> С	10	3	5	2	0	0	20
C	10	•	_			_	4
D	12	Q	2	0	, i	0	24
D Total	13 50	8 50	2 50	0 50	. i 50	0 50	24
Total	13 50 of the tota	50	50	50	50	50	
Total Percent	50 of the tota	50 I group of	50 300 studen	50 ts answerin	50 og correctly	50	
Total Percent	50 of the tota	50 I group of 7	50 300 studen 0	50	50	50	79%
Total Percent Item No. 43 Omit A	50 of the tota 5	50 I group of 7 9	50 300 studen 0 14	50 ts answerin 0 6	50 og correctly	50	79% 13
Total Percent Item No. 43 Omit A B	50 of the tota 5 7 20	50 I group of 7 9 23	50 300 studen 0 14	50 ts answerin 0 6 12	50 og correctly l i	50 , 0 1	79% 13 38
Total Percent Item No. 43 Omit A B *C	50 of the tota 5 7 20 10	50 1 group of 7 9 23 7	50 300 studen 0 14 17	50 ts answerin 0 6 12 32	50 Ig correctly	0 i	79% 13 38 78
Total Percent Item No. 43 Omit A B *C D	50 of the tota 5 7 20 10 8	50 1 group of 7 9 23 7 4	50 300 studen 0 14 17 11 8	50 ts answerin 0 6 12 32 0	50 If correctly If If 5 43	0 1 1 48	79% 13 38 78 151
Total Percent Item No. 43 Omit A B *C D	50 of the tota 5 7 20 10 8	50 1 group of 7 9 23 7 4 50	50 300 studen 0 14 17 11 8 50	50 ts answerin 0 6 12 32 0 50	50 Ig correctly I I 5 43 0 50	50 0 1 1 48 0 50	79% 13 38 78 151 20
Total Percent Item No. 43 Omit A B *C D	50 of the total 5 7 20 10 8 50	50 1 group of 7 9 23 7 4 50 al group of	50 300 studen 0 14 17 11 8 50 300 studer	50 ts answerin 0 6 12 32 0 50 nts answeri	50 If correctly I I 5 43 0 50 ng correctl	0 i i 48 0 50	79% 13 38 78 151 20
Total Percent Item No. 43 Omit A B *C D Total Percen	50 of the tota 5 7 20 10 8 50 t of the tot	50 1 group of 7 9 23 7 4 50 2al group of	50 300 studen 0 14 17 11 8 50 300 studer	50 ts answerin 0 6 12 32 0 50 nts answeri	50 Ig correctly I I 5 43 0 50 ng correctl	0 1 1 48 0 50	79% 13 38 78 151 20
Total Percent Item No. 43 Omit A B *C D Total Percen	50 of the tota 5 7 20 10 8 50 t of the tot	50 1 group of 7 9 23 7 4 50 al group of	50 300 studen 0 14 17 11 8 50 300 studen	50 ts answerin 0 6 12 32 0 50 nts answeri	50 Is correctly I I 5 43 0 50 ng correctl	50 0 1 1 48 0 50 50	79% 13 38 78 151 20509
Total Percent Item No. 43 Omit A B *C D Total Percent	50 of the tota 5 7 20 10 8 50 t of the tot	50 1 group of 7 9 23 7 4 50 2al group of	50 300 studen 0 14 17 11 8 50 300 studer	50 ts answerin 0 6 12 32 0 50 nts answeri	50 Ig correctly I I 5 43 0 50 ng correctl	50 0 1 1 48 0 50 50	79% 13 38 78 151 20509
Total Percent Item No. 43 Omit A B *C D Total Percen Item No. 44 Omit A	50 of the total 5 7 20 10 8 50 t of the tot	50 I group of 7 9 23 7 4 50 al group of	50 300 studen 0 14 17 11 8 50 300 studer .	50 ts answerin 0 6 12 32 0 50 nts answeri 0 5 6 5	50 Ig correctly I I 5 43 0 50 ng correctl	50 0 1 48 0 50 y	79% 13 38 78 151 20509
Total Percent Item No. 43 Omit A B *C D Total Percent Item No. 44 Omit A B	50 of the tota 5 7 20 10 8 50 t of the tot	50 1 group of 7 9 23 7 4 50 al group of 8 5	50 300 studen 0 14 17 11 8 50 300 studer	50 ts answerin 0 6 12 32 0 50 nts answeri	50 Ig correctly I I 5 43 0 50 ng correctl	50 0 1 1 48 0 50 50	79% 13 38 78 151 20509

Item No. 45 Omit	9	7	2	0	0	ŀ	19
Α	7	3	4	1	0	0	15
В	15	7	4	1	0	0	27
*C	12	15	27	40	48	47	189
D	7	18	13	8	2	2	50
Total	50	50	50	50	50	50	
Percent	of the total	group of 3	00 students a	nswering co	rrectly	/	63%
Item No. 46 Omit	6	5	0	0	0	0	n
A	11	5	3	0	2	0	21
*B	5	16	23	40	48	50	182
c	5	8	7	3	0	0	23
D	23	16	17	7	0	0	63
Total	50	50	50	50	50.	50	50
Percen	t of the total	group of	300 students	answering c	orrecti	y	61%
Item No. 47 Omlt	7	5	0	1	0	0	13
Α	18	17	11	4	0	0	50
*В	12	13	29	44	50	50	198 ,
С	6	6	5	1	0	0	18
D	7	9	5	0	0	0	21
Total	50	50	50	50	50	50	•
Percer	nt of the tota	group of	300 students	answering o	orrect	ly	.,,66%
Item No. 48 Omlt	5	5	0	0	2	0	12
A	6	4	4	3	0	0	17
. B	14	6	4	4	1	0	29
*C	11	20	28	34	38	49	180
D	14	15	14	9	9	1	62
Total	50	50	50	50	50	50	
Perce	nt of the tota	l group of	300 students	answering o	orrecti	ly	60%
Item No. 49 Omlt	: 9	6	ı	0	0	0	16
ητειη 140. 47 Oππί Α	. 6	22	21	10	3	0	62
*B	8	11	17	38	47	49	170
C	is	5	10	2	0	0	35
b	9	6	1	0	0	1	17
Total		50	50	50	50	50	ī
					correc	tly	57%

Item No. 50 Omlt	8	6	1	0	0	0	15
Ą	8	9	5	I	0	0	23
В	10	10	5	6	0	ò	23
*C	14	15	25	34	50	48	186
D	10	10	14	9	0	2	45
Total	50	50	50	50	50	50	
Percent	t of the tota	l group of 3	00 students	answering	correctly.	*************	62%
•							
Item No. 51 Omit	7	4	ſ	3	3	0	18
A	13	14	23	24	10	I	85
*B	12	16	15	19	2.7	42	131
С	10	12	7	0,	6	2	37
D	8	4	4	4	4	5	29
Total	50	50	50	50	50	50	
Percen	t of the tota	l group of :	300 student	s answerin	g correctly.		44%
Item No. 52 Omit	6	6	2	1	2	0	17
*A	4	16	24	44	45	48	iëi
В	6	2	4	2	0	2	16
,c	28	15	9	1	2	0	55
	6	11	11	2	ī	0	31
D Tatal	50	50	50	50	50	50	• 1
Total							4007
Percer	nt of the tota	n group or	ago studen	ts dusmeriii	ig confectiv	*********	
Item. No. 53 Omit	10	[1	4	. 2	3	0	30 '
. A	10	0	4	ø	1	0	15
В	11	15	20	14	3	1	64
*Ċ	10	20	17	32	. 43	49	171
D	9	4	5	2 .	0	0	20
Total	50	50	50	50	50	50	
Perce	nt of the tot	al group of	300 studen	its answeri	ng correctly	y	57%
. N 54 O-1	. 9	7	2	2	0	, 0	· 20
Item No. 54 Qml	15	17	18	3	0	2	55
*B	12	10	16	40	49	46	173
Ç	10	13	è	5	ı. I	2	40
,D		3	5	0	0	Q.	, 12
بِ Total	· ·	50	50	50	50	50	
	ont of the t		* -			, '	5B%

Item No. 55 Omlt	10	7	l l	2	0	0	20
A	6	4	2	0	1	0	13
В	10	14	10	8	1	1	44
С	7	3	3	9	2	0	17
*D	17	22	34	38	46	49	206
Total	50	50	50	50	50	50	4
Percent o	f the total	group of 30	00 students				69%
Item No. 56 Omit	10	7	1	0	0	0	18
A	16	7	3	5	1	0 5	2 9 75
В	12	17	23 4	9 7	9 3	2	30
С	9	5		•		43	148
*D	3	41	19	32	37		170
Total	50	50	59	50	50	50	
Percent o	of the total	group of 3	00 students	answering	correctly.	*****	49%
Item No.57 Omlt	8	4	2	0	0	0	14
A	, 9	7	3	1	0	0	20
мB	9	23	35	48	50	50	215
С	12	11	5	ı	0	0	29
D	12	5	5	0	0	. 0	22
Total	50	50	50	50	50	50	
Percent	of the tota	l group of	300 student	s answerin	g correctly		72%
item No.58 Omit	11	10	1	0	2	0	24
A	10	16	12	6	4	3	51
В	4	6	5	0	0	0 -	15
	21	16	31	43	44	47	202
, * C			1	ı. L	0	0	8
D	4	2		-		50	·
Total	50	50	50	50	50		/70/
Parcent	t of the tot	al group o	f 300 studer	its answerl	ng correctly	/	6/%
Item No.59 Omit	8	3	0	0	0	0	11
A	8	9	6	7	6	1	37
В	12	6	3	1	l	0	23
*C	20	30	41	42	43	49	225
D	2	2	0	0	0	0	4
Total	50	50	50	50	50	50	
Percen	it of the to	tal group o	of 300 stude	nts answer	ing correct	ly	75%

Item No.60 Omli	: 11	5	2	0	2	0	20
A	4	7	5	12	2	2	32
*В	13	16	12	14 '	10	22	87
С	14	11	17	6	1	0	49
D	8	П	14	18	35	26	112
Total	50	50	50	50	50	50	
Perce	ent of the tot	al group of	300 student	s answering	correctly.		. 29%
Item No.61 Omi	t 9	. 6	0	0	l	0	16
A	10	4	i	2	0	0	17
В	3	0	0	1	0	0	4
*C	17	28	29	30	40	49	193
D	П	12	20	17	9	l	70
Tota		50	50	50	50	50	
Pero	ent of the to	tal group of	300 student	s answering	g correctly	••••••	
Item No.62 On	ilt II	В	0	0	0	0	19
*A	19	32	47	48	50	50	246
В	8	4	2	ı	0	0	15
' C	3	5	1	ı	0	0	10 '
- D	9	1	0	0	0	0	10
Tot		50	50	50	50	50	
Per	cent of the to	tal group of	300 studen	ts answeri	ng correct	y	82%
Item No.63 Or	nit IO	9	٥	0	0	0	19
	9	I	1	0	0	0	11
:	3 7	0	Ò	0	0	, 0	7
(C 4	0	5	3	2	1	21
*[20	34	44	47	48	49	242
То	tal 50	50	50	50	50	50	81%
Pe	rcent of the t	otal group o	f 300 studei	nts answeri	ng correct		61%
, Item No.64 O	mit 13	9	0	0	, 2	1	25
	A 9	5	5	0	-4	11	24
	В 10	7	11	l	0	0	29
	c II	21	32	49	44	48	205
-	D 7	В	2	0	0	. 0	17
, To	otal 50	50	50	50	50	50 HV	63%
Pe	ercent of the	total group	of 300 stude	ints answer	ing collec		/4

Item No.65	Omit	13	10	0	0	0	0	23
	A	3	1	0	0	0	0	4
	В	15 -	3	2	0	0	0	20
	С	9	7	15	5	3	4	43
	*D	10	29	33	45	47	46	210
٦	fotal	50	50	50	50	50	20	
P	ercent o	f the total	group of 3	00 students a	answering co	orrecti	у	70%
Item No.66	Omit	12	8	0	1	0	0	21
	*A	2	17	25	42	49	46	181
	В	18	16	16	5	0	3	58
	С	7	2	2	0	ı	0	12
	D	11	7	7	2	0	l	28
•	Total	50	50	50	50	50	50	
ı	Percent c	of the total	group of	300 students	answering o	orrect	ly	60%
Item No.67	Omit	11	В	0	1	0	0	20
	A	10	19	21	5	1	a	56
	В	17	5	3	3	Ö	0	28
	*C	7	14	26	41	49	50	187
	D	5	4	0	0	0	0	9
	Total	50	50	50	50	50	. 50	
	Percent	of the tota	al group of	300 students	answering	correct	:ly	62%
Item No.68	Omlt	13	11	ī	2	ı	0	28
	À	4	6	6	3	7	l	27
	*B	23	24	35	44	42	49	217
	С	. 10	7	5	ď	0	0	22
	D	0	2	3	I	0	0	6
	Total	50	50	50	50	50	50	
	Percent	of the tota	l group of	300 students	answering o	correct	ly	.72%
item No.69	,	П	П	1	4	3	0	30
	A	6	6	3	5.	5	3	28
	В	7	14	16	25	29	21	212
	С	20	16	22	13	4	4	79
	*D	. 6	3	8	3	9	22	5!
	Total	`50	50	50	50	50	50	
•	Percent (of the total	group of 3	300 students	answering	correc	tly	. 17%

		10	0	3	3	0	28
Item No.70 Omit	10	12		6	3	ı	56
A	13	16	17	1	. 0	1	15
В	6 _	3	4	13	21	29	86
*C .	7	7	9		23	19	115
D	14	12		27	50	50	115
Total	50	50	50	50			29%
Percent of	f the total g		00 students ar			' 	32
Item No.71 Omit	7	13	6	3	2	4	38
Ą	6	5	11	9	3	2	57
. В	19	8	10	11	7		144
*C	6	(B	18	23	36	43	29
D	12	6	5	4	2	0	27
Total	50	50	50	50	50	50	400/
Percent c	of the total g	roup of 3	00 students a				48%
Item No.72 Omlt	7	12	3	2	2	0	. 26
Α	14	, 5	18	7	2	0	46
*B	• 5	10	9	29	43	48	144
С	14	16	13	6	1	2	52
D	10	7	7	6	2	0	32
Total	50	50	50	50	50	50	
Percent	of the total	group of 3	300 students a	answeri	ng correctly	······································	48%
Item No.73 Omit	10	12	5	5	, 5	0	37
Α	8	11	6	4	3	ı	33
В	13	4	7	4	6	4	48
*C	10	12	19	33	35	44	154
D	9	11	13	3	l	1	38
Total	50	50	50	50	50	50	
Percent	of the total	group of	f 300 students	answ	ering correc	:tly	51%
Item No.74 Omit	9	13	4	- 11	5	o [']	74
A	- 6	6	10	8	3	0	33
В	8	5	13	. 6	. 10	0	42.
c	20	17	14	5	2	0	58
*D	7	9	9	20	30	50	125
Tatal	EΛ	50	50	50	50	50	
Percen	t of the tota	i group of	300 student	s enswe	aring correct	:ly,	42%

Item No.75 Omit	П	13	5	8	7	0	44
*A	5	7	5	24	35	44	120
В	3	5	7	5	1	0	21
С	9	7	11	6	5	4	42
D	22	18	22	7	2	2	73
Total	50	50	50	50	50	50 .	

A STUDY TO CHECK THE ATTRACTIVENESS OF THE VARIOUS DISTRACTORS OF THE MULTIPLE-CHOICE QUESTIONS SET IN THE OPTIONAL PART (PHYSICS) OF THE SCIENCE APTITUDE TEST YEAR 1967. STUDENTS CLASSIFIED BY TOTAL TEST SCORE

Responses	Lowest			die	Next highest	Highest	Total
	0-20	lowest 21-40	41-60	61-80	81-100	101-120	
Item No. I Omit	0	0	0	0	0	0	0
Α'	3	l	0	0	0	0	4
В	2	2	0	0	Ó	0	4
*C	20	22	25	25	25	20	137
D	0	0	0	0	0	0 .	0
Total	25	25	25	25	25	20 .	
Percen	t of the tota	al group oi	145 students	enswa	ring correctly	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	96%
Item No.2 Omit	0	. 0	1	0	0	: 0	ı
· *A	16	21	23	25	25	20 .	130
В	2	0	. 0	0	0 '	0	2
С	6	3	ı	0	0	. 0	10
D	ł	1	0	0	0	0	2
Total	25	25	25	25	25	20	
Perce	nt of the tot	al group o	of 145 student	ts answ	ering correcti	yy	91%
item No.3 Omit	0	0	1	0	0	oʻ	ì
A	4	2	1	0	Ô	' 0	7
*В	16	22	23	25	25	20	131
С	4	1	. 0	٠ ر	' 0	Ÿ 0	5
· D	l	0	. 0	C	0	0	J
7 Total	25	25	25	25	, 25	20	

Item No.4 Omlt	1	1	ı	0	0	0	3
*A	13	16	18	25	23	18	113
В	5	Q	0	0	2	0	7
С	2	0	2	Q	0	0	4
D	4	8	4	0	0	2	18
Total	25	25	25	25	25	20	
` Percen	t of the tot	al group of	145 student	s answering	correc	tly	79%
Item No.5 Omit	0	0	0	l	0	0	1
*	4	2	2	0	0	0	8
*в	17	18	22	22	25	20	124
С	3	4	1	2	0	. 0	10
D	1	1	0	0	0	0	2
Total	25	25	25	25	25	20	
Parcen	t of the tot	al group of	145 students	s answering	correc	tly,	86%
Itam No.6 Omit	1	0	0	0	0	0	1
A	5	3	1	2	0	2	13
В	2	0	0	0	0	0	2
*C	8	15	21	21	20	[8	103
· D	9	7	3,	2	5	0	26
Total	25	25	25	25	25	20	
Percen	t of the tot	al group of	145 students	s answering	correct	iy	72%
Item No.7 Omit	0	0	0	i	0	0	• 1
A	9	6	7	9	6	3	40
B	7	8	7	1	′0	0	23
. с	6	3	3	2	3	1	18
*D	3	8	8	12	16	16	63
Total	25	25	25	25	25	20	
Percent	of the tota	al group of	145 students	answering	correct	ly	44%
[tem No.8 Omit	ī	3	ı	ì	0	1	7
A	9	9	,10	12	5	0	45
В	4	3	2	3	4	I	17
' C	0	2	2	0	0	0	4
*D	11	8	10	9	16	18	72
Total	25	25	25	25	25	20	
Percent	of the tota	i group of	145 - student:	s answering	correct	ly,	50%

Itam No.9 Omit	2	1	1	I	0 -	0	4
*A	17	21	20	22	21	19	120
В	0	0	1	0	0	0	1
c	3	3	2	2	1	0	11
D	3	0	1	ı	3	1	9
Total	25	25	25	25	25	20	
Percen	t of the tota	group of	145 student	s answerl	ng correctly	y	84%
Item No. 10 Omit	3	ı	В	5	4	2	23
*A	2	2	5	6	4	13	32
В	5	12	2	8	9	O	36
Č	9	7	7	5	3 🌣	3	34
, D	6	3	3	ı	5	2	20
	25	25	25	25	25	20	
Total	of the total	group of le	45 student	s answerir	ig correctly		22%
	2	6100F 0. 1		. 2	0 .	0	6 '
Item No.11 Omit	8	6	5	1	Ό	'0	20
A .	4	5	2	Ž	ò	0	13
В	9	"I2	lé	18 ,	25	2 0`	100
*C	•	12		2	· o	Ò	6
D	2	25	25	25	25	20	
Total	25 c of the total	ca Laurent			g correctly		70%
		i group or i		0	0	0	6
Item No. 12 Omit	0	-	15	18	21	13	92
A	9 :	16	4	1	4	4	21
₩B	- <u>-</u>	4	o Q	· 0	0	ı	. 8
С	5	2	۰. 5	6	0	2	22
D	7	2 25	25	25	25	• 20	
Total	25 nt of the tot	25	LAE aeuder	re answei	ing correc	:tly	14%
			0 0	,0 ,0	0	. 0	·1
item No.13 Omit		" I	•	0	b	∕*o	24
A	6	'9	6 ^0	1	4	2	10
В	3-	0	i2	i 9	21	า๋8	87
. «C	8	9		`2	Ö	· •0	23
D	. 8	6	1	26	25	20	
Total	25	2 5	25				609
Perce	nt of the to	tal group l	45 studen	, ,	C411.001	,	609

-							*
Item No. 14 Omit	0	1	2	0	0	0	3
A	3	2	1	2	1	0	9
: *B	13	12	6	6	16	18	71
· c	7	2	10	[3	4	0	36
, b	2	8	6	4	4	2	26
Total	25	25	25	25	25	20	
Percen	t of the tota	group of 1	45 student	s answering	correctly	/	49%
item No. 15 Omit	2	I	2	ī	0	0	6
A۵	3	9	8	15	21	19	75
. в	6	ı	7	6	3	1	24
С	_ 5	8	5	2 .	0	0	20
, D	9	6	3	1	1	0	20
Total	2 5	25	25	25	25	20	
Percen	t of the total	group of I	45 studen	ts answerin	ng correcti	y	32%
Item No. 16 Qmlt	Ó	2	2	2	0	0	6
A	6	4	8	8	6	4	36
В	3	2	5	2	2	0	14
*C	6	8	3	10	10	10	47
D	10	9	7	3	7	6	42
Total	25	25	25	25	25	20	
Percen	t of tht tota	group of i	45 student	s answering	correctly		32%
Item No.17 Omit	0	0	ı	ı	0	0	2
A	2	ı	0	0	0	0	3
«В	17	20	23	23	25	20	128
C	6	4	0	1	0	0	11
D	0	0	٠,	0	0	0	11
Total	. 25	25	25	24	25	20	••
	it of the tota						990/
		r group or r	4	. -	0	0	7
Item No. 18 Omit		,	,			·	
		5	2	2	1	0	23
В	4	8	10	10	4	5	41
C	3	6	4	2	3	0	18
*D	4	5	5	01	17	15	65
Total		25	25	25	25	20	
Percen	t of the tota	I group of I	45 student	ts answering	correctly	,,,,,,,,,,,, ,,,,,,,,,,,,,,,,,,,,,,,,	39%

			J	<i>J J</i>				6
item No.19 O	mit	ı	1	2	2	0	0	
	A	7	6	3	2	0	0	18
	В	8	2-	0	0	1	0	11
¥	,C	5	14	14	18	23	17	91 19
	D	4	2	6	3	1	3	17
т	otal	25	25	25 🕥	25	25	20	
_		L. aeal es	roup of 145	Students	answering	correctly		. 63%
	_	ne total gi	0	0	0	0	Ò	0
Item No.20		_	22	24	25	25	20	135
ø	A	19	0	0	0	0	0	0
	В	0		1	0	0	0	7
	С	3	3	0	0	0	0	3
	D	3	0	25	25	25	20	
•	Total	25	25			ng correct!	y	94%
						0	0 '	16
item No.21	Omit	2	5	8	6	6	i	34
	A	8	6	6	14	16	19	65
	¢Β	4	8	4	3	3	ø	33
	С	7	4	6	, !	. 0	0	7
	D	4	i	1	•	25	2 0	
	Total	25	25	25	25			45%
•	Perecnt o	of the tota	I group of	145 Stude	ents answe	ring correc	0	13
Item No.	22 Omit	4	2	6	\	2	ì	32
	A	11	8	6	4		18	50
	wВ	0	4	4	7	17	, <u>,</u>	44
	С	8	8	9 '	12	6	0	6
	D	2	3	9	1	0	20	
	Total	25	25	25	25	25		35%
	Percent	of the to	tal group o	of 145 Stu	dents answ	ering corr	BCTIY	11.
Item No	.23 Omit	1	. 4	3	3	•		48
150,117.5	A	8	15	12	7	5		19
	В	5	2	4	4	3	1	9
	c	6	2	1	0	0	0	58
	«D	5	2	5	'П	17	18	26
			25	25	25	25	20	400
	lorer		otal group		f	enting cor	rectly!	., 40%

Item No.24 Omit A B *C	2 5 5	2 5	3 5	0	0	0	•
В *С		5	5	_	•		
* C	5		J	3	ı	0	I
•	-	5	5	5	3	ı	2
-	9	8	7	8	7	15	5.
В	4	5	5	9	14	4	4
Total	25	26	25	25	25	20	
Percent of	the tot	al group of	145 stude	nts answeri	ng correcti	y	37
Item No.25 Omit	3	4	2	1		0	1
A	5	10	12	6	8	0	4
В	11	3	1	1	2	ı	10
*C	6	6	6	15	13	18	6,
D	0	2	4	2	1	1	IC
Total	25	25	25	25	25	20	,,
Percent of	the tota	l group of	145 studen	ts answeri	ng correct	ly	4
Item No.26 Omit	1	3	1	1	1	0	;
A	10	14	13	8	5	3	5;
В	6	5	U	7	5	1	35
O,	2	Q	Q	3	1	Į	7
*D	6	3	,O	6	13	15	43
Total	25	25	25	25	25	20	
Percent of	the tota	I group of	l 45 studen	ts answeri	ng correct	ly,	3G
item No.27 Omit	I	4	2	0	0	0	7
Ą	5	7	9	1	1	ī	24
8	9	3	1	2	2	0	17
*C	1	2	5	H	16	1'5	50
ם ٔ	9	9	8	н	6	4	47
Total	25	2,5	25	25	25	20	•••
Percent of	the tota	i group of i	45 studen	ts answerin		y,	35
item No.28 Omit	ı	ı	2	2		0	7
A	ŧ	2	1	4	0	2	10
#B	1	4	4	6	14	18	46
c	1	2	0	2	0	0	5
D	21	16	18	J1	10	.o	76
Total	25	25	25	25	25	20	, 0
	46-4		•		ng Correcti		

Item No.29	Omit	1	4	3	0	2	0	10
	Α	6	4	7	5	2	0	24
	В	12	4	6	3	0	0	25
	С	6	5	8	8	2	0	29
	*D	0	8	ı	9	19	20	57
	Total	25	25	25	25	25	20	
1	Percent of	the total	group of le	15 students	answering	correctly		39%
Item No.30	Omit	ſ	. 1	2	0	0	0	4
	A	7	6	0	2	0	O	15
	«В	11	16	23	23	24	20	1 17
	С	4	0	0	0	0	0	4
	D	2	2	0	0	ļ	0	5
	Total	25	25	25	25	25	20	
	Percent o	f the total	group of I	45 student	s answering	correctly	y	81%
Item No.3		1	2	2	0	0	0	5
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	A	9	5	3	3	0	0	20
	В	4	7	2	I	Ŏ,	1	15
	*C	5	11	17	19	25	19	96
•	D	6	0	1	2	0	0	9.
	Total	25	25	25	25	25	20	
	Percent	of the tota	I group of	145 student	ts answerin	g correctly	y	67%
Item No.3		3	2	4	2.	1	0	12
team tage.	Α	1	3	0	ı	0	0	5
•	В	12	8	15	6	4	ı	46
	#C	2	10	5	16	19	18	70
	D	7	2	ı	0	i	1	12
	Total	25	25	25	25	25	20	
		of the gro	oup of 145 s	tudents ar	nswering co	orrectly	**********	49%
item No.		'3	2	3	1	0	0	9
14400 1400	A	6	6	3	. 4	0	0	19
	В	7	2	2	. 2	ı	2	16
	С	9	- 10	5	7	0	0	31
	o,∗	0	5	12	11	24	18	70
	Total	25	25	25	25	25	20	 = •
•	Percer	t of the gr	oup of 145	students's	inswering (correctly		49%

Item No.34 Omi	t 4	2	2	0	0	0	8
۸ŵ	4	5	10	17	25	20	81
В	9,	9	6	5	0	0	29
С	5	3	5	3	0	0	16
D	3	6	2	0	0	0	11
Total	25	25	25	25	25	20	
Perce	nt of the gr	oup of 145	students	answering	correctly		56%
Item No.35 Omi	t 3	3	5	1	1	0	13
A	2	8	4	2	0	3	23
*B	4	6	П	16	19	19	75
С	7	5	2	ι	ı	0	16
D	2	3	3	5	4	1	18
Total	25	25	25	25	25	20	
Perce	int of the t	otal group	of 145 stud	ients answe	ring correc	tly	52%
Item No.36 Om	it 4	3	3	1	0	0	п
· *A	3	5	5	12	19	-16	60
В	4	2	2	2	0	1	11
С	8	8	5	2	ı	0	24
D	6	7	10	8	5	3	39
Tota	ıl 25	25	25	25	25	20	
Perc	ent of the t	otal group	of 145 stud	dents answe	ring corre	ctly,	42%
Item No.37 Om	it 5	3	7	. 2	0	0	17
, A	10	01	9	11	4	3	47
¿. B	5	4	75	1	0	0	15
*C	3	8	3	10	20	17	61
- D	2	0	ı	1	1	0	5
Tot	al 2 5	25	25	25	25	20	
Per	cent of the	total group	of 145 stu	idents answ	ering corre	ectly	42%
Item No.38 On	nlt ' 4	4	7	2	0	0	17
A	. 5	3	2	3	0	0	13
В	ı	3	2	3	0	0	9
*C	7	9	6	10	20	19	71
ם	9	6	. 8	7	5	ı	35
Tot	al 25	25	25	25	25	20	ı

Item No.39 Omit	4	5	6	1	0	0	16
πA	3	7	4	11	7	12	44
В	4	4	3	3	2	0	16
С	6	3	9	4	5	0	27
D	8	6	3	6	П	8	42
Total	25	25	25	25	25	20	
Percent	of the total	group of l	45 scudents	answering	correctly.	*** **********	30%
Item No.40 Omit	3	5	2	2	0	0	12
Α	9	9	10	5	8	ı	42
В	1	3	1	1	0	0	6
С	2	0	1	0	1 .	0	4
&D	10*	8	П	17	16	19	81
Total	25	25	25	25	25	20	
Percent	of the grou	p of 145 st	udents ans	wering cor	rectly		56%
Item No.41 Omit	3	I	1	1	1	0	7 ′
A	3	6	1	0	Q	0	10]
» βψ	8	8	10	16	16	12	70
С	9	9	10	7	B	8	51
D	2	1	3	1	0	0	7
Total	25	25	25	25	25	20	
Percent	of the grou	ip of 145 st	uđents an:	swering co	rrectly	100011000000	49%
Item No. 42 Omlt	3	2	1	3	3	0	12
A	3	8	2	1	2	0	16
фB	9	8	9	9	13 .	16	64
, с	3	ı	0	ı	1	0	6
D	7	6	13	H	6	4	47
Total	25	25	25	25	25	20	
	t of the gro	up of 145 s	tudents an	wering co	rrectly	(*** (*** **** *** *** ***	44%
Item No.43 Omlt	7	5	4		0		16
A	3	2	2	3	. 0	0	10
иB	2	, 8	8	11	22	20	71
*°	5	3	-	2	1	0	12
D	8	7	10	9	2	0	36
Total	25	25	25	25	25	. 20	
						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	49%

Item No.44 C	Omit	7	4	2	3	0	0	16
	Α	6	11	П	8	3	2	41
	B	5	0	2	1	0	0	8
	С	3	3	3	2	0	0	11
y.	ď	4	7	7	П	22	18	69
Te	otal	25	25	25	25	25	20	
F	ercent of	the grou	p of 145 st	udents an	swering	correctly	**************	48%
Item No.45	Omit	7	4	3	ı	0	0	15
	Α	G	5	3	ı	0	0	15
	В	5	7	7	4	1	1	25
I	C	3	9	12	19	24"	19	86
	D	4	0	0	0	. 0	0	24
Ţ	otal	25	25	25	25	25	20	
Pe	ercent of t	the group	of 145 st	udents an	nswer ing	correctly		60%
Item No.46	Omit	5	4	3	2	0	0	14
	Α	4	5	1	4	1	0	15
	В	11	8	6	2	3	0	30
	С	4	t	1	2	ı	0	9
,	'D	1	7	14	15	20	20	77
т	otal	25	25	25	25	25	20	
P	ercent of	the grou	p of 145 st	udents an	swering	correctly		53%
Item No.47	Omit	6 ,	3	3	1	0	Ó	13
	A	5	4	3	1	1	5	19
	В	5	6	7	2	3	0	23
	*C	6	8	10	17	21	14	76
	D	3	4	2	4	0	l	14
Т	otal	25	25	25	25	95	20	
þ	ercent of	the grou	p of 145 st	udents an	swering	correctly		53%
Item No.48	Omit	6	4	2	1	0	0	13
	Α	3	5	2	0	0	0	10
	В	6	4	5	0	0	0	15
	С	4	2	2	0	0	0	8
	*D	6	10	14	24	25	20	99
	otal	25	25	25	25	25	20	
P	ercent of t	the group	of 145 st	ıdents an	swering d	orrectly	*****	69%

Item No,49 Omit 6									
B ω 5 6 3 2 0 19 *C 1 7 10 19 21 20 78 D 2 1 1 2 2 0 8 Total 25 25 25 25 26 20 Percent of the group of 145 students answering correctly 54% * Item No.50 Omit 6 5 2 1 0 0 14 A 3 3 5 1 1 0 13 *B 4 8 11 18 23 20 84 C 7 2 2 3 0 0 14 D 5 7 5 - 2 1 0 20	Item No.49	Omit	6	4	2	0	0	0	12
*C 7 10 19 21 20 78 D 2 1 1 2 2 0 8 Total 25 25 25 25 26 20 Percont of the group of 145 students answering correctly 54% * Item No.50 Omit 6 5 2 1 0 0 14 A 3 3 5 1 1 0 13 B 4 8 11 18 23 20 84 C 7 2 2 3 0 0 14 D 5 7 5 -2 1 0 20 The state of the group of 145 students 19 21 20 20 The state of the group of 145 students 25 26 20 The state of the group of		A	13	8	6	i	0	. 0	28
D 2 2 2 0 8 Total 25		В	W	5	6	3	2	0	19
Total 25 25 25 25 26 20 Percent of the group of 145 students answering correctly 54% Item No.50 Omit 6 5 2 0 0 14 A 3 3 5 1 0 13 *B 4 8 11 18 23 20 84 C 7 2 2 3 0 0 14 D 5 7 5 - 2 0 20		*C	1	7	10	19	21	20	78
Percent of the group of 145 students answering correctly 54% tem No.50 Omit		D	2	1	-	2	2	0	8
Percent of the group of 145 students answering correctly 54% tem No.50 Omit 6 5 2 0 0 14 A 3 3 5 1 0 0 13 *B 4 8 11 18 23 20 84 C 7 2 2 3 0 0 14 D 5 7 5 - 2 0 20		Total	25	25	25	25	26	20	
A 3 3 5 1 1 0 13 *B 4 8 11 18 23 20 84 C 7 2 2 3 0 0 14 D 5 7 5 -2 1 0 20	1	Percont	of the grou	p of 145 st	udents ans	wering cor	rectly	aniamini.	54%
*B 4 8 11 18 23 20 84 C 7 2 2 3 0 0 14 D 5 7 5 -2 1 0 20	.ltom No.50	Omit	6	5	2	I	0	0	14
C 7 2 2 3 0 0 14 D 5 7 5 - 2 1 0 20		A	3	3	5	1	ļ	0	13
D 5 7 5 - 2 1 0 20		₽B	4	8	11	18	23	20	84
		С	7	. 5	2	3	0	0	14
Total 25 25 25 25 20		D	5	7	5	- 2	1	0	20
		Total	25	25	2 5	25	25	20	

A STUDY TO CHECK THE ATTRACTIVENESS OF THE VARIOUS DISTRACTORS OF THE MULTIPLE CHOICE QUESTIONS SET IN THE OPTIONAL PART (BIOLOGY) OF THE SCIENCE APTITUDE TEST YEAR 1967.

		STUDENTS	CLASS	FIED BY 1	TOTAL TE	ST SCOR	Ę	
Item No.1	Omit	2	0	0	1	0	O.	3
	A	1	1	0	1	0	0 '	3
	*В	15	20	24	21	22	10	112
	¢	3	3	1	1	3	0	11 -
	D	4	i	0	1	0	0	6
	Total	25	25	25	25	25	10	•
		t of total grou	ıp of 135	students a	nswering c	orrectly	145 434511441414141	79%
Item No.2	Omit	0	0	Q	0	0	0	0
	A	4	0	0	0	0	0	4
	*B	14	20	23	24	25	13	116
	С	2	1	0	F	0	0	4
	D	5	4	2	0	0	0	11
	Total	25	25	25	25	25	10	••
	Percen	t of total grou	p of 135 s	students ar	iswering co	orrectly	****************	82%
Item No.3	Omit	4	3	4	0	0	0	11
	*A	3	5	[]	12	17	10	60
	В	3	3	2	6	4	0	18
	С	7	6	5	7	2	0	27
	D	8	8	3	0	0	0	19
	Total	25	25	25	25	25	20	
•	Percen	t of total gro	up of 135	students a	nswering c	orrectly		42%
Item No.4	Omlt	2	0	0	0	2	0	4
	A	i	0	I	0	0	0	2
	В	14	19	18	19	17	8	95
	*C	4	3	4	3	4	2	20
	D	4	3	2	3	2	0	14
	Total	25	25	25	25	25	10	
	Perçer	nt of total gro	up of 135	students a	nswering co	orrectly		14%

Item No.5 Omit	2	0	2	0	0	0	4
*A	9	14	17	19	22	9	90
В	7	6	4	4	0	ı	22
c	4	2	1	2	3	0	12 .
D	3	3		0	O	0	7
_	-	25	25	. 25	25	10	
Total	25						64%
Percent of	total grou	ip of 135 s	tudents an	swering co	OFFECTIV		
Item No.6 Omit	1	0	0	0	0	0	l
A	0	2	3	1	0	0 ,	6
*B	5	5	9	12	23	10	64
С	15	15	10	12	2	0	54 .
D	4	3	3	0	0	0	10
Total	25	25	25	25	25	10	
		wa of 135 s	students an	swering C	orrectly		45%
				0	0	0	0
Item No.7 Omit	0	0	0	•	0	0	7
A	4	2	l 	0	9	0	46
В	7	12	12	6	0	0	16
С	8	l	6	1	-	10	66
*D	6	10	6	18	16		00
Tot al	25	25	25	25	25	10	
Percent	of total gr	oup of 135	students	inswering	correctly	414 417 124 117414	
item No.8 Omit	2	0	3	0	0	0	5
A	2	5	2	0	0	0	9
*B	5	12	13	21	24	10	85 18
С	10	3	4	0	1	0	18
D	6	5	3	4	0	-	10
Total	25	25	25	25	25	10	
Percent	of total g	roup of 13	5 studens ta	nswering o	orrectly		60%
Item No.9 Omit	i	, O	0	ļ	1	0	3
A	10	8	5	ı	ı	0	2 ,5
· •B	8	9	9	17	20	10	73
C	2	4	5	1	3	0	15
D	4	4	6	5	0	0	19
Total	25	25	25	25	25	10	
Percen	t of total (roup of I	35 students	answerin	g correctly	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	51%

				J 12			
2	0	0	0	2	0	0	Item No.10 Omit
2	0	0	0	1	0	1	Α
	10	25	25	19	21	13	*В
113		0	0	3	, 3	7	C
13	0		0	0	ı	4	D
5	0	0		25	25	25	Total
	10	25	25				
80%	***************	correctly				l l	Item No.11 Omit
3	0	0	0	ı	1	·	*A
100	10	24	20	21	17	8	
4	0	0	1	1	2	0	В
16	0	1	2	1	ı	11	С
12	0	0	2	1	4	5	D
	10	25	25	25	28	25	Total
70%		correctly,	inswering (5 students	group of 13	of total g	Percent
			2	3	3	2	Item No. 12 Omit
01	0	0		10	4	4	Α
24	0	4	2			13	В
16	0	. 0	0	ł.	2	3	*C
68	10	81	18	7	12		D
17	0	3	3	4	4	3	
	10	25	25	25	25	25	Total
489		correctly.	answering	5 Students	group of 13	t of total ;	Percen
	0	0	0	0	0	2	Item No.13 Omit
2 6	0	0	0	3	2	4	A
5	0	0	ō	2	2	ı	В
109	10	25	25	22	16	Н	*C
13	0	0	0	1	5	7	D Total
	01	25	25	25	22	25	
75%	444444444	correctly	answaring	Students	roup of 135	of total g	Percent
2	0	0	0	2	0	0	item No.14 Onilt
21		0	4	2	7	8	A
41	10	25	20	19	15	11	*B
90	0	0	0	1	3	2	C
99 6				1	1	4	D
99 6 7	0	0	1	•		25	Total

Item No. 15 Omlt	0	1	1	0	0	0	2
Α	5	1	3	1	2	0	14
В	3	1	2	2	0	0	8
*C	6	4	10	15	14	10	59
D	11	18	9	7	9	0	54
Total	25	25	25	25	25	10	
Percent of the total g	roup of	135 students	answerk	ng correctly			42%
Item No.16 Omit	0	0	2	ı	0	0	3
Α	4	1	4	1	1	0	П
В	5	4	2	2	1	0	14
«C	3	6	8	9	12	5	43
D	13	14	9	12	11	5	46
Total	25	25	25	25	25	(0	
Percent of the total g	roup of 1	35 students	answerin	ig correctly.	***********	***************	30%
Item No.17 Omlt	0	0	l	1	3	0	3
Α	!	3	3	3	3	ł	14
*B	9	8	9	13	18	8	65
С	10	5	6	4	1	J	29
D	5	9	6	4	2	0	26
Total	25	25	25	25	25	10	
Percent of the total g	roup of i	35 students	answerin	g correctly.	.,,,	****************	46%
Item No. 18 Omit	i	0	0	0	ı	0	2
A	5	7	15	14	15	8	64
В	12	12	10	н	8	1	54
С	5	3	0	D	0	0	8
D	2	3	0	0	1	1	7
Total	25	25	25	25	25	10	•
Percent of the total gr	roup of 1	35 Istudents	answerk	ng correctly.		***************	45%
Item No.19 Omit	0	0	0	0	0	0	, D
*A	14	19	23	21	25	to	112
. В	4	1	ı	2	0	0	8 '
c ·	4	4	0	2	0	0	10
D	3	1	1	O	0	0	5
Total	25	25	25	25	25	10	
Percent of total group	of 135	tudent answ	vering _co	orrectly	**********	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	79%

			- • •				
item No. 20 Omit	0	0	1	1	0	0	-
*A	6	8	11	17	24	01	2
В	11	12	5	6	- ' - I		76
С	3	2	ī	0		0	35
D	5	3	7	ı	0	0	6
Total	25	25		_	0	0	16
		mu .	25	25	25	10	
Percent of total grou	IP of 135	students an	IS wering co	orreerly .			
				,	** ******** ***	**************	54
Item No.21 Omit	1	1	ı	4	٥	•	
*A	8	12	14		0	0	7
В	8	3	3	17	22	10	83
С	2	4		2	0	0	16
D	6		2	1	0	0	9
		5	5	1	3	0	20
Total	25	25 tu lents ans	25 waring car	25 rectly	25	10	589
Total	25	tu lents ans	waring cor	rectly	***************************************		589
Total	25 o of 135 s	tu Jents ans	waring car	rectly	0		589 0
Total Percent of total group	25 of 135 s 0 3	tu Jents ans O O	waring car O I	0 0	***************************************		
Total Percent of total group Item No.22 Omit A B	25 O of 135 s 0 3 4	tu Jents ans O O 3	waring cor 0 3	0 0 0	0	0	0
Total Percent of total group Item No.22 Omit A B C	25 o of 135 s 0 3 4 1	tu Jents ans 0 0 3	waring cor O I 3	0 0 0 0	o o	0	0 4
Total Percent of total group Item No.22 Omit A B C *D	25 of 135 s 0 3 4 1	0 0 0 3 0 22	waring cor 0 1 3 1 20	0 0 0 0 0	0 0 0 0 0	0 0 0	0 4 10
Total Percent of total group Item No.22 Omit A B C	25 o of 135 s 0 3 4 1	tu Jents ans 0 0 3	waring cor O I 3	0 0 0 0	 0 0 0	0 0 0 0	0 4 10 2
Total Percent of total group Item No.22 Omit A B C *D	25 o of 135 s 0 3 4 1 17 25	0 0 0 3 0 22 25	0 	0 0 0 0 0 25 25	0 0 0 0 0	0 0 0 0	0 4 10 2 119
Total Percent of total group Item No.22 Omlt A B C +D Total	25 o of 135 s 0 3 4 1 17 25	0 0 0 3 0 22 25	0 	0 0 0 0 0 25 25	0 0 0 0 0	0 0 0 0	0 4 10 2 119
Total Percent of total group Item No.22 Omit A B C *D Total	25 o of 135 s 0 3 4 1 17 25	0 0 0 3 0 22 25	o I 3 I 20 25 wering cor	0 0 0 0 25 25	0 0 0 0 25 25	0 0 0 0 10	0 4 10 2 119
Total Percent of total group Item No.22 Omit A B C +D Total Percent of total group	25 o of 135 s 0 3 4 1 17 25 o of 135 sc	0 0 0 3 0 22 25 sudents answ	0 	0 0 0 0 0 25 25	0 0 0 0 25 25	0 0 0 0 10 10	0 4 10 2 119 84%
Total Percent of total group Item No.22 Omit A B C *D Total Percent of total group Item No.23 Omit A B A	25 o of 135 s 1 17 25 o of 135 s 0 4 7	0 0 0 3 0 22 25 sudents answ	o l 3 l 20 25 wering con	0 0 0 0 25 25	0 0 0 0 25 25	0 0 0 0 10 10	0 4 10 2 119 84%
Total Percent of total group Item No.22 Omit A B C *D Total Percent of total group Item No.23 Omit A B *C	25 0 of 135 s 0 3 4 1 17 25 0 of 135 s 0 4 7 8	0 0 3 0 22 25 sudents ansv	o l 3 l 20 25 wering co.	0 0 0 0 25 25 25	0 0 0 0 25 25	0 0 0 0 10 10	0 4 10 2 119 84% 4 12 23
Total Percent of total group Item No.22 Omit A B C *D Total Percent of total group Item No.23 Omit A B A	25 of 135 s 0 3 4 1 17 25 of 135 s 0 4 7 8 6	0 0 3 0 22 25 sudents answ	0 3 20 25 2 2 5 19 4	0 0 0 0 25 25 25	0 0 0 0 25 25 25	0 0 0 10 10	0 4 10 2 119 84%

Item No.24 Omit	1	1	2	i	3 .	0	, 8
A	7	6	2	0	ł	0	16
*B	7	ı	4	9	10	9	÷ 40
С	2	9	12	10	2	0	35
D	8	8	5	5	9	1	36
Tota!	25	25	25	25	25	10	
Percent	of total gro	up of stude	ents answei	ring corre	ctly	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	28%
Item No.25 Omit	3	2	3	0	2	0	10
Α	2	4	0	1	0	1	8
В	5	6	8	5	14	7	45
С	4	1	4	0	0	0	9
D	11	12	10	19	9	2	63
- Total	25	25	25	25	25	10	
	of total gr	oup of stu	idents answ	ring corre	ctly	***************************************	32%
`		_	_	_	_		
Litem No.26 Omit	4	3	3	2	0	0	12
A	7	2	3	2	3		18
В	6	7	4	3	1	l	22
С	5	6	7	- 4	0	0	22
*D	3	7	8	14	21	8	61
, Total	25	25	25	25	25	20	
Percent	t of total gro	oup of 135	students an	swering co	rreculy	,,,,	43%
Item No.27 Omlt	2	. 3	3	ı	0	0	9
A	5	2	3	2	3	ī	16
*B	8	10	!3	16	20	9	76
C	4	2	2	3	0	0	11
D	6	8	4	3	2	0	23
Total	25	25	25	25	25	10	
Percen	t of the tota	ıl group 13	5 students	answering	correctly		54%

Item No. 28 omit	0	0	2	ı	3	0	6
*A	3	8	7	14	10	9	51
В	6	5	7	6	6	1	31
С	10	7	7	4	4	0	32
D	6	5	2	0	2	0	15
Total	25	25	25	25	25	10	
Percent	of total gr	oup of 135	stuJents a	inswaring c	orrectly	************	36%
Item No.29 Omit	4	2	1	3	ı	0	li
«А	15	17	16	17	22	8	95
В	2	4	2	0	 I	2	11
C	3	1	5	2	0	0	11
D	1	i	Ī	3	j	0	7
Total	25	25	25	25	25	10	•
Percent of the total Item No.30 Omit A B *C D Tatal Percent of the total g	0 7 2 11 5 25	0 2 7 9 7 25	1 3 7 6 8 25	0 3 4 9 9	0 3 1 14 7 25	0 0 2 7 1	1 18 23 56 37
Item No.31 Omit A B C *D Total		 4 6 14 25	1 0 3 3 18 25	0 i 0 0 24 25	0 0 2 I 22 25	0 0 0 10	1 3 13 23 95
					ng correct		. 67%

.

Item No. 32 Omit	2	0	0	0	0	0	2
*A	2	8	14	9	18	10	61
В.	14	7	7	12	4	0	44
С	6	2	1	1	0	0	10
D	1	8	•3	3	3	0	Ĩ8,
Total	25	25	25	25	25	10	-
Percent c	of the tota	group of	135 student	is answerin	g correctly		43%
Item No. 33 Omit	2	2	0	0	0	0	4
*A	11	11	12	18	23	10	85
В	0	3	5	0	l	0	9
С	9	3	4	3	1	0	20
D	3	6	4	4	0	0	17
Total	25	25	25	25	25	10	
Percent o	f the total	group of 1	135 student	s answerin	g correctly	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	60%
Item No. 34 Omit	2	0	1	0	0	0	3
A	2	i	3	0	0	0	6
В	5	1	3	1	0	0	10
С	1	9	1	ı	1	0 ~	[3
D	15	14	17	23	24	(0	103
Total	25	25	2 5	25	25	10	
Percent o	f the total	group of I	35 student	s answerin	g correctly	'**,	73%
tem No. 35 Omit	2	Q	ı	0	0	0	3
A	5	ι	1	1	0	0	8
∤B `	5	11	18	20	25	10	89
С	6	П	3	4	0	0	24
D	7	2	2	0	0	٥	11
Total	25	25	25	25	25	25	10
Percent o	f the tota	group of	135 student	s answerin	g correctly		63%
Itam No. 36 Omit	i	0	2	0	0	0 ′	3
Α	6	1	1	0	0	0	8
*B	14	19	ı	25	25	10	94
c	2	5	1	Ō	0	0	8
D	2	0	20	0	ø	0	22
Total	25	25	25	25	25	10	
Percent o	f the total	group of l	35 students	s answering	correctly	*************	66%

Item No. 37 Omit	3	0	2	0	0	0	5
A	1	i	1	0	0	0	3
В	2	4	0	0	0		
. c	4	4	0	0	0	0	0
*D	15	16	22	25	25	10	8 113
Total	25	25	25	25	25	10	113
Parcent	of the total	group of I	35 sty Jents	answerin	g correctly	*** ** ** *****	80%
Item No. 38 Omit	1	ı	2	0	0	0	4
itΑ	12	20	20	21	25	10	Ш
В	4	4	0	0	0	0	5
С	4	ſ	0	0	0	0	5
D	4	2	3	1	0	0	10
Total	2 5	25	25	25	25	10	
Percent	of the tota	l group of l	l35 studen	ts answerin	g correctly		78%
, 5, 5, 5, 1			•		6 4411 44117		. ,0,0
tem No. 39 Omlt	2	0	2	0	0	0	4
Α	7	5	3	1	0	0	16
«В	8	, 14	20	23	25	10	100
С	5	3	0	0	0	0	8
D	3	3	0	1	0	0	7
Total	25	25	25	25	25	10	
Percent	of the tota	l group of l	35 student	s answering	correctly		70%
Itam No. 40 Omit	1	0	1	0	٥	0	2
*A	6	12	15	11	15	9	68
В	6	5	0	1	0	0	12
• -						_	
, C	1	1 -	0	0	0	0	2
D	11	7	9	13	10	ŀ	51
Total	25	25	25	25	25	10	
Percent	of the tota	il group of l	35 student	s answoring	g correctly.		. 43%
Item No.41 Omit	ı	0	3	0	i	0	5
A	9	12	5	10	5	1	42
иB	11	6	14	12	18	9	70
C D	2 2	4 3	l 2	i 2	0 !	0	8 10
Total	25	3 25	25	25	25	10	10
,						•	

Percent of the total group of 135 students answering correctly... 49%

Item No. 4	2 Omit	3	1	2	0	3	1	10
	۸A	6	5	14	14	9	2	50
	В	8	3	2	1	0	0	14
	С	4	10	3	4	3	0	24
	D	4	6	4	6	10	7	37
	Total	25	25	25	25	25	10	
•	Percent o	of the total	group of i	135 students	answering	correctly		. 35%
Item No- 4	3 Omit	3	2	5	0	3	0	13
	.∗A	3	9	8	8	13	7	48
	В	7	8	2	6	5	0	28
	С	4	2	3	1	0	0	-10
	Þ	В	4	7	10	4	3	36
	Total	25	25	25	25	25	10	
	Percent o	of the total	group of	135 students	answering	correctly.	,	39%
Item No.	44 Omit	3	2	4	0	0	0	9
	жA	3	5	6	12	22	8	56
	В	6	6	6	1	0	0	19
	С	4	6	6	9	1	2	28
	D	9	6	3	3	2	0	23
	Total	. 25	25	25	25	25	10	
	Percent	of the tota	l group of	135 student	sianswerin	g correctly		39%
Item No-	45 Omit	3	0	4	0	2	1	10
	Αs	[3	10	13	15	20	9	80
	В	• 2	4	1	1	0	0	8
	c.	1	6	4	2	2	Ò	14
	D	4	4	3	7	1	0	23
	Total	25	25	25	25	25	10	
	Percent	t of the tot	al group o	f 135 stude:	nts answer	ing correct	y	56%
Item No.	, 46 Omlt	2	0	3	0	i	0	6
	*A	6	9	П	15	22	10	73
	B	4	9	5	6	2	0	26
	ć	9	3	i	3	0	0	16
	D	•4	4	5	ı	0	0	` I4
	Total	25	25	25	· 25	25	10	

Item No, 47 Omit	3	1	2	0	2	0	8
Ą	7	10	14	14	19	10	74
8	4	6	5	4	1	0	20
С	7	7	2	6	3	0	25
Ď	4	1	2	I	0	0	8
Total	25	25	25	25	25	10	
P.g.cant o	of the tot	al group of	135 studer	nts answeri	ng correcti	y	529
Item No. 48 Omit	2	1	2	0	0		
Α	7	7	6	3	12	0	5
В	4	4	3	10	7	10	45
С	5	8	9	7	6	0	28
D	7	5	5	5		20	35
Total	25	25	25	25	0 25	0	22
Percent o	f the tota	l gro ip of i	l 35 studen	ts answerm	.: correctly		32 <u>%</u>
Item No. 49 Omit	2					*****************	*** 34,6
A	2	1	3	ı	0	0	7
В	3	3	7	8	8	5	33
C		5	5	3	0	0	16
D	12	14	9	0	17	5	57
	6	2	I	13	0	0	22
Total	25	25	25	25	25	10	
. Percent of	the total	group of I	35 studen	ts answerir	g correctly	/	231/6
tem No, 50 Omit	2	2	4	1	1	0	10
	3	4	5	Ó	0	0	12
A						•	12
A B	8	14	12	23	24	lo	91
	8	. 14 . 2	12 3		24 0 *	10	9}
В		•		23 0 I	0 ,	0	П
В С	6	2	3				

A STUDY TO CHECK THE ATTRACTIVENESS OF THE VARIOUS DISTRACTORS OF THE MULTIPLE CHOISE QUESTIONS SET IN THE OPTIONAL PART (CHEMISTRY) OF THE SCIENCE APTITUDE TEST YEAR 1967-

STUDENTS CLASSIFIED BY LOTAL TEST SCORE

Responses	Lowest	Next	М	iddle	Next highest	Highest	Total
	0–20 %	lowest 21-40	41-60	61-80	81-100	101-120	
Item No. 1 Omit	2		0	0	0	0	3
Α	· 7	4	ļ	I	0	0	13
В	4	1	0	0	0	0	5
С	2	8	2	0	0	Ó	12
*D	14	21	21	38	30	30	154
Total	29	35	24	39	30	30	187
Percent	of the tot	al group o	f 187 studer	nts answe	ring correctly		82%
Item No. 2 Omitt	0	2	0	3	1	2	8
*A	` 8	9	4	13	6	22	62
В	9	11	13	13	14	4	64
. с	6	6	4	8	7	0	31
D	6	7	3	2	2	2	22
Total	28	35	24	39	30	30	187
Persent	of the tot	al group of	87 studer	its answer	ing correctly.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	33%
tem No. 3 Omitt	3	5	l	3	3	0	15
A	2	i	4	. 0	2	1	10
В	7	17	10	12	4	0	50
С	15	8	4	4	ŀ	0	32
*D	2	4	5	20	20	29	80
Total	29	35	24	3,	30	30	187
Percent	of the tot	al group o	f 187 studei	nts answe	ring correctly		. 43%
Item No. 4 Omitt	ſ	4	0	2	1	1	9
*A	13	16	15	18	10	20	92
В	1	4	3	9	6	I	24
С	H	5	6	2	1	0	25
D	3	6	0	8	12	8	37
Total	29	35	. 24	39	30	32 .	187
· Percent	of the tot	al group of	187 studen	ts answer	ing correctly.	********	. 49%

lean Mi		_						
Item No.		0	l	0	1	0	0	2
	Α	5	5	6	3	2	1	. 22
	В	5	12	1	2	2	0	22
	С	7	5	1	0	0	0	13
	۸D	12	12	16	33	26	29	128
	Total	29	35	24	39	30	30	187
	Percent	of the tota	l group of	187 studen	ts answerin	g correctly	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	68%
Item No.	6 Omlt	0	0	0	3	Į	0	4
	Α	3	ļ	0	3	ı	0	8
	В	8	10	7	3	1	Ö	29
	*C	<u>[</u> 12	16	7	н	19	25	90
	D	6	8	10	19	8	5	56
	Total	29	35	24	39	30	30	187
	_							
	Percent	of the tota	i group of	187 studen	ts answering	g correctly	**********	48%
item No.	7 Omlt	0	0	0	0	0	0	0
	Α	8	9	i	0	0	0	18
	В	14	9	7	4	3	ı	38
	*C	5	12	13	31	27	29	117
	D	2	5	3	4	0	0	14
	Total	29	35	24	39	30	30	187
,	Percent	of the tota	l group of	187 studen	ts answering	correctly.	185,,,,,,,,,,,	62%
Izem No.	8 Omlt	1	0	0	0	0	0	1
	A	7	8	7	3	2	0	27
	«В	8	21	16	36	28	30	139
	С	6	4		0	0	0	11
	D	7	2	0	0	0	2	9
	Total	29	35	24	39	30	30	187
	Percent	of the tota	group of I	187 stndent	s answering	correctly		
Item No.	9 Omit	1	3	0	ı	0	1	6
	Α	6	4	2	2	0	0	14
	В	2	2	2	0	2	0	8
	»C	18	23	19	35	28	28	151
	D	2	3	1	ì	0	1	
	Total	29	35	24	39	30	30	8
	Percent	of the tota	group of		ls answerin		30	187
			- r		BUSALE!][]	g correctly	***********	81%

311	Pareent	of the tate	group of I	197 student	i antwering	correctly	⁽ (સ) દ્રાહ્યું તેલા (11%
	Total	29	35	24	3 9 -	30	30	187
	P	4	12	Ħ	16	4	5	52
	Ć	Ц	8	4	. 2	4	0	29
	μĐ	5	5	3	14	20	25	72
	A	7	6	5	6	2	. 0	26
Itam No.	14 Omit	2	4	!	1	0	0 ,	8
,	Percent	of the Tota	l group of	137 studen	its answerin	1	. '	
,	Total	29	35	24	39			
	D	14	9	5 24		30	- 30	30 187
	C	6	3 .	7	ı I	1	0	19
	В	3			2	· ¦	0	
	#A	5 -	15 [,] 7	12 0	36 0	<i>21</i> 1	27 1	124
Item No.	•	1	. !	0	0	27	29	2 124
Ta 180						0	0	
		of the tota		187 studen	ts answerin	g correctly	Y	: 75%
	Total	29	35	24	39	39	30	187
•	D	14	9	8	5	1	٥	37
	С	, 1	1	0	1	. 1	. 0	4
	∗B	11	24	16	32	27	30	140
	Α	2	1	0	1	0	0	4
lcom No.	I2 Omit	ı	0	0	0	1	0	2
	Parcent	of the total	group of l	187 student	s answering	correctly	'	47%
	Total	27	35	24	39	30	30	197
	D	8	8	7	5	4	0	32
	C	5	3	2	4	2	0	16
	۸ »B	11 5	10 14	10 5	11 19	5 19	3 27 .	59 8 9
ifem No.	II Omit	0	0	0	0	9	0	4 ′
		of the total						
	Total	29	35	24	39	30	30	187
	₩D Tanal	7	14 25	14	30	26	27	118
	C	8	7	4	4	2	1	26
	В	7	6	2	2	0	0 .	17
	Α	6	8	4	3	2	2	25
Iten No.	10 Omlt	1	0	0	0	0	ð	1

Item No. 15 Omlt	1	t	0	0	0	Ò	2		
Α	9	9	10	7	2	٥	37		
В	4	3	0	0	0	0	7		
*C	8	19	13	23	23	28	114		
D	7	3	1	9	5	2	27		
Total	29	35	24	39	30	30	187		
Percent	of the total	group c	i 187 studen	ts answerin	ng correctly	·····	61%		
Irem No. 16 Omit	0	4	1	2	0	1	8		
Α	13	8	7	13	7	4	52		
В	3	8	4	5	4	3	27		
С	8	6	5	7	7	1	34		
*D	5	9	7	12	12	21	66		
Total	29	35	24	39	30	30	187		
Percent of the total group of 187 students answering correctly									
Item No. 17 Omit	1	4	0	2	1	0	8		
A	8	2	1	2	0	0	13		
*B	10	21	16	32	28	28	135		
c '	7	7	4	2	, 1	1	22		
· D	3	1	3	ı	0	1	9		
Total	29	35	24	39	30	30	187		
Percent	of the total	group of	187 studen	ts a isweri	ng correctly	/	72%		
Item No. 18 Omit	0	2	0	l	0	0	3		
Α	3115	6	2	2	1	0	22		
В	3	6	6	6	1	0	22		
*C	10	20	14	30	27	30	131		
D	5 •	1	2	0	1	0	9		
Total	29	35	24	39	30	30	187		
Percent	of the total	group o	f 187 studer	nts answeri	ng correcti	y	70%		
Item No. 19 Omit	4	3	2	I	2	. 0	12		
Α	12	9	6	5	3	0	35		
В	3	8	10	6	3	6	36		
*C	3	8	2	22	18	21	74		
D	7	7	4	5	4	3	30		
Total -	29	35	24	39	30	30	187		
Percent of the total group of 187 students answering correctly 44%									

Item No. 20 Omit	2	2	ł	2	0	0	7
A	4	9	7	0	1	0	21
В	9	3	0	1	0	0	13
+c	10	15	13	32	28	30	128
D	4	6	3	4	1	0	18
Total	29	35	24	39	30	30 •	
	of the total						187 68%
Item No. 21 Omit	2	4	2	2	0	0	10
A	4	2	0	3	1	0	10
*B			_		-		
	9	12	9	15	20	29	94
С	9	13	Ħ	19	8 .	0	, 60 ,
D	5	4	2	0	ł	I	13
Total	29	35	24	39	30	30	187
Percent	of the total	group of	187 studen	ts answeri	ng correctly	/	50%
Item No. 22, Omit	0	3	0	0	0	0	5
*A	5	19 '	11	30	0	0	65
В	7	2	2	0	2	0	13
С	4	ſ	2	1	26	29	63
D	13 *	10	9 .	8	2	1	43
Total	29	35	24	39	30	30	187
Percent o	of the total	group of l	87 student	s answerin	g correctly.		35%
Item No. 23 Omit	2	3	0	0	0	0	5
Α	6`	4	2	0	0	0	12
В	6	4	4	15	ĭ	0	30
С	9	9	2	4	0	0	24
*D	6	15	16	20	29	30	116
Total	29	35	24	39	30	30	187
Precent o	f the total	group of 18	37 students	s answering	correctly.		62%
Item No. 24 Omit	1	4	0	0	0	1	6 .
Α	4	7	5	4	2	3	25
øВ	3	9`	8	16	12	10	58
¢	7	7	8	16	10	13	61
D	14	8	3 (3	6	3	37
Total	29	35	24	39	30	30	187
· Percent of	the total gr	oup of 187	etudonța t	inswering	correctly.	છું આ કાર્યો	, 31%

	1						
Item No. 25 Omit	. 3	4	ı	2	0	ĭ	11
Α	6	7	7	8	3	l	33
В	5	2	1	0	0	0	8
~C	8	13	1	23	24	25	94
D	7	9	14	6	3	2	41
Total	29	35	24	39	30	30	187
Percer	nt of the total	gi oup of	187 students	answering	correctly.	•• •••••••••	50%
Item No. 26 Omit	. 1	5	0	t	0	2	9
A	2	5	• 5	6	l	0	19
В	11	17	8	14	8	5	63、
c	6	1	4	2	2	1	16
*D	9	. 7	7	16	19	22	80
Total	29	35	24	• 39	30	30	187
Perce	nt of the total	group of	187 student	s answerin	g correctly		43%
Item No 27 Omis	:. 3	5	1	2	ι	0	12
Λ	9	П	10	7	7	I	45
В	5	7	6	11	5	0	34
*C	⁻ 6	· 9	3	16	16	29	79
D	6	3	4	3	1	0	17
Total	29	35	21	39	30	30	187
Perce	nt of the total	group o	f 187 student	s answerin	g correctly		42%
item No. 28 Onil	c. 4	4	1	ı	0	0	10
Ą÷	. 6	5	10	21	23	25	90
. В	8	13	6	12	6	5	50
С	4	6	1	ı	0	0	12
D	7	1	6	4	ì	0	25
Tota	l 29	35	24	39	30	30	187
Perce	ent of the total	group o	f 187 studeni	s answerin	g correctly	*** ** ** ** ** ** ** ** ** ** ** ** **	48%
Item No. 29 Om	it. i	3	2	2	1	0	9
A	1	9	3	1	1	0	15
иB	14	15	15	29	25	30	128
С	, 10	6	2	7	2	0	27
D	3	2	2	0	1 _	0	8
Tota	1 29	35	24	39	30	30	197

Percent of the total group of |87 studants answering corractly 68%

					•			
B 6 4 2 0 2 0 14 aC 12 26 18 37 27 30 150 D 4 0 0 0 1 0 5 Total 29 35 24 39 30 30 187 Percent of the total group of 187 students answering correctly	Item No. 30 Omit.	0	2	2	1	0	0	5
No. 31 Omit. 1	Α.	7	3	2	1	0	0	13
D A O O O O O O O O O	В	6	4	2	0	2	0 ,	14
Total 29 35 24 39 30 30 187	*C	12	26	18	37	27	30	
Percent of the total group of 187 students answering correctly	D	4	0	0	0	1	0	
Item No. 31 Omit.	Total	29	35	24	39	30	30	187
No. 31 Omit.	' Percent of	the total	group of l	187 student	s answering	g correctly.		80%
A 4 3 0 0 0 0 0 7 ***B 12 23 23 38 30 29 155 ***C 9 2 0 1 0 0 0 0 ***Total 29 35 21 39 30 30 187 ***Percent of the total group of 187 students answering correctly	Iram No. 31 Omit.	1	ı	i	0	0	1	4
NB		4	3	. 0.	0	0	0	7
C 9 2 0 1 0 0 12 D 3 6 0 0 0 0 9 Total 29 35 24 39 30 30 187 Percent of the total group of 187 students answering correctly		12	23	23	38	30	29	155
D 3 6 0 0 0 0 9 Total 29 35 21 39 30 30 187 Percent of the total group of 187 students answering correctly		9	2	0	1	• 0	0	12
Total 29 35 21 39 30 30 187 Percent of the total group of 187 students answering correctly	_	3	6	0	0	0	0	9
No. 32 Omit. O		•	35	21	39	30	30	187
No. 32 Omit.	Percent o	f the tota	l group of	187 studen	ts answerin	g correctly	**********	83%
Rem No. 32 Omit. Section Secti		•			1	0	1	3
B 4 I 0 I 0 0 6 C 5 I 0 0 0 0 0 6 D 2 I 0 0 0 0 0 3 Totat 29 35 24 39 30 30 187 Percent of the total group of 137 students answering correctly			-	_			29	169
C 5 i 0 0 0 0 0 6								6
D 2 1 0 0 0 0 3 Totat 29 35 24 39 30 30 187 Percent of the total group of 137 students answering correctly	В				-	-	-	6
Totat 29 35 24 39 30 30 187 Percent of the total group of 137 students answering correctly	С		•	-	_		_	3
Percent of the total group of 137 students answering correctly	_		•	_	_	_		187
Item No. 33 Omit. 2 3 I 0 0 0 6 7 A 4 3 0 0 0 0 0 16 B 7 6 3 0 0 0 16 C 12 20 20 38 30 30 150 D 4 3 0 I 0 0 8 Total 29 35 24 39 30 30 187 Precent of the total group of 187 students answering correctly. 80% Item No. 34 Omit. 2 3 2 0 0 0 7 47 A 6 9 4 9 12 7 47 B 4 4 5 6 3 5 27 *C 14 16 11 15 12 12 81 D 3 3 2 9 2 6 25 Total 29							_	
Item No. 33 Omit. 2 3 1 0 0 0 7	Percent o	of the tota	i group of	187 studen	ts answeri	ng correctly	y	90%
A 4 3 0 0 0 0 0 16 B 7 6 3 0 0 0 0 16 C 12 20 20 38 30 30 150 D 4 3 0 1 0 0 8 Total 29 35 24 39 30 30 187 Precent of the total group of 187 students answering correctly	Item No. 33 Omit.	2	3	ī	0	0	0	6
B 7 6 3 0 0 0 0 16 *C 12 20 20 38 30 30 150 D 4 3 0 I 0 0 8 Total 29 35 24 39 30 30 187 Precent of the total group of 187 students answering correctly			3	0	0	0	0	7
*C 12 20 20 38 30 30 150 D 4 3 0 1 0 0 8 Total 29 35 24 39 30 30 187 Precent of the total group of 187 students answering correctly		_	6	3	0	0	0	16
D 4 3 0 I 0 0 8 Total 29 35 24 39 30 30 187 Precent of the total group of 187 students answering correctly	•		20	20	· 38	30	30	150
Total 29 35 24 39 30 30 187 Precent of the total group of 187 students answering correctly. 80% Item No. 34 Omit. 2 3 2 0 0 0 7 A 6 9 4 9 12 7 47 B 4 4 5 6 3 5 27 *C 14 16 11 15 13 12 81 D 3 3 2 9 2 6 25 Total 29 35 24 39 30 30 187	•	4	3	0	1	0	0	8
Item No. 34 Omit. 2 3 2 0 0 0 7 A 6 9 4 9 12 7 47 B 4 4 5 6 3 5 27 *C 14 16 11 15 13 12 81 D 3 3 2 9 2 6 25 Total 29 35 24 39 30 30 187			35	24	39	30	30	187
Item No. 34 Omit. 2 3 2 0 0 A 6 9 4 9 12 7 47 B 4 4 5 6 3 5 27 *C 14 16 11 15 13 12 81 D 3 3 2 9 2 6 25 Total 29 35 24 39 30 30 187	Precent	of the tot	al group of	f 187 studer	nts answerl	ng correcti	y	80%
A 6 9 4 9 12 7 47 B 4 4 5 6 3 5 27 C 14 16 11 15 13 12 81 D 3 3 2 9 2 6 25 Total 29 35 24 39 30 30 187	Item No. 34 Omlt.	2	3	2	0	0	0	
B 4 4 5 6 3 5 27 **C 14 16 11 15 13 12 81 D 3 3 2 9 2 6 25 Total 29 35 24 39 30 30 187			'9 '	4	9	12		
*C 14 16 11 15 13 12 81 D 3 3 2 9 2 6 25 Total 29 35 24 39 30 30 187		4	4	5	6	3		
D 3 3 2 9 2 6 25 Total 29 35 24 39 30 30 187		14	16	11	15			
Total 29 35 24 37		3	3	2	9			
Percent of the total group of 187 students answering correctly	Total	29	35	24	39	30	30	1 87
	Percent	of the_tot	al group o	i 187 stude	nts answer	ing correct	ly	43%

Itam No. 35 Omit.	3	3	ı	۸	٥		
A	4	3	0	0 5	0	0	7
В	0	0	0	3	!	0	13
ˈ.*C	14	23	20	30	2	0	5
D	8	6	3	l	27	30	144
Total	29	35	24	39	0 30	0	18
Pareant	af sha saw					30	187
	or the tot	at group of	i 187 Studer	its answeri	ng correct	y	77%
Itam No. 36 Omit.	1	7	1	0	0	0	9
A	7	3	2	0	0	Q	12
[*B	9	12	20	37	27	29	134
С	6	7	0	1	2	0	16
, D	6	6	ı	ı	1	ı	
Total	29	35	24	39	39	30	16 !87
Percent	of the tota	l group of	187 studen	te anemasi	ng correctly		
		i group or	iov arddeti	its answer!	ng correctly	Y	72%
item No. 37 Omit	3	6	4	0	ı	1	15
A	7	8	9	5	• 3	0	32
*B	5	12	7	32	25	29	110
С	8	3	1	0	0	0	12
D	6	6	3	2	ŀ	0	18
Total	29	35	24	39	30	30	187
Percent o	of the total	l Group of	187 studen	ts answerin	g correctly	/	59%
Item No. 38 Omit	2	7	1	1	2	1	
Α	9	12	8	4	2	0	14
*B	13	14	14	31	26	•	35
` c	2	0	0	0	0	29	127
D	3	2	i	3	0	0	2
Total	29	35	24	39	30	0 30	9
							187
Percent c	of the total	group of	187 studen	ts answerin	g correctly		68%
I tem No . 39 Omit	3	7	4	ŧ			
*A	0	4	4	18	2	0	17
В	6	4	5	2	14	28	68
С	15	15	10		3	. I	21
D	5	5	1	17	11	l	69
Total	29	35	=	i	0	0	12
		4 2	.24	39	30	30	187
Percent of	f the total	group of I	87 students	answerie.	g correctly.		8401
-		_ , -, ,		with ALBLIU	s correctly.	********	.,. 36%
•							

•									
Item No. 40 Omit	: L	5	3	2	2	1	14		
*A	10	7	6	17	17	22	79		
В	11	14	7	4	6	1	43		
С	3	5	4	6	2	2	22.		
. D	4	4	4	10	3	4	29		
Total	29	35	24	39	30	30	187		
Percer	nt of the total	group o	f 187 students	answeri	ng correctly		42%		
Item No. 41 Omit	: 0	5	3	0	0	0	8		
Α	9	10	4	4	0	0	27		
*B	6	5	13	30	27	30	Ш		
С	4	8	3	2	3	0	20		
D	10	7	1	3	0	0	21		
Total	29	35	24	39	30	30	187		
Perce	nt of the total	group c	f 187 students	answerl	ng cotrectly.		59%		
Item No. 42 Omi	t 0	4	3	0	0 1	0	7		
*A	. 7	13	12	34	28	30	124		
В	7	2	ı	1	J	0	12		
c	8	,11	7	0	0	0	26		
D	, 7	5	٠ ١	4	l	0	18		
Total		35	24	39	30	30	187		
						ā			
Perce	ent of the total	group	of 187 student	s answei	ing correctly.		66%		
Item No. 43 Om	it · i	7	3	ì	0	0	12		
A	6	6	4	2	2 `	0	20		
В	7	2	0	0	0	0	9		
c	6	3	,1,	2	. 0	0	15		
*D	6	17	16	34	28	30	131		
Tota	ı 29	35	24	39	30	30	187		
	ent of the total	group	of 187 student	s answei	ing correctly.		70%		
							14		
Item No. 44 Om	it 0	10	3	i	, 0	0			
A	15	9	4	6	0	0	34		
*в	. 1	8	9	24	28	30	100		
c	6	2	3	i	. 0	0	12		
D	7	6	5	7	2	0	27 ,		
Tota	1 29	35	24	39	30	30	187		
Percent of the total group of 187 students answering correctly 53%									

45	• 0	0	1	4	10	10	Item No. 45 Omit
19	0	2	0	3	4	6	A
125	30	28	35	13	15	4	*B
.9	0	0	1	3	4	2	С
13	0	o	2	2	2	7	D
187	30	30	39	24	35	.29	Total
67	y .	ng correcti	its answeri	187 studen	u group of	of the tota	Percent
	0	1	1	3	10	2	įtem No. 46 Oniit
17	0	i	0	2	6	4	Α
13	4	4	13	4	6	6	В
37	24	23	21	13	10	9	*C
18	2	1	4	2	3	8	D
20 187	30	20	39	24	35	29	Total
					10 0H	t of the tes	' Percent
53	y	irg (crrecti	nts answerl	f 187 stude.	tal greupo		
	y 2	irg (crrecti 5	nts answer! 8	f 107 stude. 2	. 8	2	Item No. 47 Omit
53° 22 , 30					8 5	2 8	Item No. 47 Omit
22	2	5	8	2	. 8 5 5	2 8 2	Itam No. 47 Omit A B
22 . 30	2	5 4	8	2 5	. 8 5 5	2 8 2 9	Itam No. 47 Omit A B C
22 30 47	2 0 13	5 4 9	8 8 14	2 5 4	. 8 5 5 7	2 8 2 9	Itam No. 47 Omit A B C
22 . 30 . 47 . 52	2 0 !3	5 4 9 H	8 8 14 6	2 5 4 4	. 8 5 5	2 8 2 9	Item No. 47 Omit A B C
22 30 47 52 36	2 0 13 15 0 30	5 4 9 11 1 30	8 8 14 6 0 39	2 5 4 4 9 24	. 8 5 5 7	2 8 2 9 8 29.	Item No. 47 Omit A B C D Total
22 30 47 52 36 187	2 0 13 15 0 30	5 4 9 11 1 30	8 8 14 6 0 39	2 5 4 4 9 24	. 8 5 5 7 10 35	2 8 2 9 8 29.	Item No. 47 Omit A B C D Total
22 30 47 52 36 187	2 0 13 15 0 30	5 4 9 11 1 30	8 14 6 8 39	2 5 4 4 9 24 187 studen	. 8 5 7 10 35	2 8 2 9 8 29.	Itam No. 47 Omit A B C D Total
22 30 47 52 36 187 289	2 0 13 15 0 30	5 4 9 11 1 30 ng cctrecth	8 8 14 6 8 39	2 5 4 4 9 24 187 studen	. 8 5 7 10 35 al group of	2 8 2 9 8 29. cf the tota	Item No. 47 Omit A B C D Total Percent Item No. 48 Omit
22 30 47 52 36 187 289	2 0 13 15 0 30	5 4 9 11 1 30 ng correctly	8 8 14 6 8 39 1s answerti	2 5 4 9 24 187 studen 3	. 8 5 7 10 35 al group of	2 8 2 9 8 29. of the total	Item No. 47 Omit A B C D Total Percent Item No. 48 Omit A
22 30 47 52 36 187 26	2 0 13 15 0 30	5 4 9 11 1 30 ng cc recth	8 14 6 8 39 **s answer in	2 5 4 4 9 24 187 studen 3 2	. 8 5 7 10 35 al group of 8 2 7	2 8 2 9 8 29. cf the tota 0 4	Item No. 47 Omit A B C D Total Percent Item No. 48 Omit A B

Item No. 19 O	mit	0 8	3	1	2	0	14
+,	A 1	3 18	16	34	27	30	[38
	В	1 4	i	2	I	0	5
1	С	8 2	2	0	0	, 0	12
	D	1 8	2	2	0	0	8
То	tal 2	9 35	24	39	, 30	30	187
Pe	rcent of the	total group	of 187 stu	dents answe	ering corre	ctly	74%
Item No. 50 C	mit	0 7	2	0	2	,	11
	A 1	2 20	14	33	28	30	137
	В ,	7 4	0	1	0	0	12
*	С	3 2	. 5	5	0,	0	15
	D	7 2	3	0	0	0	12
To	otal 2	.9 35	5 24	39	. 30	30	187

Percent of the total group of 187 students answering correctly....... 73%

STUDY NO. 8

A CRITICAL AND CORRELATIVE STUDY OF THE N.S.T.S. EXAMINATION 1967 AND THE SCHOOLWISE DATA OF SCHOOLS IN DELHI.

Vcd Ratna,

Acknowledgement:—Thanks are due to Dr. D.S. Kothari, Chairman, University Grants Commission and to Dr. K.N. Saxena, Field Adviser in my office for their encouragement and guidance in conducting this study and to Shri Pushpendra Kumar of my office for helping me in the statistical work connected with the preparation of this paper.

The National Science Talent Search Scheme is being operated by the NCERT for almost 5 years now. The two chief purposes of this scheme are:—

- 1. To locate promising students who can be considered potential scientists early at the secondary stage, and
- 2. To nurture the talent of these students so that their creative powers develop in the best possible way. Thus this scheme is intended to ultimately become a perpetual and rich source of brilliant scientists to our country.

To meet the first of these purposes the selection of students studying in class XI (or equivalent) is done in three stages:

- 1. Only those students who have secured 55% or more marks in science subjects in their annual examination of class X are allowed to appear at an All-India examination.
- 2. In the examination, which is held on the first Sunday in the month of January, the examinees take an objective type "Science Aptitude Test", write an "Essay", and submit a "Project Report" written by them earlier on some experimental or theoretical work of scientific nature done by them. On the basis of their score in these three tests about 1200 students are called for interview.
- 3. After the students appear in the interview about 350 students are selected for the award of scholarship on the basis of their total score in the theory test and interview. The scholars are awarded w.e.f. the month of July.

Since the selection of right type of students is the backbone of the whole scheme, a constant evaluation of the technique of selection is extremely essential. The above described technique is intended to assess the pupils':

- *aptitude for science,
- *powers of scientific reasoning, critical thinking and skill in scientific experimentation,
- *ability to apply knowledge to analyse and int pret scientific data,
- *ability to express scientific concepts clearly and precisely,
- *creativeness and mental alertness in the investigation of scientific phenomena,
- *knowledge about the recent developments in the various branches of pure and applied sciences, and skill to devise and develop some original ideas experimentally.

Although the ultimate criterion of the success of the whole scheme with reference to both the purposes mentioned above will only be the work that will be done by the awardees of this scholarship when they enter their career as fullfleged scientists, continuous effort is made by the N.C.E.R.T. to evaluate the existing technique of selection. In this respect, various kinds of statistical study are done every year on the data obtained from the N.S.T.S. examination and published in the form of a report. In continuation of this process need was felt for a study of the variation in the performance of students at the N.S.T.S. examination from one school to another.

It was desired in this study to eliminate the general differences of educational standards and social environment that may exist between one state and another. Thus the Union Territory of Delhi was chosen for this study, just as a matter of convenience.

Data wa collected for the following three distinct Exami notions:

- (1) Higher Secondary Examination, 1967 conducted by the Central Board of Secondary Education, Indraprastha Estate, New Delhi-1.
 - (2) All India Higher Secondary Examination, 1967 conducted by the Central Board of Secondary Education, Indraprastha Estate, New Delhi-1.
 - (3) Indian School Certificate Examination, Dec., 1966 conducted by the Council for the Indian School Certificate Examination. B-27, Nizamuddin East, New Delhi-13.